




## WHAT ARE PHYTOPLANKTON?

IVONA CETINIĆ


NASA GSFC / USRA

@teuta

# PHYTOPLANKTON "drifting plants", 1887




## GREAT GENETIC <u>DIVERSITY</u> OF ORGANISMS THAT INTERACT WITH LIGHT IN THE OCEAN



Keeling et al. 2004 http://www.diatom.org

#### **PLANKTON**



Size and trophic level


#### **PHYTO**

#### process of photosynthesis:

DRAW DOWN CARBON DIOXIDE

Make carbohydrates
(Base of marine food web)

**PRODUCE OXYGEN** 



6CO<sub>2</sub>
Carbon dioxide






C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> + Sugar


+ 60<sub>2</sub> Oxygen

#### **PHYTOPLANKTON**

Many shapes, colors and sizes...
...that define their role in marine
ecosystem and oceanic carbon cycle




# PHYTOPLANKTON Many shapes, colors and sizes.. ...that define their optical signal




#### PHYTOPLANKTON

- Particle (size, shape, morphology)
- Taxa (Taxonomic approach)
- Chemistry (pigments, minerals, metabolites..)
- Function (role)

#### PHYTOPLANKTON AS PARTICLES



#### PHYTOPLANKTON AS A PARTICLE...






### PHYTOPLANKTON

- Particle (size, shape, morphology)
- Taxa (Taxonomic approach)
- Chemistry (pigments, minerals, metabolites..)
- Function (role)

#### PHYTOPLANKTON AS TAXA

Evolution of concept of taxa

Driven by the development of the methods



Techniques for Quantifying Phytoplankton Biodiversity

Zackary I. Johnson<sup>1</sup> and Adam C. Martiny<sup>2</sup>

<sup>1</sup>Marine Laboratory (Nicholas School of the Environment) and Department of Biology, Duke University, Beaufort, North Carolina 28516; email: zii@duke.edu

<sup>2</sup>Department of Earth System Science and Department of Ecology and Evolutionary Biology, University of California, Irvine, California 92697; email: amartiny@uci.edu

#### Keywords

phytoplankton diversity, next-generation sequencing, molecular ecology

#### Abstract

The biodiversity of phytoplankton is a core measurement of the state and activity of marine ecosystems. In the context of historical approaches, we review recent major advances in the technologies that have enabled deeper characterization of the biodiversity of phytoplankton. In particular, high-throughput sequencing of single loci/genes, genomes, and communities (metagenomics) has revealed exceptional phylogenetic and genomic diversity whose breadth is not fully constrained. Other molecular tools—such as fingerprinting, quantitative polymerase chain reaction, and fluorescence in situ hybridization—have provided additional insight into the dynamics of this diversity in the context of environmental variability. Techniques for characterizing the functional diversity of community structure through targeted or untergeted approaches based on RNA or protein have also greatly advanced. A wide range of techniques is now available for characterizing phytoplankton communities, and these tools will continue to advance through ongoing improvements in both technology and data interpretation.

200

## TAXONOMY - ALL ROLLS BACK TO THE EVOLUTION OF THE TAXA CONCEPT

## Modern system of algal classification (20-ish yrs old)


 – DNA, RNA, protein based (genetics, genomics, transcriptomics... proteonomics) + ultrastructure electron microscopy

Cool & easy read - Caron (2013), Journal of Eukaryotic Microbiology

#### Classical system (~ 350 yrs old)


- Classification based on morphological characteristics based purely on light microscopy
- Electron microscopy (ultrastructure)
- Pigmentation

## VERY SIMPLE TREE OF LIFE (EMPHASIS ON PHYTOPLANKTON)




14

#### **EUKARYOTE PHYLOGENETIC TREE**



#### PROCHLOROCOCCUS PHYLOGENETIC TREES



Kashtan, Nadav, et al. (2014)


#### **TAXONOMY**

#### 1) Old, classical system (~ 350 yrs old)

- Classification based on morphological characteristics based purely on light microscopy
- Electron microscopy (ultrastructure)
- Pigmentation



#### CYANOBACTERIA



- Includes many of the picoplankton
- Many do Nitrogen
   Fixation
- Smallest and most abundant phytoplankton in the ocean
- Tropical to cosmopolitan

#### Α Prochlorococcus Electron micrograph of a longitudinal section of Prochlorococcus (isolate MIT 9313). Tightly appressed intracytoplasmic lamellae are present near the cell periphery, and carboxysomes are visible within the cell interior. Scale bar, 0.1mm. (C. Ting, J. King, S.W. Chisholm, 1999) -30 В Synechococcus -30 **Abundance** [cells ml-1] 3,000 10,000 50,000 100,000 0.5µm

#### **Prochlococcus**

Smallest and most abundant. (~ 0.7 µm) Diagnostic: very small size, lack of orange fluorescence, divinyl chlorophyll a & b.


#### Synechococcus


(~ 1 μm)
Diagnostic:
phycoerthyrin
pigment fluoresces
orange (in contrast
to chlorophyll, which
fluoresces red.

Pedro Flombaum et al. (2013)


#### **Trichodesmium**

cyanobacteria, nitrogen fixer, warm waters, puffs and tuffs, phycoerthyrin, Fe may regulate abundance





#### **PRYMNESIOPHYTES**




**Coccolithophores**, calcareous phytoplankton – calcium carbonate "shells", nano-micro

Sensitive to sea surface temperature - important tool in paleontology Sensitivity to pH

Important for Carbon Export, climate studies


**Phaeocystis**, makes floating with hundreds of cells embedded in a polysaccharide gel matrix DMSP producers

Form ugly foam on beaches in UK (smell of the seaside?)





#### DINOFLAGELLATES




- Flagellate containing algae
- Plant-like, but sometimes animal like (heterotroph), even predators
- Mostly coastal, warm waters
- Are also often symbionts of benthic and pelagic "heterotrophs"
- Red tide organisms, some toxic



#### **DIATOMS**

- Most common type of phytoplankton
- Have silica shells
- Single cells occasionally form chains
- Two forms: pennate, centric
- Some toxic (domoic acid)
- Spring bloomers, effective carbon exporters



### PHYTOPLANKTON

- Particle (size, shape, morphology)
- Taxa (Taxonomic approach)
- Chemistry (pigments, minerals, metabolites..)
- Function (role)


#### PHOTOSYNTHETIC PIGMENTS

(Ps-Light harvesting, PP – photoprotective)


- Chlorophylls (green)
  - Chlorophylls a, b, c, d
  - Divinyl chlorophyll
- Carotenoids(brownish/orangish)
  - Carotenes
    - Beta-carotenes
  - Xanthophylls
    - Peridinin
    - Alloxanthin
    - Zeaxanthin.....
- Phycobilins (blue-green/redish)
  - Phycocyanin
  - Phycoerithrin



#### HRH CHLOROPHYLL




## Chlorophyll absorption spectra (in vitro)




Pigment	Solvent	λmax (nm)
Chl a	Acetone	430, 662
	Diethyl ether	428, 660
	95% Ethanol	432, 664
	Methanol	432, 665
Chl b	Acetone	457, 646
	Diethyl ether	453, 642
	95% Ethanol	464, 649
	Methanol	469, 652

Adapted from Roy et al, 2012

#### PHOTOSYSTEM II






#### MAGIC OF CHLOROPHYLL

#### NOT ALL ENERGY ABSORBED GOES TO PHOTOSYNTHESIS !!!


- 1) Heat (~60%)
- 2) Fluorescence (~7%)
- 3) Photosynthesis(~33 %)

(Lin et al, 2016)





(Collin's lecture!!!)

## CHLOROPHYLL (IN VIVO)



#### Chlorophyll absorption spectra (in vivo)






#### **CAROTENOIDS**

 $\beta$  – carotene (**Carotenes**)


- Photosynthetic/photoprotec tive pigment
- Both in Photosystem I and II



#### **Xanthophylls**

- Photoprotective pigments
- Xanthophyll cycle –
   protective mechanism
   against photoinhibition...


## Many other pigments




### Pigments...

Peridinin

High Preformance Liquid Chromatography




Bidigare, R. R., Van Heukelem, L., & Trees, C. C. (2005)



Origin of the species and the plastids in the cell will define their pigment structure..

#### PIGMENTS AS A TAXONOMICAL TOOL

- CHEMTAX powerful tool if smart person uses it– careful of environmental condition and local flavors
- Other clustering methods



Vol. 144: 265–283, 1996 MARINE ECOLOGY PROGRESS SERIES
Mar Ecol Prog Ser

Published December 5

CHEMTAX—a program for estimating class abundances from chemical markers: application to HPLC measurements of phytoplankton

M. D. Mackey<sup>1, 2</sup>, D. J. Mackey<sup>2,\*</sup>, H. W. Higgins<sup>2</sup>, S. W. Wright<sup>3</sup>

<sup>1</sup>University Chemical Laboratory, Lensfield Rd, Cambridge CB2 1EW, United Kingdom <sup>2</sup>CSIRO Division of Oceanography, PO Box 1538, Hobart, Tasmania 7001, Australia

<sup>3</sup>Australian Antarctic Division, Channel Highway, Kingston, Tasmania 7050, Australia

ABSTRACT: We describe a new program for calculating algal class abundances from measurements of


# PHYTOPLANKTON

- Particle (size, shape, morphology)
- Taxa (Taxonomic approach)
- Chemistry (pigments, minerals, metabolites..)
- Function (role)

# PHYTOPLANKTON FUNCTIONAL TYPES - physiological and ecological criteria

"...group of organisms (irrespective of taxonomic affiliation) that carry out a particular function, e.g. a chemical process such as calcification, silicification, nitrogen fixation, or dimethyl sulfide production; functional groups are also sometimes referred to as 'biogeochemical guilds'."

IOCCG Report 15, (2014)




#### PHYTOPLANKTON AS FUNCTIONAL TYPES

#### Functional type

- autotrophic, oxygenic, oxygen evolving
- size and shape
- transformer of specific nutrient (N2 fixer, CaCO3
   precipitator, silica polymerizer, etc.); ballasting to
   enhance C flux; specialized nutrient-up take pathways,
   sequestering mechanisms; unique C:N:P:trace metal ratio
- nutritional value to higher trophic organisms, such as essential fatty acids, toxins or development disrupters, paleo markers
- ability to live in turbulent vs. stratified environment
- motility for enhancing nutrient acquisition, encounter gametes, avoiding predation
- what else ??

# Is it straightforward? Lets look at chlorophyll... (20yrs!)



Variability... 2-3 orders of a magnitude

#### Postulates:

 From chlorophyll we can get cell abundances

 From chlorophyll we can get cell carbon

# Plant in your kitchen problem

#### Postulates:

 From chlorophyll we can get cell abundances

 From chlorophyll we can get cell carbon




# Plant in your kitchen problem

#### Postulates:

 From chlorophyll we can get cell abundances

 From chlorophyll we can get cell carbon




# Plant in your kitchen problem

#### Postulates:

 From chlorophyll we can get cell abundances

 From chlorophyll we can get cell carbon



#### PHYTOPLANKTON FUNCTIONAL TYPES Google Scholar Occurrences per Year VIIRS **MODIS Aqua MERIS MODIS Terra SeaWiFS**

In situ instrument development (ac, bbp, radiometers)

# HOW TO STUDY PHYTOPLANKTON FUNCTIONAL TYPES with OPTICS?

# Focus on specific morphological and structural features that impact light

- Specific pigment structure leads to specific optical signal
- Specific size will lead to specific optical signal (then we talk about Particle Size Classes)
- Mind the ecology (and environment)

# Focus on taxa specific ecological traits and trophic states

 E.g. Certain chlorophyll/ IOP concentration infers specific community composition

# HOW (Feasible is) TO STUDY PHYTOPLANKTON FUNCTIONAL TYPES with OPTICS?

You will be able to answer that question in the end of this class

Remember!

- Know your friends and your enemies
- -Be realistic
- -Validate