

SMS 204: Integrated marine sciences II

- Instructors: E. Boss and L. Karp-Boss.
- Unit conversion – why should you care?
- Units in homework – in upcoming homework AND exam.
- Mid-term (final of physics part)

2/7/17

SMS 204: Integrated marine sciences

1

Heat and temperature

Temperature- proportional to microscopic kinetic energy of matter.

If two objects (systems) have the same temperature they will stay the same upon contact (1st law of thermodynamics).

If they have different temperatures heat (energy) will be transferred (hot→cold).

2/7/17

SMS 204: Integrated marine sciences

2

(Average) Kinetic Energy of a Molecule

$$\frac{m u^2}{2} = \frac{3 k_B T}{2}$$

Molecules move fast, but in liquids they are so densely packed that collisions are very frequent, and it is impractical to measure the molecular velocity. The velocity is the same, however, in air or water if the temperature is the same.

k_B = Boltzmann's constant = $1.3806503 \times 10^{-23} \text{ m}^2 \text{ kg s}^{-2} \text{ K}^{-1}$

For room temperature, 20 °C, 293.15 K

Mass of a single atom of water = $2.99 \times 10^{-26} \text{ kg}$

Therefore mean $u = 637 \text{ m s}^{-1}$

2/7/17

SMS 204: Integrated marine sciences



3

• Measuring temperature

Find materials whose physical properties you measure (X, e.g. volume) varies linearly with temperature (T):

$$X = aT + b$$

Demo: water thermometer



2/7/17

SMS 204: Integrated marine sciences

4

Latent and sensible heat


- Sensible heat: changes temperature but not state.
- Latent heat: changes state but not temperature.

2/7/17

SMS 204: Integrated marine sciences

5

Heat and temperature



Heat- microscopic kinetic + potential energy of matter. When we change the state of a material we need to provide heat.

To warm a mass of material by ΔT we need to supply it with heat (energy):

$$\text{Sensible heat} = C_p \times \text{Mass} \times \Delta T$$

$$[M \text{ L}^2 \text{ T}^{-2}] = [L^2 \text{ T}^{-2} \text{ K}^{-1}] \times [M] \times [K]$$

C_p - specific heat capacity


For water 1 calorie (=4.184 joules) heats 1gr of water one degree at STP. For air ~1 joule.

2/7/17

SMS 204: Integrated marine sciences

6

• Heat and temperature



Why do we sweat? Why do dogs have a wet nose? Do we feel a different temperature on a humid day (Heat index, wind chill)?

Ocean vs. atmosphere, which gets cooled which gets heated in different parts of the hydrologic cycle?

2/7/17

SMS 204: Integrated marine sciences

7

Energy, heat content in food:

1 Calorie = 1000 calories = 4184J, energy to heat ~1 liter by 1°C, evaporate ~2gr of water at 100°C or melt ~50gr of water at 0°C.

Q: does evaporation only occur at 100°C ?

A Hershey kiss (26 Calories) could provide the energy to lift an SUV 2m off the ground. ← extra credit


Food webs are not very efficient. Only a small percentage of the energy available in the food is effectively transferred into biomass.

2/7/17

SMS 204: Integrated marine sciences

8

Hydrological Cycle



Units: Thousand cubic km for storage, and thousand cubic km/yr for exchanges

Ocean vs. atmosphere, which gets cooled which gets heated in different parts of the hydrological cycle?

2/7/17

SMS 204: Integrated marine sciences

9

Principal modes of heat *transfer*:


1. Radiation (E/M radiation travel through space absorbed).
2. Conduction (objects touch).
3. Convection/advection (fluid motion transfers heat).

2/7/17

SMS 204: Integrated marine sciences


10

Radiative heat flux:
 Bodies radiates energy according to their temperature (humans, 311K, radiates at 10 μ m, Radiates about 2,000Kcal day⁻¹).



Demo - radiation

Earth/oceans:
 Short wave heat flux
 Long wave heat flux



SMS 204: Integrated marine sciences


11

2/7/17

Convective heat flux:
 The fluid density is temperature dependent.
 Along path, horizontal advective heat flux may be important.



Demo - convection



SMS 204: Integrated marine sciences

12

2/7/17

Convection and advection

Confusing terminology


- Thermal convection: fluid density decreases with increasing temperature; unstable stratification produces overturn.
- Engineers sometimes make a distinction between thermal convection and forced convection (e.g., by a fan rather than by density-driven overturn)
- What engineers call convection, oceanographers more generally call advection, except in the case of density-driven overturn, when convection is commonly used by oceanographers as well.
- The point is that lots of heat can be moved by currents, whether it is vertically or horizontally.

2/7/17

SMS 204: Integrated marine sciences

13

Heat conduction:



Examples:
Ice, Fur, Blubber

Heat flux = $-K\Delta T/\Delta x$
 K -heat diffusion coefficient

Material	k (W m ⁻¹ K ⁻¹)
Air	0.025
Water	0.6

2/7/17

SMS 204: Integrated marine sciences

14

Where is conduction important in fluids?


- Where convection (flow) is weak
- Because of the no-slip condition, conduction dominates over convection in a thin layer of water next to solid boundaries (e.g., a whale or the seabed over which water is flowing).
- This layer where conduction dominates over convection is typically < 1 cm thick.
- Conduction is also important where friction restricts fluid motion, e.g., in pore fluids of marine sediments.

2/7/17

SMS 204: Integrated marine sciences

15

Heat flux, recap:




2/7/17

SMS 204: integrated marine sciences

16


• The heat balance of the Earth:



Water vs. air

Density: 1.2 vs. 1000 kg m⁻³
C_p: 1 Jg⁻¹K⁻¹ vs. 4.2 Jg⁻¹K⁻¹

Heat content:
Atmosphere ~ 2.5m of ocean
The 'greenhouse' effect:



Water vs. land

Density: 2500 vs. 1000 kg m⁻³
C_p: 1 Jg⁻¹K⁻¹ vs. 4.2 Jg⁻¹K⁻¹

Difference in how heat is acquired

2/7/17

SMS 204: integrated marine sciences

17

1. When are the longest/shortest day of the year?

2. When are the hottest/coldest days of the year?

3. How is ocean heating/cooling different from land?

2/7/17

SMS 204: integrated marine sciences

18

How does T affect biology?

- How do organisms lose/gain heat?
- Cold/warm blooded organisms
- Enzymatic reactions as $f(T)$
- Swimming & brain performance
- Heat and size (area/volume ratio)
- Wind chill?
- Hypothermia
- Viscosity as $f(T)$

2/7/17

SMS 204: Integrated marine
sciences

19
