




QR	YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
	2023	06	27	05	06	_STATION- 0 4 2-1 _SML			JOB / FW

Water Collection		Number of dips: 10		Volume Collected (L) 0.40L		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	## 112497308	## 112497309			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	## 112497281	## 112497282	## 112497283		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	## 112497227	## 112497228	## 112497229	Approx 50ml repl Repl.2: 60ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	# 112497230	## 112497231	## 112497232	Approx 50ml repl Repl.2: 60ml	

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	27	07	00	_STATION- 0 4 2-2 _SML			JOB / FW

Water Collection		Number of dips: 10		Volume Collected (L) 0.5		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	## 112497311	## 112497312			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	## 112497284	## 112497285	## 112497286		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	## 112497236	## 112497237	## 112497238	~ 100 ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	## 112497233	## 112497234	## 112497235	~ 100 ml	





YYYY MM DD HH MM # # #

2023 06 27 11 00

_STATION- 042-3 _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection

Number of dips: 10

Volume Collected (L) 0.5 L

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY MM DD HH MM # # #

2023 06 27 15 00

_STATION- 042-4 _SML

OPERATOR(S) INITIALS


JOB / FW

Water Collection

Number of dips: 10

Volume Collected (L) 0.5 L

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				






	YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
	2023	06	27	19	00	_STATION- 042-5 _SML			JOB/FW

Water Collection		Number of dips: 10		Volume Collected (L) 0.5		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)					
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	27	23	00	_STATION- 042-6 _SML			JOB/FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.45		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)					
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					





YYYY MM DD HH MM

2023 06 28 03 00

#

_STATION- 043 -1 _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection

Number of dips: 8

Volume Collected (L) 0.45

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				Replicate 3 ~ 60ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				Replicate 3 ~ 60 ml

YYYY MM DD HH MM

2023 06 28 07 00

#

_STATION- 043 -2 _SML

OPERATOR(S) INITIALS


JOB / FW

Water Collection

Number of dips: 9

Volume Collected (L) 0.45

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				collected while moving (ship or surface current)
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				





YYYY MM DD HH MM # # #

2023 06 28 ~~07~~ 11 00

_STATION- 043-3 _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection

Number of dips: 8

Volume Collected (L) 0.45

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	

YYYY MM DD HH MM # # #

2023 06 28 15 00

_STATION- 043-4 _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection

Number of dips: 8

Volume Collected (L) 0.45

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	



YYYY MM DD HH MM # # #

2023 06 28 19 00

_STATION- 043-5 _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection

Number of dips: 10

Volume Collected (L) 0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	

YYYY MM DD HH MM # # #

2023 06 28 23 00

_STATION- 043-6 _SML

OPERATOR(S) INITIALS


JOB / FW

Water Collection

Number of dips: 8

Volume Collected (L) 0.5

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	





YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	29	03	00	_STATION- 044-1 _SML			JOB / FW


Water Collection	Number of dips: 8	Volume Collected (L) 0.5
------------------	-------------------	--------------------------

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112497361	112497362		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112497363	112497364	112497365	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112497366	112497367	112497368	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112497369	112497370	112497371	

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	29	07	00	_STATION- 044-2 _SML			JOB / FW

Water Collection	Number of dips: 8	Volume Collected (L) 0.5
------------------	-------------------	--------------------------

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112497372	112497373		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112497374	112497375	112497376	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112497377	112497378	112497379	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112497380	112497381	112497382	






	YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
	2023	06	29	11	00	_STATION- 044-3 _SML			JOB / FW

Water Collection		Number of dips:	Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	29	15	00	_STATION- 044-4 _SML			JOB / FW

Water Collection		Number of dips:	Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				





YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

20 23

06

29

19

00

_STATION-

0 4 4 - 5

_SML

JOB / FW

Water Collection

Number of dips: 8

Volume Collected (L)

0.5

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112497405	112497406		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112497407	112497408	112497409	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112497410	112497411	112497412	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112497413	112497414	112497415	

YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

20 23

06

29

23

00

_STATION-

0 4 4 - 6

_SML


JOB / FW

Water Collection

Number of dips:

Volume Collected (L)

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112497416	112497417		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112497418	112497419	112497420	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112497421	112497422	112497423	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112497424	112497425	112497426	





	YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
	2023	06	30	03	00	_STATION- 045-1 _SML			JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.5	
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	06	30	07	00	_STATION- 045-2 _SML			JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.5	
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

