



YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 09 22 _STATION- 079 _SML SC

Water Collection		Number of dips:	Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				} 500ml filtered
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 09 25 _STATION- 080 _SML SC

Water Collection		Number of dips:	Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				} 500ml filtered on replicate #1 only!
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				




QR Code	YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
	2023	09	26				081		SC












Water Collection		Number of dips: 14		Volume Collected (L) 700 ml		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112498632	# 112498633			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112498634	# 112498635	# 112498636		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	# 112498637	# 112498638	# 112498639	} 500 ml filtered	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	# 112498640	# 112498641	# 112498642		

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	09	27				082		SC












Water Collection		Number of dips: 14		Volume Collected (L) 700 ml		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112498621	# 112498622			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112498623	# 112498624	# 112498625		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	# 112498626	# 112498627	# 112498628	} 300 ml filtered	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	# 112498629	# 112498630	# 112498631		




YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	10	01						SC
					_STATION-	083	_SML	












Water Collection		Number of dips: 14		Volume Collected (L) 700 ml		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	 112498972	 112498973			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	 112498974	 112498975	 112498976		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	 112498977	 112498978	 112498979	} 500 ml filtered.	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	 112498980	 112498981	 112498982		

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	10	02						SC
					_STATION-	084	_SML	

Water Collection		Number of dips: 14		Volume Collected (L) 700 ml		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	 112498961	 112498962			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	 112498963	 112498964	 112498965		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	 112498966	 112498967	 112498968	} 500 ml filtered	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	 112498969	 112498970	 112498971		





 YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 10 03 _STATION- 085 _SML SC

Water Collection		Number of dips: 14		Volume Collected (L) 700ml		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				} 500 ml filtered.	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 _STATION- _SML

Water Collection		Number of dips:		Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	### SML-FC-1	### SML-FC-2			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	### SML-CP-1	### SML-CP-2	### SML-CP-3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	### SML-320-1	### SML-320-2	### SML-320-3		
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	### SML-023-1	### SML-023-2	### SML-023-3		








YYYY: 2023 MM: 10 DD: 06 HH: 04 MM: 00 # # #: 086 OPERATOR(S) INITIALS: SC, MF
 _STATION- 086 _SML












Water Collection		Number of dips: <u>10</u>		Volume Collected (L) <u>0.5</u>		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3		
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3		

YYYY: 2023 MM: 10 DD: 06 HH: 02 MM: 00 # # #: 086 OPERATOR(S) INITIALS: SC, MF
 _STATION- 086 _SML

Water Collection		Number of dips: <u>10</u>		Volume Collected (L) <u>0.51</u>		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		Dropped the cryotubes w/o the labels	
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3		
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3		




YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
2023 10 06 20 00 _STATION- 086 _SML MF

Water Collection		Number of dips: 11		Volume Collected (L) 0.55		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				~ 950 µl	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 _STATION- _SML

Water Collection		Number of dips:		Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	### SML-FC-1	### SML-FC-2			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	### SML-CP-1	### SML-CP-2	### SML-CP-3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	### SML-320-1	### SML-320-2	### SML-320-3		
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	### SML-023-1	### SML-023-2	### SML-023-3		



A large, empty rectangular box with a black border, occupying the majority of the page, intended for handwritten or printed data.



YYYY MM DD HH MM

2023 10 06 12 00

#

086

_SML

OPERATOR(S) INITIALS

SC, MF

Water Collection

Number of dips: 10

Volume Collected (L)

0.55

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112499204	112499205		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112499206	112499207	112499208	vison
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112499198	112499199	112499200	vison
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112499201	112499202	112499203	

YYYY MM DD HH MM

2023 10 06 16 00

#

086

_SML

OPERATOR(S) INITIALS

MF

Water Collection

Number of dips: 10

Volume Collected (L)

0.55

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112499209	112499210		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112499211	112499212	112499213	vison
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112499214	112499215	112499216	vison
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112499217	112499218	112499219	





YYYY MM DD HH MM # # #

2023 10 07 16 00

_STATION- 087 _SML

OPERATOR(S) INITIALS

MF

Water Collection

Number of dips: 12

Volume Collected (L) 0.61

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		at station 088
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	~150ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	

YYYY MM DD HH MM # # #

2023 10 07 20 00

_STATION- 087 _SML

OPERATOR(S) INITIALS

MF

Water Collection

Number of dips: 11

Volume Collected (L) 0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2		at station 088
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	~150ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3	





YYYY MM DD HH MM

2023 10 07 08 00

#

087

_STATION-

_SML

OPERATOR(S) INITIALS

MF

Water Collection

Number of dips: 12

Volume Collected (L)

0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY MM DD HH MM

2023 10 07 13 50

#

087

_STATION-

_SML

OPERATOR(S) INITIALS

MF

Water Collection

Number of dips: 12

Volume Collected (L)

0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				Dips done close to station 083
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				~150 µl
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				





YYYY: **2023** MM: **10** DD: **07** HH: **00** MM: **00** # # #: **0 8 7** _STATION- **0 8 7** _SML
 OPERATOR(S) INITIALS: **MF**

Water Collection		Number of dips: 12		Volume Collected (L) 0.58		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)					<i>n150ml</i>
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					

YYYY: **2023** MM: **10** DD: **07** HH: **04** MM: **00** # # #: **0 8 7** _STATION- **0 8 7** _SML
 OPERATOR(S) INITIALS: **MF**

Water Collection		Number of dips: 12		Volume Collected (L) 0.6		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					<i>Foggy morning</i>
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)					<i>n150ml</i>
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)					



YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 10 08 00 00 _STATION- 088 _SML SC, MF

Water Collection		Number of dips: 12		Volume Collected (L) 0.7		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3	~ 150 µl	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3		

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 10 08 04 00 _STATION- 088 _SML SC, MF

Water Collection		Number of dips:		Volume Collected (L)		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	1	2			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	1	2	3		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	1	2	3		
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	1	2	3		



YYYY: **2023** MM: **10** DD: **10** HH: **00** MM: **00** # # #: **090**

OPERATOR(S) INITIALS: **JOB**

_STATION- **090** _SML

Water Collection		Number of dips: 8		Volume Collected (L) 0.4 L		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100ml	

YYYY: **2023** MM: **10** DD: **10** HH: **04** MM: **00** # # #: **090**

OPERATOR(S) INITIALS: **JOB**

_STATION- **090** _SML

Water Collection		Number of dips: 8		Volume Collected (L) 0.4 L		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100ml	





YYYY MM DD HH MM # # # OPERATOR(S) INITIALS

2023 10 10 08 00 _STATION- 090 _SML JOB

Water Collection Number of dips: 8 Volume Collected (L) 0.4 L

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100ml

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS

_STATION- _SML

Water Collection Number of dips: Volume Collected (L)

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	### SML-FC-1	### SML-FC-2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	### SML-CP-1	### SML-CP-2	### SML-CP-3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	### SML-320-1	### SML-320-2	### SML-320-3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	### SML-023-1	### SML-023-2	### SML-023-3	



YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	10	08	08	00				MF
					_STATION-	088		_SML

Water Collection Number of dips: 12 Volume Collected (L) 0.65

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112506948	112506949		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112506950	112506951	112506952	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112506953	112506954	112506955	~ 150 µl
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112506956	112506957	112506958	

YYYY	MM	DD	HH	MM	#	#	#	OPERATOR(S) INITIALS
2023	10	08	12	00				MF
					_STATION-	088		_SML

Water Collection Number of dips: 12 Volume Collected (L) 0.65

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112506959	112506960		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112506961	112506962	112506963	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112506964	112506965	112506966	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112506967	112506968	112506969	





YYYY MM DD HH MM

2023 10 08 16 00

_STATION-

#

088

_SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips:

8

Volume Collected (L)

0.4

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100ml

YYYY MM DD HH MM

2023 10 08 20 00

_STATION-

#

088

_SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips:

8

Volume Collected (L)

0.40

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100ml





YYYY MM DD HH MM

2023 10 09 08 00

#

089

_STATION-

_SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips: 16

Volume Collected (L) 0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				150 mL BLB - WRONG LABEL 090
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				150 mL BLB - WRONG LABEL

YYYY MM DD HH MM

2023 10 09 12 00

#

089

_STATION-

_SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips: 10

Volume Collected (L) 0.6

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				150 mL
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				150 mL





YYYY MM DD HH MM

2023 10 09 00 00

#

089

_STATION- _SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips:

8

Volume Collected (L)

0.40

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100 mL
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100 mL

YYYY MM DD HH MM

2023 10 09 04 00

#

089

_STATION- _SML

OPERATOR(S) INITIALS

JOB

Water Collection

Number of dips:

8

Volume Collected (L)

0.40

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				100 mL
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				100 mL





YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 10 09 16 00 _STATION- 089 _SML JOB

Water Collection		Number of dips: 8		Volume Collected (L) 0.4	
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112507049	# 112507050		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112507042	# 112507043	# 112507044	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	# 112507051	# 112507052	# 112507053	100ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	# 112507054	# 112507055	# 112507056	100ml

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2023 10 09 20 00 _STATION- 089 _SML JOB

Water Collection		Number of dips: 8		Volume Collected (L) 0.4	
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112507092	# 112507093		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112507045	# 112507046	# 112507047	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	# 112507036	# 112507037	# 112507038	100ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	# 112507039	# 112507040	# 112507041	100ml



YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS


_STATION-

_SML

Water Collection

Number of dips:

Volume Collected (L) 9

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	SML-FC-1	SML-FC-2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	SML-CS-1	SML-CS-2	SML-CS-3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

_STATION-

_SML

Water Collection

Number of dips:

Volume Collected (L)

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	SML-FC-1	SML-FC-2		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	SML-CS-1	SML-CS-2	SML-CS-3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	SML-320-1	SML-320-2	SML-320-3	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	SML-023-1	SML-023-2	SML-023-3	



COMMENTS

1

2

3

4

5

6

7



YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

_STATION-

_SML

Water Collection

Number of dips:

Volume Collected (L) 7

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				

YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

_STATION-

_SML

Water Collection

Number of dips:

Volume Collected (L) 8

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				



COMMENTS

1

8

2

3

4

5

6

7

7