



LOG_SAMPLES_ YYYY MM DD 2024 06 13 # # # 1 6 3 _STATION- _METADATA

BATHYMETRY 35 m LATITUDE 43,5265 LONGITUDE 16,4037

START UTC HH:MM 05 00 END UTC HH:MM 09 30 STATION NAME SPLIT

Depth	SALINITY (from TSG U-Lab)	SEAWATER TEMPERATURE °C (from TSG in U-Lab)	TURBIDITY (1 = open ocean; 2 = coastal; 3 = estuary)	TURBIDITY DATA FNU (from S-Lab)	FLUORESCENCE µg.L ⁻¹ (from fluoroprobe in U-Lab) <i>CTD. bottle surface</i>
[1] Z= m	36.5936	23.7817	1 <input type="checkbox"/>	0,57 0,57 0,63	2.9925
			2 <input checked="" type="checkbox"/>		
			3 <input type="checkbox"/>		
[2] Z= m			1 <input type="checkbox"/>		
			2 <input type="checkbox"/>		
			3 <input type="checkbox"/>		
[3] Z= m			1 <input type="checkbox"/>		
			2 <input type="checkbox"/>		
			3 <input type="checkbox"/>		

• COMMENTS (CROATIA):

Very calm sea. At anchor in the middle of the bay.

• LISTS OF DEPLOYMENTS BY STATION:

NORMAL SITE SERVICE SITE

- ROSETTE
- A20 PUMP FOR OMICS A20 PUMP FOR DECKNET 5 µM
- A40 PUMP FOR DECKNET 20 µM ASM
- NET 200 µM NET 680 µM
- BOW POLE MERCURY
- SML SECCHI DISK: 11 m



19,0034

20,2402

7

02 20

72,0
72,10
72,0

STATION CAST #

NORMAL SITE SERVICE SITE



[UTC]
 YYYY M DD HH M DECIMAL DEGREE (+- XX.XXXX) DECIMAL DEGREE (+- XX.XXXX)
START 2024 06 13 5 18 N 43 . 5265 E 16 . 4037
END 2024 06 13 5 23 N 43 . 5265 E 16 . 4037

OPERATORS INITIALS

CABLE OUT (m) SOUNDER IN (m) WIND SPEED (kn)

SCANMAR (m) SOUNDER OUT (m) WIND DIRECTION

PLACE NAME SEASTATE **START**

CTD raw file name SEASTATE **END**

UVP raw file name Other information

Bottle #	1	2	3	4	5	6	7	8	9	10	11	12
Bottle Volume (L)	8	8	8	8	12	12	12	12	12	8	8	12
Depth Label	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
Target Depth (m)												
CTD Depth (m)												

surface





STATION

NORMAL SITE SERVICE SITE

[UTC]	YYYY	MM	DD	HH	MM	DECIMAL DEGREE (+/- XX.XXXX)	DECIMAL DEGREE (+/- XX.XXXX)
START	2024	06	13	5	11	N 43 . 5264	E 16 . 4038
END	2024	06	13	5	40	N 43 . 5266	E 16 . 4036

INVESTIGATOR(S)

- EVENT TYPE
- SML
 - MICROTUPS
 - BOW POLE
 - hTSRB
 - A20 PUMP
 - A40 PUMP
 - ASM Normal site
 - ASM Service site
 - Aliens in ports
 - eDNA
 - Filtration 5µM

COMMENTS / PROTOCOL NAMES *omics*

S320- } R1 - R2
S023 }
P320
P023
S320-2
S023-2

T-HG Vial-40mL RT >10°C	 112561892	### T-HG-2
-------------------------------	---------------	---------------

MTE-BP Bottle-125mL RT >10°C	 112561893	### MTE-S-2
------------------------------------	---------------	----------------

ASM Whirl-Pak FRZ -20°C	### ASM-1	### ASM-2	### ASM-3	### ASM-4	### ASM-5	### ASM-6





STATION

NORMAL SITE SERVICE SITE

[UTC]	YYYY	MM	DD	HH	MM	DECIMAL DEGREE (+/- XX.XXXX)		DECIMAL DEGREE (+/- XX.XXXX)	
START	20 24	06	13	06	54	43	. 526 276	16	. 404 089
END	20 24	06	13	07	00	"	. "	"	. "

INVESTIGATOR(S) DAY NIGHT

SOUNDER IN (m) CABLE OUT (m) SEASTATE **START**
 SOUNDER OUT (m) SCANMAR (m) SEASTATE **END**

NET TYPE Decknet 20* WPII 200 Regent 680 Decknet 5

NET TOW TYPE Horizontal Oblique

NET DEPTH (m) MIN MAX

NET FLOWMETER /VOLUMETER in L for 20-µM START END

NET COD-END 680 ZooScan S680-L

COMMENTS

*volumeter always in litres





STATION

1 6 3

NORMAL SITE



SERVICE SITE



[UTC]

YYYY

MM

DD

HH

MM

DECIMAL DEGREE (+/- XX.XXX)

DECIMAL DEGREE (+/- XX.XXX)

START

20 24

06

13

07

57

N 43 . 5257

E 16 . 4016

END

20 24

06

13

08

07

N 43 . 5270

E 16 . 4034

INVESTIGATOR(S)

DAY

NIGHT

SOUNDER IN (m)

CABLE OUT (m)

SEASTATE START

1

SOUNDER OUT (m)

SCANMAR (m)

SEASTATE END

1

NET TYPE

Decknet 20*

WPII 200

Regent 680

Decknet 5

NET TOW TYPE

Horizontal

Oblique

NET DEPTH (m)

MIN

MAX

NET FLOWMETER

/VOLUMETER in L for 20-µM

START

4 11 38

END

4 26 d

NET COD-END 680

ZooScan

S680-L

COMMENTS

*volumeter always in litres



x



STATION

NORMAL SITE SERVICE SITE

[UTC]	YYYY	MM	DD	HH	MM	DECIMAL DEGREE (+/- XX.XXXX)	DECIMAL DEGREE (+/- XX.XXXX)	
START	20	04	06	13	08	33	N 43.5295	E 16.3995
END	20	04	06	13	08	53	N 43.5220	E 16.4067

INVESTIGATOR(S) DAY NIGHT

SOUNDER IN (m) CABLE OUT (m) SEASTATE **START**

SOUNDER OUT (m) SCANMAR (m) SEASTATE **END**

NET TYPE Decknet 20* WP11 200 Regent 680 Decknet 5

NET TOW TYPE Horizontal Oblique

NET DEPTH (m) MIN MAX

NET FLOWMETER /VOLUMETER in L for 20-µM START END

NET COD-END 680 ZooScan S680-L

COMMENTS

*volumeter always in litres





STATION

1 63

NORMAL SITE



SERVICE SITE



[UTC]

YYYY

MM

DD

HH

MM

DECIMAL DEGREE (+/- XX.XXXX)

DECIMAL DEGREE (+/- XX.XXXX)

START

20 24 06 13

09 08

N 43.5236

16.4057

END

20 24 06 13

09 23

N 43.5275

16.3965

INVESTIGATOR(S)



DAY



NIGHT

SOUNDER IN (m)

CABLE OUT (m)

SEASTATE START

1

SOUNDER OUT (m)

SCANMAR (m)

SEASTATE END

1

NET TYPE



Decknet 20*



WP11 200



Regent 680



Decknet 5

NET TOW TYPE



Horizontal



Oblique

NET DEPTH (m)

MIN

MAX

NET FLOWMETER

/VOLUMETER in L for 20-µM

START

45327

END

47864

NET COD-END 680



ZooScan



S680-L

COMMENTS

*volumeter always in litres

