



OPERATOR(S)

Morgane

#

1 2 4

barcode	Station n°	Horiz. or Vert.	UTC DATE/TIME START UTC DATE/TIME END (YYYY.MM.DD HH:MM)	IMAGING TIME (mm:ss)	PARTICLES TOTAL COUNT (#)	PARTICLES CONCENTRATION (#/mL)
	124	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.09 10:04 2024.04.09 10:05	01:13	7000	8221,28
Run 2 (in case)						
	125	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.11 9:31 2024.04.11 9:34	02:59	7000	3362,09
Run 2 (in case)						
	126	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.14	01:33	7000	6440
Run 2 (in case)						
	127	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.15 10:45	01:11	7000	8505,6
Run 2 (in case)						



Protocol	Comments
FLOWCAM	Dilution 20 ml sample + 10 ml FSW
	No <input type="checkbox"/>
	Rhone estuary. Good biodiversity of diatoms.
Protocol	Comments
FLOWCAM	Dilution 20 ml sample + 10 ml FSW
	No <input type="checkbox"/>
	Almost no plankton, only detritus.
Protocol	Comments
FLOWCAM	Dilution
	No <input type="checkbox"/>
Protocol	Comments
FLOWCAM	Dilution
	No <input type="checkbox"/>



OPERATOR(S)

DC

#

1 2 8

barcode	Station n°	Horiz. or Vert.	UTC DATE/TIME START UTC DATE/TIME END (YYYY.MM.DD HH:MM)	IMAGING TIME (mm:ss)	PARTICLES TOTAL COUNT (#)	PARTICLES CONCENTRATION (#/mL)
	128	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.16 10:06	01:20	7000	7482
Run 2 (in case)						
	129	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.17 07:34	06:53	7000	1459
Run 2 (in case)						
	130	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.18	00:44	687	1337
Run 2 (in case)			Run 2	05:10	7000	1942
	131	<input checked="" type="checkbox"/> H <input type="checkbox"/> V	2024.04.20	01:41	7000	5957
Run 2 (in case)						

— outbwinT



Protocol	Comments
FLOWCAM	Dilution No <input type="checkbox"/>
Protocol	Comments
FLOWCAM	Dilution No <input type="checkbox"/>
Protocol	Comments
FLOWCAM	Dilution No <input type="checkbox"/>
Protocol	Comments
FLOWCAM	Dilution No <input type="checkbox"/>