



LOG-SAMPLES_
 _STATION- _S-LAB-NET-680

OPERATOR(S)

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume <input checked="" type="checkbox"/> 1600 mL			Total volume <input checked="" type="checkbox"/> 1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol	 112559444	<input type="checkbox"/> 50 % <input checked="" type="checkbox"/> 100 %	<input type="checkbox"/> 800 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	[] 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect				 112559427	<input type="checkbox"/> 50 % <input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 200 mL <input type="checkbox"/> 400 mL <input type="checkbox"/> 600 mL <input type="checkbox"/> 800 mL <input checked="" type="checkbox"/> 15 mn



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F680 Bottle-250mL RT >10°C		
F2000 Bottle-250mL RT >10°C		
S680-L Falcon-5mL FRZ -20°C		



YYYY MM DD # # #
LOG_SAMPLES_ 2023 04 04 _STATION- 0 0 2 _W-LAB-142-1

OPERATOR(S) Julie Poulain

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[] 20L [] 50L 12 L	[] 15' [] 60' 15 min.		[] 10L [] 20L 15 L
Z00 R02 m			[] 20L [] 50L 12 L	[] 15' [] 60' 15 min.		[] 10L [] 20L 12 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02	[] 10L [] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02-2	[] 10L [] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[] 20L [] 50L 30 L	[] 15' [] 60' 60 min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[] 20L [] 50L L	[] 15' [] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[] 20L [] 50L 26 L	[] 15' [] 60' 55 min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[] 20L [] 50L L	[] 15' [] 60' min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	
Z00 R02 m	
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	
Z02 m	
Depth	COMMENTS S###L
Z00 m	
Z02 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _W-LAB-EDNA

2023 04 04 0 0 2

OPERATOR(S) Julie Poulain
x Colombeau

Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.45 µm
Z00 m		[] 30L 30 L	[] 30 30 min.	=> Collect filtrate for SS protocol onland: V<0.45 2x falcon 50ml
Z02 m	###-Z02 eDNA	[] 30L L	[] 30 min.	
	+ 50 mL of buffer			
	VLOIS			
Z00 R01				
Z00 R02				



Depth Replicate	COMMENTS eDNA
Z00 m	
Z02 m	



YYYY MM DD

LOG_SAMPLES_ 2023 04 04 _STATION- 0 0 2 _W-LAB-142-SS-1

OPERATOR(S) Julie Poulain

Depth Replicate	S02-2K Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	
Z00 R01 m		[] 15L [] 50L <u>8</u> L	[] 15' [] 60' <u>10</u> min.	80 L : Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2
Z00 R02 m		[] 15L [] 50L <u>10</u> L	[] 15' [] 60' <u>10</u> min.	
Depth Replicate	< 3 μm			
Z00 m	For onland protocols			50 L : Collect filtrate for SS protocols onland : V<3, RBM<3, VV<3, VV<3bis



Depth Replicate	COMMENTS S02-2K
Z00 R01 m	
Z00 R02 m	
Depth Replicate	COMMENTS < 3 μm
Z00 m	



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 04 09 _STATION- 0 0 2 _DECK-BGC
 OPERATOR(S) JUF

→ filtered the TOC: so it is actually DOC

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		ICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m						###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 ICTA	###-Z02 SAL
		+ 150 µl HCl			+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m						
Z00 R02 m						
Z00 R03 m						
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3			
		+ 150 µl HCl				



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			
Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _TARDIS-SCP

2023 04 04 0 0 2

OPERATOR(S) JUF

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00 R02 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00 R03 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00 R04 m		<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m	###-Z02 PPL-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.



Depth		COMMENTS PPL	COMMENTS HLB
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Z00	R04 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Z02	R04 m		



LOG_SAMPLES_ **2023** **04** **04** _STATION- **0 0 2** _TARDIS-SCP-SS

OPERATOR(S) **JUF**

LCMS

Depth	PPL WhirlPack FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon 50ml FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.
Z00 R02 m		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.
Z00 R03 m		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.
Z00 R04 m		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.
Z00 Z00 R01 m		[] 1L <input checked="" type="checkbox"/> 2L L	[] 60' [] 120' min.	###-Z02 HLB-LCMS-1	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R02 m	##-Z02 PPL-FT-MS-2	[] 1L [] 2L L	[] 60' [] 120' min.	##-Z02 HLB-LCMS-2	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R03 m	##-Z02 PPL-FT-MS-3	[] 1L [] 2L L	[] 60' [] 120' min.	##-Z02 HLB-LCMS-3	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R04 m	##-Z02 PPL-FT-MS-4	[] 1L [] 2L L	[] 60' [] 120' min.	##-Z02 HLB-LCMS-4	[] 1L [] 2L L	[] 60' [] 120' min.



Depth		COMMENTS PPL-LCMS	COMMENTS HLB-LCMS
Z00	R01 m	I washed the PPL cartridges with MilliQ PH2 from the on board system.	The blank might have received some 0.3µm Seawater at the end of extraction
Z00	R02 m		
Z00	R03 m		
Z00	R04 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Z02	R04 m		



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 04 04 _STATION- 0 0 2 _W-LAB-142-SS-2
 OPERATOR(S) JAF

Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		X 16L L	X 30 min.		X 16L L	X 30 min.
Z00 R02 m		X 16L L	X 30 min.		X 16L L	X 30 min.
Z00 R03 m		X 16L L	X 30 min.		X 16L L	X 30 min.
Z02 R01 m	###-Z02 MB320-SS-1	[] 16L L	[] 30 min.	###-Z02 MB033-SS-1	[] 16L L	[] 30 min.
Z02 R02 m	###-Z02 MB320-SS-2	[] 16L L	[] 30 min.	###-Z02 MB033-SS-2	[] 16L L	[] 30 min.
Z02 R03 m	###-Z02 MB320-SS-3	[] 16L L	[] 30 min.	###-Z02 MB033-SS-3	[] 16L L	[] 30 min.
Depth	LCMS 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)			
Z00 m	###-Z00 LCMS	[] 16L L	[] 30 min.			
Z02 m	###-Z02 LCMS	[] 16L L	[] 30 min.			



Depth Replicate	COMMENTS MB320-SS	COMMENTS MB033-SS
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth	COMMENTS LCMS	
Z00 m		
Z02 m		



YYYY MM DD # # #
 LOG_SAMPLES_ **2023** | **04** | **04** | _STATION- **0** | **0** | **2** | _S-LAB-OTHER
 OPERATOR(S) **Colomban**

Depth Replicates	● SG Cryo-5mL LN2 #1		● HC Cryo-5mL LN2 #1		● HC-G Cryo-5mL LN2 #1		○ CP-G Cryo-5mL LN2 #1		● FC-P Cryo-2mL LN2 #3		● FC-G Cryo-2mL LN2 #3	
Z00 R01 m												
Z00 R02 m												
Z00 R03 m												
Z00 R04 m												
Z00 R05 m												
Z00 R06 m												
Z00 R07 m												
Z00 R08 m												
Prealiquot	Glycine-betaine prealiquot at 4°C	No prealiquot	Glycerol prealiquot - RT	Glycerol prealiquot - RT	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C						



general remark:

only the SG were stored for 15 min in the dark. The other directly in LN

Depth Replicate	COMMENTS
Z00 R01 m	Only the SG were stored for 15 min in the dark. The other directly in LN.
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-DECKNET-5

OPERATOR(S) Colomban

Depth	DECKNET Volume (Litres)	Time start FILLING ###:##	Time end NET OUT ###:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[] 100 L	:	:	112493182	112493183
Z02 m	[] 100 L	:	:	### Z02 SG5-1	### Z02 SG5-2
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C			
Z00 m	112493186	112493187			
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
	*pre-aliquoted 5 mL PFA/GLUT store at -20°C	* pre-aliquoted Glycine betaine store at 4°C			



Depth	COMMENTS SG5
Z00 R01 m	
Z00 R02 m	
Depth	COMMENTS FM5
Z00 R01 m	
Z00 R02 m	



LOG_SAMPLES_ **2023** **04** **04** _STATION- **0** **0** **2** _S-LAB-25-1

OPERATOR(S) | **M. G.**

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)		
Z00 m	1. 2,85 2. 2,37 3. 3,12		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 90 Weight: 37,506		
Z02 m	1. 2. 3.	###-Z02 PM-CTRL	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:		
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)				
Z00 m		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Z02 m	###-Z02 PA	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 m		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 659 Weight: 37,378		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 57 Weight: 37,098
Z00 m		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 652 Weight: 37,425		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 682 Weight: 37,961
Z00 m		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 645 Weight: 37,089		<input type="checkbox"/> 150* <input checked="" type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 84 Weight: 36,887
Z02 m	###-Z02 PM-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 m	###-Z02 PM-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 m	###-Z02 PM-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth Replicate	COMMENTS PA	
Z00 m		
Z02 m		



YYYY MM DD # # #
 LOG_SAMPLES_ **2023** **04** **04** _STATION- **0 0 2** _S-LAB-25-2
 OPERATOR(S) | **M. G.**

Depth	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)			
Z00 R01 m		[] 150* [x] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
Z00 R02 m	###-Z00 HP-2	[] 150* [] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
Z00 R03 m	###-Z00 HP-3	[] 150* [] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
Z02 R01 m	###-Z02 HP-1	[] 150* [] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
Z02 R02 m	###-Z02 HP-2	[] 150* [] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
Z02 R03 m	###-Z02 HP-3	[] 150* [] 250* [] 635 [] 1080 [] 2270	[] 30' [] 40' max min			
TRIPPLICATES ONCE A MONTH						



Depth Replicate	COMMENTS HP
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z02 R01 m	
Z02 R02 m	
Z02 R03 m	



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-20

OPERATOR(S) M.G.

		Net 20 µm		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends [] 1 [] 2	Total volume [] 1600 mL $+100 = 1700 \div 8 = 212,50$	Aliquots vol. [] 200 mL $212,50$			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input type="checkbox"/> 1/8 $212,5 + 100 = 312,5 \text{ mL}$	[] 200 mL $312,50 \text{ mL}$ <input type="checkbox"/> 15 mn		[] 1/8 $312,5 \text{ mL}$	[] 200 mL $312,50 \text{ mL}$ <input type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8 $= 212,50$	[] 200 mL $= 212,50 \text{ mL}$ <input checked="" type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING	<i>we added 100 mL of FSW to the 1600 mL to rinse mae.</i>	
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

OPERATOR(S) M. G.

Horizontal WP11-200						
SAMPLE SPLITTING						
COD-END #1						
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		[•] 1 (100%)	[•] 250 mL			
SAMPLE SPLITTING						
COD-END #2						
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
S200 Cryo-5mL LN2 #1		[•] 1/8	[•] 200 mL [•] 15 mn		[•] 1/8	[•] 200 mL [•] 15 mn
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		[•] 1/8	[•] 200 mL [•] 15 mn			



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		