



LOG-SAMPLES\_ YYYY MM DD # # # #  
 2023 04 05 \_STATION- 0 0 3 \_S-LAB-NET-680  
 OPERATOR(S) D. C.

Régent 680

SAMPLE SPLITTING	NET TOW #1 : <i>Only 1 TOW</i>			-NET TOW #2		
	Total volume [-]1600 mL	1200 mL		Total volume [-]1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		<input checked="" type="checkbox"/> 50 % <input type="checkbox"/> 100 %	[ ] 800 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	[ ] 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					<input checked="" type="checkbox"/> 50 % <input type="checkbox"/> 100 %	[ ] 200 mL [ ] 400 mL [ ] 600 mL [ ] 800 mL 154 mL [ ] 15 mn

we did only 1 net tow but longer in time. Then (20 minutes)  
 we divided the cod-end in 2 parts of 600 mL (1200 mL)  
 to do the F680 and the S680-L.



	COMMENTS	COMMENTS
<b>SAMPLE SPLITTING</b>		
<b>PROTOCOLS</b>		
<b>F680</b> Bottle-250mL RT >10°C		
<b>F2000</b> Bottle-250mL RT >10°C		
<b>S680-L</b> Falcon-5mL FRZ -20°C		



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_W-LAB-142-1

2023 04 05 0 0 3

OPERATOR(S) Julie Poulain

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[ ] 20L [ ] 50L 14 L	[ ] 15' [ ] 60' 15 min.		[ ] 10L [ ] 20L 14 L
Z00 R02 m			[ ] 20L [ ] 50L 15 L	[ ] 15' [ ] 60' 15 min.		[ ] 10L [ ] 20L 15 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.	###-Z02 S<02	[ ] 10L [ ] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.	###-Z02 S<02-2	[ ] 10L [ ] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[ ] 20L [ ] 50L 34 L	[ ] 15' [ ] 60 60 min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[ ] 20L [ ] 50L 32 L	[ ] 15' [ ] 60 60 min.		



Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	
Z02		
	m	



LOG\_SAMPLES\_    \_STATION-    \_W-LAB-EDNA

OPERATOR(S)

Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.45 µm
Z00 m	### Z00 	<input checked="" type="checkbox"/> 30L L	<input type="checkbox"/> 30 17 min.	=> Collect filtrate for SS protocol onland : V<0.45 <i>[Handwritten signature]</i>
Z02 m	###-Z02 eDNA	<input type="checkbox"/> 30L L	<input type="checkbox"/> 30 min.	
	+ 50 mL of buffer			
	<i>[Handwritten signature]</i>			
	<i>Z00</i> <i>R01</i> 			
	<i>Z00</i> <i>R02</i> 			



Depth Replicate	COMMENTS eDNA
Z00  m	
Z02  m	



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_W-LAB-142-SS-1

2023 04 05 0 0 3

OPERATOR(S) Julie Poulain

Depth Replicate	S02-2K Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	
Z00 R01 m		<input type="checkbox"/> 15L <input type="checkbox"/> 50L 13 L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' 12 min.	80 L : Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2
Z00 R02 m		<input type="checkbox"/> 15L <input type="checkbox"/> 50L 12 L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' 10 min.	
Depth Replicate	< 3 µm			
Z00 m	For onland protocols			50 L : Collect filtrate for SS protocols onland : V<3, RBM<3, VV<3, VV<3bis



Depth Replicate		COMMENTS
		S02-2K
Z00	R01	
	m	
Z00	R02	
	m	
Depth Replicate		COMMENTS
		< 3 µm
Z00		
	m	





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_DECK-BGC

OPERATOR(S) JUF

2023 04 05 0 0 3

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
		+ 150 µl HCl		+ 300 µl HgCl <sub>2</sub>	

Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
		+ 150 µl HCl			



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			
Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			



YYYY MM DD

# # #

LOG\_SAMPLES\_

\_STATION-

\_TARDIS-SCP-SS

OPERATOR(S)

LCMS

Depth	PPL WhirlPack FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z02 R01 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R05 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			
Z02 m		<input type="checkbox"/> 1L <input type="checkbox"/> 2L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			

COMMENTS

- Blanks are extracted on 06/04/2023



YYYY MM DD # # #  
 LOG\_SAMPLES\_    \_STATION-    \_TARDIS-SCP-SS  
 OPERATOR(S)

LCMS

Depth		PPL WhirlPack FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00	R01 m	###-Z00 PPL-NMR-1	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.	###-Z00 HLB-LCMS-1	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.
Z00	R02 m	##-Z00 PPL-NMR-2	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.	###-Z00 HLB-LCMS-2	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.
Z00	R03 m	##-Z00 PPL-NMR-3	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.	###-Z00 HLB-LCMS-3	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.
Z00	R04 m	###-Z00 PPL-NMR-4	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.	###-Z00 HLB-LCMS- H2O	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.
Z00	R05 m	###-Z00 PPL-NMR-5	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.			
Z00	m	###-Z00 PPL-LCMS- H2O	[ ] 1L [ ] 2L L	[ ] 60' [ ] 120' min.			



LOG\_SAMPLES\_    \_STATION-    \_W-LAB-142-SS-2

OPERATOR(S)

Depth	Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00	R01		<del>X</del> 16L	[ ] 30		<del>X</del> 16L	[ ] 30
	m		L	min.		L	min.
Z00	R02		<del>X</del> 16L	[ ] 30		<del>X</del> 16L	[ ] 30
	m		L	min.		L	min.
Z00	R03	<del>XXXXXXXXXX</del> 112559484	<del>X</del> 16L	[ ] 30	<del>XXXXXXXXXX</del> 112559481	<del>X</del> 16L	[ ] 30
	m		L	min.		L	min.
Z02	R01	###-Z02 MB320-SS	[ ] 16L	[ ] 30	###-Z02 MB033-SS	[ ] 16L	[ ] 30
	m		L	min.		L	min.
Z02	R02	###-Z02 MB320-H2O-1	[ ] 16L	[ ] 30	###-Z02 MB033-H2O-1	[ ] 16L	[ ] 30
	m		L	min.		L	min.
Z02	R03	###-Z02 MB320-H2O-2	[ ] 16L	[ ] 30	###-Z02 MB033-H2O-2	[ ] 16L	[ ] 30
	m		L	min.		L	min.

COMMENTS

- filtered 17L instead of 16

- only took 1 filter blank each -> wear short on filters and I don't know when we'll be able to collect more.



Depth Replicate	COMMENTS MB320-SS	COMMENTS MB033-SS
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth	COMMENTS LCMS	
Z00 m		
Z02 m		



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-OTHER

OPERATOR(S) Colomban

Depth Replicates		SG Cryo-5mL LN2 #1	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00	R01 m	112493172	112493088	112493096	112493115	112493176	112493180
Z00	R02 m	112493173	112493089	112493097	112493116	112493177	112493181
Z00	R03 m		112493090	112493098	112493117		
Z00	R04 m		112493091	112493099			
Z00	R05 m		112493092	112493100			
Z00	R06 m		112493093	112493101			
Z00	R07 m		112493094	112493102			
Z00	R08 m		112493095	112493103			
<b>Prealiquot</b>		Glycine-betaine prealiquot at 4°C	No prealiquot	Glycerol prealiquot - RT	Glycerol prealiquot - RT	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C



Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-DECKNET-5

2023 04 05 0 0 3

OPERATOR(S) Colomban

Depth	DECKNET Volume (Litres)	Time start FILLING ##:##	Time end NET OUT ##:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[●] 100 L	:	:	 112493184	 112493185
Z02 m	[●] 100 L	:	:	### Z02 SG5-1	### Z02 SG5-2
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C			
Z00 m	 112493188	 112493189			
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
*pre-aliquoted 5 mL PFA/GLUT store at -20°C		* pre-aliquoted Glycine betaine store at 4°C			



Depth		COMMENTS SG5
Z00	R01 m	
Z00	R02 m	
Depth		COMMENTS FM5
Z00	R01 m	
Z00	R02 m	



LOG\_SAMPLES\_ **2023** **05** **05** \_STATION- **0** **0** **3** \_S-LAB-25-1

OPERATOR(S) **M. G.**

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 m	1. <b>1,22</b> 2. <b>1,39</b> 3. <b>1,62</b>		###-Z00 PM-CTRL	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	
Z02 m	1. 2. 3.		###-Z02 PM-CTRL	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)				
Z00 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Z02 m	###-Z02 PA	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>PA 662</b> Weight: <b>37,171</b>		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>TR 64</b> Weight: <b>37,572</b>
Z00 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>TA 62</b> Weight: <b>37,142</b>		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>TR 58</b> Weight: <b>37,415</b>
Z00 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>PA 697</b> Weight: <b>36,806</b>		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: <b>TR 63</b> Weight: <b>36,979</b>
Z02 m	###-Z02 PM-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 m	###-Z02 PM-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 m	###-Z02 PM-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth Replicate	COMMENTS PA	
Z00 m		
Z02 m		



LOG\_SAMPLES\_ **2023** **04** **05** \_STATION- **0** **0** **3** \_S-LAB-25-2

OPERATOR(S) | **M. G.**

Depth	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)			
Z00 R01 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max <b>5'26"</b> min			
Z00 R02 m	###-Z00 HP-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z00 R03 m	###-Z00 HP-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R01 m	###-Z02 HP-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R02 m	###-Z02 HP-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R03 m	###-Z02 HP-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			

**TRIPPLICATES ONCE A MONTH**



Depth Replicate	COMMENTS HP
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z02 R01 m	
Z02 R02 m	
Z02 R03 m	



LOG-SAMPLES\_    \_STATION-    \_S-LAB-NET-20

OPERATOR(S)

		Net 20 µm		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends [ ] 1 [ ] 2	Total volume [ ] 1600 mL	Aliquots vol. [ ] 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8 + 100 mL of SAMPLES	<del>[ ] 200 mL</del> 300 mL <input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8 + 100 mL of SAMPLES	<del>[ ] 200 mL</del> 300 mL <input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		[ ] 1/8	[ ] 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL  <input checked="" type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1	<i>S20-1: There is a article of zooplankton (maybe "balaço") on the filter.</i>	
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		





LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-NET-200  
 2023 04 05 0 0 3  
 OPERATOR(S) M. G.

Horizontal WPII-200						
SAMPLE SPLITTING	COD-END #1					
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		[•] 1 (100%)	[•] 250 mL			
SAMPLE SPLITTING	COD-END #2	Total volume	Aliquots vol.			
		[•] 1600 mL	[•] 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
S200 Cryo-5mL LN2 #1		[•] 1/8	<del>200 mL</del> 60 mL [•] 15 mn		[•] 1/8	<del>200 mL</del> 42 mL [•] 15 mn
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		[•] 1/8	<del>200 mL</del> 30 mL [•] 15 mn			



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		