



LOG-SAMPLES_ _STATION- _S-LAB-NET-680

OPERATOR(S)

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume [] 1600 mL			Total volume [] 1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		[] 50 % [●] 100 %	[] 800 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	[] 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					[] 50 % [●] 100 %	[●] 200 mL [] 400 mL [] 600 mL [] 800 mL [●] 15 mn



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F680 Bottle-250mL RT >10°C		
F2000 Bottle-250mL RT >10°C		
S680-L Falcon-5mL FRZ -20°C		



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _W-LAB-142-1

OPERATOR(S) Julie Paulain

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[] 20L [] 50L 15 L	[] 15' [] 60' 15 min.		[] 10L [] 20L 15 L
Z00 R02 m			[] 20L [] 50L 13 L	[] 15' [] 60' 15 min.		[] 10L [] 20L 13 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02	[] 10L [] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02-2	[] 10L [] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[] 20L [] 50L 23 L	[] 15' [] 60' 50 min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[] 20L [] 50L L	[] 15' [] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[] 20L [] 50L 24 + 17) 40 L	[] 15' [] 60' 40 + 20) 60 min.	2 filters / tube	
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[] 20L [] 50L L	[] 15' [] 60' min.		



Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	<i>Filter 0.2 23 µm changed after 40' + 26L of filtrat^o 2 filters / tube</i>
Z02		
	m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _W-LAB-EDNA
2023 04 08 0 0 5
 OPERATOR(S) Julie Poulain

Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.45 µm
Z00 m		X 30L 30 L	X 30 30 min.	
Z02 m	###-Z02 eDNA	[] 30L L	[] 30 min.	=> Collect filtrate for SS protocol online: V<0.45 2 x Falcon 50 ml
	+ 50 mL of buffer			
	VLO45			
	Barcode 112559354			
	Barcode 112559354			



Depth Replicate	COMMENTS eDNA
Z00 m	
Z02 m	



YYYY MM DD

LOG_SAMPLES_ 2023 04 08

#

_STATION- 0 0 5 _W-LAB-142-SS-1

OPERATOR(S) Julie Paulain

Depth Replicate	S02-2K Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	
Z00 R01 m		[] 15L [] 50L 9 L	[] 15' [] 60' 13 min.	80 L : Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2
Z00 R02 m		[] 15L [] 50L 5 L	[] 15' [] 60' 9 min.	
Depth Replicate	< 3 µm			
Z00 m	For onland protocols			50 L : Collect filtrate for SS protocols onland : V<3, RBM<3, VV<3, VV<3bis



Depth Replicate		COMMENTS S02-2K
Z00	R01	
	m	
Z00	R02	
	m	
Depth Replicate		COMMENTS < 3 µm
Z00		
	m	




YYYY MM DD # # #
 LOG_SAMPLES_ **2023 04 08** _STATION- **0 0 5** _DECK-BGC
 OPERATOR(S) **JUF**

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m						
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 DICTA	###-Z02 SAL
		+ 150 µl HCl			+ 300 µl HgCl₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m						
Z00 R02 m						
Z00 R03 m						
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3			
		+ 150 µl HCl				



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			
Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			













YYYY MM DD
 LOG_SAMPLES_ 2023 04 08

 _STATION- 0 0 5

_TARDIS-SCP-SS

OPERATOR(S) JUF

LCMS						
Depth	PPL WhirlPack FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00	R01 m 	<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00	R02 m 	<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00	R03 m 	<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00	R04 m 	<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.		<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z00	R05 m 	<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			
Z00	m 	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			
Blank is extracted on 09/04/2023						



LOG_SAMPLES_ _STATION- _TARDIS-SCP-SS

OPERATOR(S)

LCMS

Depth	PPL WhirlPack FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z02 R01 m	##-Z02 PPL-NMR-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-LCMS-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m	##-Z02 PPL-NMR-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-LCMS-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m	##-Z02 PPL-NMR-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-LCMS-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m	##-Z02 PPL-NMR-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-LCMS-H2O	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R05 m	###-Z02 PPL-NMR-5	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			
Z02 m	###-Z00 PPL-LCMS-H2O	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.			

COMMENTS



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _W-LAB-142-SS-2

OPERATOR(S) JUF

Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		X 16L L	[] 30 min.		X 16L L	[] 30 min.
Z00 R02 m		X 16L 250ml L	[] 30 min.		X 16L 250ml L	[] 30 min.
Z00 R03 m	###-Z00 MB320-H2O-2	[] 16L L	[] 30 min.	###-Z00 MB033-H2O-2	[] 16L L	[] 30 min.
Z02 R01 m	###-Z02 MB320-SS	[] 16L L	[] 30 min.	###-Z02 MB033-SS	[] 16L L	[] 30 min.
Z02 R02 m	###-Z02 MB320-H2O-1	[] 16L L	[] 30 min.	###-Z02 MB033-H2O-1	[] 16L L	[] 30 min.
Z02 R03 m	###-Z02 MB320-H2O-2	[] 16L L	[] 30 min.	###-Z02 MB033-H2O-2	[] 16L L	[] 30 min.

COMMENTS

Blank for filter is done with 250 ml MilliQ
(as specified in protocol)



Depth Replicate	COMMENTS MB320-SS	COMMENTS MB033-SS
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth	COMMENTS LCMS	
Z00 m		
Z02 m		



LOG_SAMPLES_ **2023** | **04** | **08** | YYYY MM DD
 _STATION- **0** | **0** | **5** | # # #
 OPERATOR(S) **Colomban** | _S-LAB-OTHER

Depth	Replicates	SG Cryo-5mL LN2 #1	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00	R01 m						
Z00	R02 m						
Z00	R03 m						
Z00	R04 m						
Z00	R05 m						
Z00	R06 m						
Z00	R07 m						
Z00	R08 m						
Prealiquot		Glycine-betaine prealiquot at 4°C	No prealiquot	Glycerol prealiquot - RT	Glycerol prealiquot - RT	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C



Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-DECKNET-5

2023 04 08 0 0 5

OPERATOR(S) Colomban

Depth	DECKNET Volume (Litres)	Time start FILLING ###:##	Time end NET OUT ###:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[] 100 L 200 L	12 : 40	13 : 20	112493259	112493260
Z02 m	[] 100 L			### Z02 SG5-1	### Z02 SG5-2
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C			
Z00 m	112493253	112493254			
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
	*pre-aliquoted 5 mL PFA/GLUT store at -20°C	* pre-aliquoted Glycine betaine store at 4°C			



Depth		COMMENTS SG5
Z00	R01 m	
Z00	R02 m	
Depth		COMMENTS FM5
Z00	R01 m	
Z00	R02 m	



YYYY MM DD # # #
LOG_SAMPLES_ 2023 04 08 _STATION- 0 0 5 _S-LAB-25-1
OPERATOR(S) M. G.

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)		
Z00 m	1. 1,63 2. 1,65 3. 1,57	###-Z00 PM-CTRL	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:		
Z02 m	1. 2. 3.	###-Z02 PM-CTRL	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:		
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)				
Z00 m	 112559513	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Z02 m	###-Z02 PA	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270				
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m	 112559514	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 91 Weight: 37,639	 112559517	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 89 Weight: 37,809
Z00 R02 m	 112559515	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 580 Weight: 38,212	 112559518	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 679 Weight: 38,261
Z00 R03 m	 112559516	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 666 Weight: 37,313	 112559519	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: PA 653 Weight: 38,884
Z02 R01 m	###-Z02 PM-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 R02 m	###-Z02 PM-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 R03 m	###-Z02 PM-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth Replicate	COMMENTS PA	
Z00 m		
Z02 m		



LOG_SAMPLES_ _STATION- _S-LAB-25-2

OPERATOR(S)

Depth	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)			
Z00 R01 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max 6"06' min			
Z00 R02 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z00 R03 m		<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R01 m	###-Z02 HP-1	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R02 m	###-Z02 HP-2	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
Z02 R03 m	###-Z02 HP-3	<input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min			
TRIPPLICATES ONCE A MONTH						



Depth Replicate		COMMENTS HP
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	



LOG-SAMPLES_ _STATION- _S-LAB-NET-20

OPERATOR(S)

		Net 20 μ m				
				<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	Total volume <input checked="" type="checkbox"/> 1600 mL	Aliquots vol. <input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 300 mL <input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 300 mL <input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

2023 04 08 0 0 5

OPERATOR(S) M. G.

<u>Horizontal</u> WP11-200						
SAMPLE SPLITTING	COD-END #1					
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		[•] 1 (100%)	[•] 250 mL			
SAMPLE SPLITTING	COD-END #2		Total volume	Aliquots vol.		
			[•] 1600 mL	[•] 200 mL		
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
S200 Cryo-5mL LN2 #1		[•] 1/8	[] 200 mL [•] 109 mL [•] 15 mn		[•] 1/8	[] 200 mL [•] 125 mL [•] 15 mn
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		[•] 1/8	[] 200 mL [•] 127 mL [] 15 mn			



	COMMENTS	COMMENTS
SAMPLE SPLITTING	cod-ends full of big terrestrial particles (piece of wood, buds) and algae (Fucus); and insects.	
PROTOCOLS		
F200 Bottle-250mL RT >10°C	F200: Fraction filtrated on 2000µm mesh.	
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		