



LOG-SAMPLES_ _STATION- _S-LAB-NET-680
 OPERATOR(S)

Régent 680

| SAMPLE SPLITTING | NET TOW #1 | | | NET TOW #2 | | |
|---|-----------------------------|--------------------------|---------------------|-----------------------------|--------------------------|---|
| | Total volume [●] 1600 mL | | | Total volume [●] 1600 mL | | |
| PROTOCOLS | Barcode | Fraction of total volume | Aliquot Volume (mL) | Barcode | Fraction of total volume | Aliquot Volume (mL) |
| F680 Bottle-250mL RT >10°C + Borax/Formol | | [] 50 % [●] 100 % | [●] 800 mL | | | |
| F2000 Bottle-250mL RT >10°C + borax/formol | ### EPI F2000 | hand-picked #ind= | [] 250 mL | | | |
| S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect | | | | | [] 50 % [] 100 % | [] 200 mL [] 400 mL [] 600 mL [] 800 mL [●] 40mL [] 15 mn |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| | COMMENTS | COMMENTS |
|-----------------------------------|----------|----------|
| SAMPLE SPLITTING | | |
| PROTOCOLS | | |
| F680 Bottle-250mL RT >10°C | | |
| F2000 Bottle-250mL RT >10°C | | |
| S680-L Falcon-5mL FRZ -20°C | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _W-LAB-142-1

OPERATOR(S) Julie Poulain

| Depth Replicate | S320 Cryo-5mL LN2 #1 | S023 Cryo-5mL LN2 #1 | Filtration Volume (Litres) | Filtration Duration (minutes) | S<02 Cryo-5mL FRG +4°C | Filtration Volume (Litres) |
|-----------------|--|--|------------------------------------|-------------------------------|---|----------------------------|
| Z00 R01 m | | | [] 20L [] 50L 14 L | [] 15' [] 60' 15 min. | | [] 10L [] 20L 14 L |
| Z00 R02 m | | | [] 20L [] 50L 14 L | [] 15' [] 60' 15 min. | | [] 10L [] 20L 13 L |
| Z02 R01 m | ###-Z02 S320-1 | ###-Z02 S023 | [] 20L [] 50L L | [] 15' [] 60' min. | ###-Z02 S<02 | [] 10L [] 20L L |
| Z02 R02 m | ###-Z02 S320-2 | ###-Z02 S023-2 | [] 20L [] 50L L | [] 15' [] 60' min. | ###-Z02 S<02-2 | [] 10L [] 20L L |
| Depth Replicate | P320 Cryo-5mL LN2 #1 | P023 Cryo-5mL LN2 #1 | Filtration Volume (Litres) | Filtration Duration (minutes) | < 0.2 µm | |
| Z00 m | | | [] 20L [] 50L ~ 19 L | [] 15' [] 60' 45 min. | => Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2 | |
| Z02 m | ###-Z02 P320 | ###-Z02 P023 | [] 20L [] 50L L | [] 15' [] 60' min. | | |
| Depth Replicate | S320-L 15mL falcon -20°C + 10 mL Nucleoprotect | S023-L 15mL falcon -20°C + 10 mL Nucleoprotect | Filtration Volume (Litres) | Filtration Duration (minutes) | | |
| Z00 m | | | [] 20L [] 50L 17 + 18 35 L | [] 15' [] 60' 60 min. | | |
| Z02 m | ###-Z02 S320-L | ###-Z02 S023-L | [] 20L [] 50L L | [] 15' [] 60' min. | | |




| Depth Replicate | | COMMENTS S### |
|-----------------|-----|---|
| Z00 | R01 | [REDACTED] |
| | m | |
| Z00 | R02 | |
| | m | |
| Z02 | R01 | |
| | m | |
| Z02 | R02 | |
| | m | |
| Depth | | COMMENTS P### |
| Z00 | | Vol is not precized because the debimeter was HS. |
| | m | |
| Z02 | | |
| | m | |
| Depth | | COMMENTS S###L |
| Z00 | | 2 filters changed after 17 of filter 20' because salinity |
| | m | |
| Z02 | | |
| | m | |



LOG_SAMPLES_ _STATION- _W-LAB-EDNA

OPERATOR(S)

| Depth Replicate | eDNA Watera capsule RT | Filtration Volume (Litres) | Filtration Duration (minutes) | | < 0.45 μ m |
|-----------------|--|----------------------------|-------------------------------|--|---|
| Z00 m |  112559760 | [] 30L 28 L | [] 30 min. | | => Collect filtrate for SS protocol onland : V<0.45 |
| Z02 m | ###-Z02 eDNA | [] 30L L | [] 30 min. | | |
| | + 50 mL of buffer | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| Depth Replicate | COMMENTS eDNA |
|--------------------|------------------|
| Z00 m | |
| Z02 m | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



LOG_SAMPLES_ **2023 04 16** _STATION- **0 0 9** _DECK-BGC

OPERATOR(S) **JUF**

| Depth | TOC Vial-40mL FRG +4°C | TOC Vial-40mL FRG +4°C | TOC Vial-40mL FRG +4°C | DICTA Bottle-500mL RT >10°C | SAL Bottle-125mL RT >10°C |
|-----------------|--------------------------------|------------------------|---------------------------|----------------------------------|---------------------------|
| Z00 m | | | | | ###-Z00 SAL |
| Z02 m | ###-Z02 TOC-1 | ###-Z02 TOC-2 | ###-Z02 TOC-3 | ###-Z02 DICTA | ###-Z02 SAL |
| | | + 150 µl HCl | | + 300 µl HgCl₂ | |
| Depth | CDOM/FDOM Bottle-60mL FRG +4°C | DOC Vial-40mL FRG +4°C | NUT Bottle-60mL FRZ -20°C | | |
| Z00 R01 m | | | | | |
| Z00 R02 m | | | | | |
| Z00 R03 m | | | | | |
| Z02 R01 m | ###-Z02 DOM-1 | ###-Z02 DOC-1 | ###-Z02 NUT-1 | | |
| Z02 R02 m | ##-Z02 DOM-2 | ###-Z02 DOC-2 | ###-Z02 NUT-2 | | |
| Z02 R03 m | ##-Z02 DOM-3 | ###-Z02 DOC-3 | ###-Z02 NUT-3 | | |
| | | + 150 µl HCl | | | |



| Depth | COMMENTS TOC | COMMENTS DICTA | COMMENTS SAL |
|-----------------|--|----------------|--------------|
| Z00 m | Aerosols were used in the workshop at the time of sampling and might have caused contamination | | |
| Z02 m | | | |
| Depth Replicate | COMMENTS CDOM/FDOM | COMMENTS DOC | COMMENTS NUT |
| Z00 R01 m | | | |
| Z00 R02 m | | | |
| Z00 R03 m | | | |
| Z02 R01 m | | | |
| Z02 R02 m | | | |
| Z02 R03 m | | | |
| | | | |
| | | | |



LOG_SAMPLES_ _STATION- _TARDIS-SCP

OPERATOR(S)

| Depth | PPL Falcon-50mL FRZ -20°C | Filtration Volume (Litres) | Filtration Duration (minutes) | HLB Falcon-50mL FRZ -20°C | Filtration Volume (Litres) | Filtration Duration (minutes) |
|--------------|---------------------------|---|--|---------------------------|---|--|
| Z00 R01 m | 112559917 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. | 112559921 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. |
| Z00 R02 m | 112559918 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. | 112559922 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. |
| Z00 R03 m | 112559919 PPL-3 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. | 112559923 HLB-3 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. |
| Z00 R04 m | 112559920 PPL-4 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. | 112559924 HLB-4 | <input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L | 110' <input type="checkbox"/> 120' 140 min. |
| Z02 R01 m | ###-Z02 PPL-1 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. | ###-Z02 HLB-1 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. |
| Z02 R02 m | ###-Z02 PPL-2 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. | ###-Z02 HLB-2 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. |
| Z02 R03 m | ###-Z02 PPL-3 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. | ###-Z02 HLB-3 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. |
| Z02 R04 m | ###-Z02 PPL-4 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. | ###-Z02 HLB-4 | <input type="checkbox"/> 1L <input type="checkbox"/> 2L L | <input type="checkbox"/> 60' <input type="checkbox"/> 120' min. |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| Depth | | COMMENTS PPL | COMMENTS HLB |
|-------|----------|---|-----------------|
| Z00 | R01 m | Some aerosols were used in the workshop at the time of sampling and might have caused contamination | |
| Z00 | R02 m | | |
| Z00 | R03 m | | |
| Z00 | R04 m | | |
| Z02 | R01 m | | |
| Z02 | R02 m | | |
| Z02 | R03 m | | |
| Z02 | R04 m | | |
| | | | |
| | | | |
| | | | |



LOG_SAMPLES_ _STATION- _W-LAB-142-2

OPERATOR(S)

| Depth Replicate | MB320 50mL-Falcon FRZ -20°C | Filtration Volume (Litres) | Filtration Duration (minutes) | MB033 50mL-Falcon FRZ -20°C | Filtration Volume (Litres) | Filtration Duration (minutes) |
|-----------------|-----------------------------------|--|-------------------------------------|-----------------------------------|--|-------------------------------------|
| Z00 m | | <input checked="" type="checkbox"/> 16L L | <input type="checkbox"/> 30 min. | | <input checked="" type="checkbox"/> 16L L | <input type="checkbox"/> 30 min. |
| Z02 m | ###-Z02 MB320 | <input type="checkbox"/> 16L L | <input type="checkbox"/> 30 min. | ###-Z02 MB033 | <input type="checkbox"/> 16L L | <input type="checkbox"/> 30 min. |

The 2.8 μ m filter had a hole again.
~~(Should maybe consider DC filters 1" ||~~
~~run some tests today)~~
 - figured out




LOG_SAMPLES_ **2023 04 16** _STATION- **0 0 9** _S-LAB-OTHER





OPERATOR(S) **ERWAN WEGEAY**

| Depth | Replicates | SG Cryo-5mL LN2 #1 | HC Cryo-5mL LN2 #1 | HC-G Cryo-5mL LN2 #1 | CP-G Cryo-5mL LN2 #1 | FC-P Cryo-2mL LN2 #3 | FC-G Cryo-2mL LN2 #3 |
|-------------------|------------|-----------------------------------|--------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|
| Z00 | R01 m | | | | | | |
| Z00 | R02 m | | | | | | |
| Z00 | R03 m | | | | | | |
| Z00 | R04 m | | | | | | |
| Z00 | R05 m | | | | | | |
| Z00 | R06 m | | | | | | |
| Z00 | R07 m | | | | | | |
| Z00 | R08 m | | | | | | |
| Prealiquot | | Glycine-betaine prealiquot at 4°C | No prealiquot | Glycerol prealiquot - RT | Glycerol prealiquot - RT | PFA prealiquot at -20°C | Glutaraldehyde prealiquot at -20°C |



| Depth Replicate | COMMENTS |
|--------------------|----------|
| Z00 R01 m | |
| Z00 R02 m | |
| Z00 R03 m | |
| Z00 R04 m | |
| Z00 R05 m | |
| Z00 R06 m | |
| Z00 R07 m | |
| Z00 R08 m | |
| | |
| | |
| | |


 YYYY MM DD # # #
 LOG_SAMPLES_ **2023 04 16** _STATION- **0 0 9** _S-LAB-DECKNET-5
 OPERATOR(S) **ERWAN LÉGEAY**

| Depth | DECKNET Volume (Litres) | Time start FILLING ###:## | Time end NET OUT ###:## | SG5-1* Cryo-5mL LN2 | SG5-2* Cryo-5mL LN2 |
|----------|---|---|-------------------------|--|---|
| Z00 m | [] 100 L 100 L | 15 : 12 | 15 : 40 |  |  |
| Z02 m | [] 100 L | : | : | ### Z02 SG5-1 | ### Z02 SG5-2 |
| Depth | FM5-1* Falcon-50mL FRG +4°C | FM5-2* Falcon-50mL FRG +4°C | | | |
| Z00 m |  |  | | | |
| Z02 m | ### Z02 FM5-1 | ### Z02 FM5-2 | | | |

*pre-aliquoted 5 mL PFA/GLUT
store at -20°C

* pre-aliquoted Glycine betaine
store at 4°C



| Depth | | COMMENTS SG5 |
|-------|----------|-----------------|
| Z00 | R01 m | |
| Z00 | R02 m | |
| | | |
| Depth | | COMMENTS FM5 |
| Z00 | R01 m | |
| Z00 | R02 m | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



LOG_SAMPLES_ 2023 04 16 _STATION- 0 0 9 _S-LAB-25-1

OPERATOR(S) | M. G.

| Depth | Turbidimeter (FNU) | | PM control (EVERY TWO STATIONS) | Filtration Volume (mL) | N° filtres + weight (mg) | |
|-------|--|--|--|--|--|--|
| Z00 | 1. <u>2,54</u> 2. <u>2,57</u> 3. <u>2,85</u> | | ###-Z00 PM-CTRL | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: | |
| Z02 | 1. 2. 3. | | ###-Z02 PM-CTRL | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: | |
| Depth | PA Petridish FRZ -20°C | Filtration Volume (mL) | | | | |
| Z00 | | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | ###-Z00 PM-CTRL | | | |
| Z02 | ###-Z02 PA | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | | | | |
| Depth | PM Petridish FRZ -20°C | Filtration Volume (mL) | N° filtre + weight (mg) | FOI Petridish FRZ -20°C | Filtration Volume (mL) | N° filtre + weight (mg) |
| Z00 | R01 | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>TR55</u> Weight: <u>37,863</u> | | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>PA 689</u> Weight: <u>37,928</u> |
| Z00 | R02 | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>TR54</u> Weight: <u>37,421</u> | | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>TR69</u> Weight: <u>37,179</u> |
| Z00 | R03 | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>PA 636</u> Weight: <u>38,483</u> | | <input type="checkbox"/> 150* <input checked="" type="radio"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: <u>TR 83</u> Weight: <u>37,048</u> |
| Z02 | R01 ###-Z02 PM-1 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: | ###-Z02 FOI-1 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: |
| Z02 | R02 ###-Z02 PM-2 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: | ###-Z02 FOI-2 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: |
| Z02 | R03 ###-Z02 PM-3 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: | ###-Z02 FOI-3 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | N°: Weight: |



| Depth Replicate | | COMMENTS PM | COMMENTS FOI |
|--------------------|-----|----------------|-----------------|
| Z00 | R01 | | |
| | m | | |
| Z00 | R02 | | |
| | m | | |
| Z00 | R03 | | |
| | m | | |
| Z02 | R01 | | |
| | m | | |
| Z02 | R02 | | |
| | m | | |
| Z02 | R03 | | |
| | m | | |

| Depth Replicate | | COMMENTS PA |
|--------------------|---|----------------|
| Z00 | | |
| | m | |
| Z02 | | |
| | m | |
| | | |
| | | |
| | | |



LOG_SAMPLES_ _STATION- _S-LAB-25-2

OPERATOR(S) | |

| Depth | HP Cryo-2mL LN2 #2 | Filtration Volume (mL) | Filtration Duration (minutes) |
|----------------------------------|--------------------------|--|---|
| Z00 R01 m | | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max < 10' min |
| Z00 R02 m | ###-Z00 HP-2 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max min |
| Z00 R03 m | ###-Z00 HP-3 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max min |
| Z02 R01 m | ###-Z02 HP-1 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max min |
| Z02 R02 m | ###-Z02 HP-2 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max min |
| Z02 R03 m | ###-Z02 HP-3 | <input type="checkbox"/> 150* <input type="checkbox"/> 250* <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270 | <input type="checkbox"/> 30' <input type="checkbox"/> 40' max min |
| TRIPPLICATES ONCE A MONTH | | | |



| Depth Replicate | COMMENTS HP |
|--------------------|-------------|
| Z00 R01 m | |
| Z00 R02 m | |
| Z00 R03 m | |
| Z02 R01 m | |
| Z02 R02 m | |
| Z02 R03 m | |
| | |
| | |
| | |
| | |
| | |
| | |



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-20

OPERATOR(S) M. G.

| Net 20 µm | | | <input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea | | | |
|--|---|---|---|---------|---|---|
| SAMPLE SPLITTING | # of cod-ends <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 | Total volume <input checked="" type="checkbox"/> 1600 mL | Aliquots vol. <input checked="" type="checkbox"/> 200 mL | | | |
| PROTOCOLS | Barcode | Fraction of total volume | Aliquot Volume (mL) | Barcode | Fraction of total volume | Aliquot Volume (mL) |
| <input checked="" type="radio"/> S20 Cryo-5mL LN2 #1 | | <input type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 150 mL <input type="checkbox"/> 15 mL | | <input type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 160 mL <input type="checkbox"/> 15 mL |
| FCAM20 Bottle-250mL LIVE | | <input type="checkbox"/> 1/8 | <input checked="" type="checkbox"/> 200 mL | | | |
| E20 Falcon-15mL + 15mL ETOH FRZ -20°C | | <input type="checkbox"/> 1/8 | <input checked="" type="checkbox"/> 200 mL | | | |
| S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect | | <input type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 55 mL <input checked="" type="checkbox"/> 15 mL | | | |
| MB20 Vial-4mL FRZ -20°C | | <input type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 50 mL | | | |
| FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C | | <input checked="" type="checkbox"/> 45 mL | | | <input checked="" type="checkbox"/> 45 mL | |



| | COMMENTS | COMMENTS |
|----------------------------------|----------|----------|
| SAMPLE SPLITTING | | |
| PROTOCOLS | | |
| S20 Cryo-5mL LN2 #1 | | |
| FCAM20 Bottle-250mL LIVE | | |
| E20 Falcon-15mL FRZ -20°C | | |
| S20-L Falcon-5mL FRZ -20°C | | |
| MB20 Vial-4mL FRZ -20°C | | |
| FM20 Falcon-50mL FRG +4°C | | |
| | | |
| | | |
| | | |



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200
 2023 04 16 0 0 9
 OPERATOR(S) M. G.

| | | Horizontal WP11-200 | | | | | |
|---|---------|---|---|--|---|---|--|
| SAMPLE SPLITTING | | COD-END #1 | | | | | |
| PROTOCOLS | Barcode | Fraction of total volume | bottle Aliquot Volume (mL) | | | | |
| F200 Bottle-250mL + borax/formol RT >10°C | | <input type="checkbox"/> 1 (100%) | <input type="checkbox"/> 250 mL Used 1000mL from the 1600mL bottle. | 1 cod-end used for S200 and S200-L protocols and F200 protocol. ↳ because the 2nd cod-end broke | | | |
| SAMPLE SPLITTING | | Total volume | Aliquots vol. | | | | |
| | | <input checked="" type="checkbox"/> 1600 mL | <input checked="" type="checkbox"/> 200 mL | | | | |
| PROTOCOLS | Barcode | Fraction of total volume | Aliquot Volume (mL) | Barcode | Fraction of total volume | Aliquot Volume (mL) | |
| <input checked="" type="radio"/> S200 Cryo-5mL LN2 #1 | | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 20 mL <input checked="" type="checkbox"/> 15 mn | | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 20 mL <input checked="" type="checkbox"/> 15 mn | |
| S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo | | <input checked="" type="checkbox"/> 1/8 | <input type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 20 mL <input type="checkbox"/> 15 mn | | | | |



| | COMMENTS | COMMENTS |
|-----------------------------------|----------|----------|
| SAMPLE SPLITTING | | |
| PROTOCOLS | | |
| F200 Bottle-250mL RT >10°C | | |
| SAMPLE SPLITTING | | |
| PROTOCOLS | | |
| S200 Cryo-5mL LN2 #1 | | |
| S200-L Falcon-5mL FRZ -20°C | | |
| | | |
| | | |
| | | |
| | | |