



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 05 24 _STATION- 025 _W-LAB-142-1
 OPERATOR(S) OB (C)

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[] 20L [] 50L 9 L	[] 15' [] 60' 13 min.		[] 10L [] 20L 5 L
Z00 R02 m			[] 20L [] 50L 9 L	[] 15' [] 60' 13 min.		[] 10L [] 20L 5 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02	[] 10L [] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02-2	[] 10L [] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[] 20L [] 50L 17 L	[] 15' [] 60' min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[] 20L [] 50L L	[] 15' [] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[] 20L [] 50L 11 10 L	[] 15' [] 60' 28+10 } 60 22 } min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[] 20L [] 50L L	[] 15' [] 60' min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	13 min filtration + 3/4 min purge
Z00 R02 m	13 min filtration + 3/4 min purge
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	no volume meter for filtration I just look at the marks on SOL canbox
Z02 m	
Depth	COMMENTS S###L
Z00 m	28 min first filtration and 10 min to collect and change filter ⇒ 38 min
Z02 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _DECK-BGC

OPERATOR(S) GB

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m						
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl				+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m						
Z00 R02 m						
Z00 R03 m						
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3			
	+ 150 µl HCl					



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00	m			
Z02	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



LOG_SAMPLES_ _STATION- _TARDIS-SCP

OPERATOR(S)

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L 1,9 L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.
Z00 R02 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.
Z00 R03 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.
Z00 R04 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 160 min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m	###-Z02 PPL-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m		<input type="checkbox"/> 16L 19 L	<input checked="" type="checkbox"/> 30 min.		<input type="checkbox"/> 16L 19 L	<input checked="" type="checkbox"/> 30 min.
Z02 m	###-Z02 MB320	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	<u>PPL AND HLB BLANKS</u>
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



LOG_SAMPLES_ 2023 05 24 _STATION- 0 2 5 _S-LAB-OTHER

OPERATOR(S) U.C.

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m						
Z00 R02 m						
Z00 R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00 R04 m			Glycerol prealiquot - RT			
Z00 R05 m						
Z00 R06 m						
Z00 R07 m						
Z00 R08 m						
Prealiquot	No prealiquot	Glycerol prealiquot - RT				
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m		[] 30L <u>20</u> L	[] 30 <u>30</u> min.		=> Collect filtrate for SS protocol onland : V<0.45	
Z02 m	###-Z02 eDNA	[] 30L L	[] 30 min.			



Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 05 24 _STATION- 0 2 5 _S-LAB-DECKNET-5
 OPERATOR(S) U.C.

Depth	DECKNET Volume (Litres)	Time start FILLING ##:##	Time end NET OUT ##:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[] 100 L L	:	:	112496510	112496511
Z02 m	[] 100 L L	:	:	* ### Z02 SG5-1	* ### Z02 SG5-2
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C		* the samples with an asterisk on the tubes are correct!	
Z00 m	112554731	112554732			
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
	*pre-aliquoted 5 mL PFA/GLUT store at -20°C	* pre-aliquoted Glycine betaine store at 4°C			



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 05 24 _STATION- 0 2 5 _S-LAB-25-1
 OPERATOR(S) Lia G.

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 12 m	1. 0.81 2. 0.67 3. 0.79			[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: PA 593 Weight: 38,744	
Z02 m	1. 2. 3.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 12 m		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	[] 30' [] 40' max 19'03 min
Z00 12 m		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	Z00 R02 m	###-Z00 HP-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	[] 30' [] 40' max min
Z02 m	###-Z02 PA	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	Z00 R03 m	###-Z00 HP-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	[] 30' [] 40' max min
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 12 m		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: PA 669 Weight: 38,252		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: PA 626 Weight: 38,063
Z00 R02 12 m		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: TA 550 Weight: 37,800		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: T252 Weight: 37,599
Z00 R03 12 m		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: TN 67 Weight: 37,255		[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: PA 593 Weight: 39,467
Z02 R01 m	###-Z02 PM-1	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-1	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:
Z02 R02 m	###-Z02 PM-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:
Z02 R03 m	###-Z02 PM-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		



YYYY MM DD # # #
 LOG-SAMPLES_ **2023** **05** **24** _STATION- **0 2 5** _S-LAB-NET-20
 OPERATOR(S) **Lea O**

		Net 20 µm		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	Total volume <input checked="" type="checkbox"/> 1600 mL	Aliquots vol. <input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

OPERATOR(S) Lea . O

Horizontal
WPII-200

SAMPLE SPLITTING	COD-END #1					
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		<input checked="" type="checkbox"/> 1 (100%)	<input checked="" type="checkbox"/> 250 mL			
SAMPLE SPLITTING	COD-END #2	Total volume	Aliquots vol.			
		<input checked="" type="checkbox"/> 1600 mL	<input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S200 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn			



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-NET-680

2023 05 24 0 2 5

OPERATOR(S) Lea 0

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume <input checked="" type="checkbox"/> 1600 mL			Total volume <input checked="" type="checkbox"/> 1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		<input type="checkbox"/> 50 % <input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 250 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	<input type="checkbox"/> 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					<input type="checkbox"/> 50 % <input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 200 mL <input type="checkbox"/> 400 mL <input type="checkbox"/> 600 mL <input type="checkbox"/> 800 mL <input checked="" type="checkbox"/> 15 mn

