



Aliens In port	COMMENTS
Aliens In port-1	No blank for this station
Aliens In port-2	} difficult to filter 30L because of the quantity of particulate matter.
Aliens In port-3	
Aliens entrance	
Aliens Entrance-1	
Aliens Entrance-2	
Aliens Entrance-3	
Aliens Open water	
Aliens openW-1	
Aliens openW-2	
Aliens openW-3	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _W-LAB-142-1
 OPERATOR(S) OB (c)

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[] 20L [] 50L 10 L	[] 15' [] 60' 13 min.		[] 10L [] 20L 7 L
Z00 R02 m			[] 20L [] 50L 17 L	[] 15' [] 60' 13 min.		[] 10L [] 20L L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02	[] 10L [] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[] 20L [] 50L L	[] 15' [] 60' min.	###-Z02 S<02-2	[] 10L [] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[] 20L [] 50L 15 L	[] 15' [] 60' 40 min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[] 20L [] 50L L	[] 15' [] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[] 20L [] 50L 13 L	[] 15' [] 60' 20 min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[] 20L [] 50L L	[] 15' [] 60' min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	13 min filtration + 3/4 min purge no volume meter I just look at marks on 20L carboy
Z00 R02 m	no SO23 because not enough filter => So not S<O2 too. 13 min filtration + 3/4 min purge for S320
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	no volume meter, I just look at marks on 50L carboy
Z02 m	
Depth	COMMENTS S###L
Z00 m	20 min for filtration -> filter is saturated -> and problem with the pipe of the pump
Z02 m	



LOG_SAMPLES_ _STATION- _DECK-BGC

OPERATOR(S)

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	+ 150 µl HCl				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00	m			
Z02	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01 m			NUT-1: CAP FELT ON THE GROUND, RINSED WITH FILTERED SAMPLE
Z00	R02 m			
Z00	R03 m			
Z02	R01 m			
Z02	R02 m			
Z02	R03 m			



LOG_SAMPLES_ _STATION- _TARDIS-SCP
 OPERATOR(S)

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.
Z00 R02 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.
Z00 R03 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.
Z00 R04 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 153 min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m	###-Z02 PPL-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-4	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m		<input type="checkbox"/> 16L 17 L	<input type="checkbox"/> 30 27 min.		<input type="checkbox"/> 16L 17 L	<input type="checkbox"/> 30 27 min.
Z02 m	###-Z02 MB320	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 05 29 _STATION- 0 2 9 _S-LAB-OTHER
 OPERATOR(S) V.C.

Depth	Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00	R01 m						
Z00	R02 m						
Z00	R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00	R04 m			Glycerol prealiquot - RT			
Z00	R05 m						
Z00	R06 m						
Z00	R07 m						
Z00	R08 m						

Prealiquot
 No prealiquot Glycerol prealiquot - RT

Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm
Z00 m		[] 30L <u>25</u> L	<input checked="" type="checkbox"/> 30 <u>30</u> min.		=> Collect filtrate for SS protocol onland : V<0.45
Z02 m	###-Z02 eDNA	[] 30L <u>30</u> L	[] 30 min.		



Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-DECKNET-5

OPERATOR(S) U.C.

Depth	DECKNET Volume (Litres)	Time start FILLING ##:##	Time end NET OUT ##:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[●] 100 L	5 : 57	6 : 45		
Z02 m	[] 100 L			### Z02 SG5-1	### Z02 SG5-2
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C			
Z00 m					
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
*pre-aliquoted 5 mL PFA/GLUT store at -20°C		* pre-aliquoted Glycine betaine store at 4°C			



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 05 29 _STATION- 0 2 9 _S-LAB-25-1
 OPERATOR(S) Lea

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 m	1. 0.61 2. 0.82 3. 0.68			[] 65 [] 135 [] 270 <input checked="" type="checkbox"/> 635 [] 1080 [] 2270	N°: PA 620 Weight: 36,281	
Z02 m	1. 2. 3.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 0 m		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	<input checked="" type="checkbox"/> 30' [] 40' max 14" 50 min
Z00 m		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	Z00 R02 m	###-Z00 HP-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	[] 30' [] 40' max min
Z02 m	###-Z02 PA	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	Z00 R03 m	###-Z00 HP-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	[] 30' [] 40' max min
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: PA 611 Weight: 38,130		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: PA 667 Weight: 37,601
Z00 R02 m		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: TA 563 Weight: 37,848		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: PA 624 Weight: 38,705
Z00 R03 m		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: TA 544 Weight: 37,507		[] 65 [] 135 [] 270 [] 635 <input checked="" type="checkbox"/> 1080 [] 2270	N°: TA 564 Weight: 38,994
Z02 R01 m	###-Z02 PM-1	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-1	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:
Z02 R02 m	###-Z02 PM-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-2	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:
Z02 R03 m	###-Z02 PM-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:	###-Z02 FOI-3	[] 65 [] 135 [] 270 [] 635 [] 1080 [] 2270	N°: Weight:



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		



LOG-SAMPLES_ _STATION- _S-LAB-NET-20

OPERATOR(S)

Net 20 µm				<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	Total volume <input checked="" type="checkbox"/> 1600 mL	Aliquots vol. <input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input checked="" type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200
 OPERATOR(S)

2023 05 29 0 2 9
 Lia

Horizontal WPII-200						
SAMPLE SPLITTING	COD-END #1					
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		<input checked="" type="checkbox"/> 1 (100%)	<input checked="" type="checkbox"/> 250 mL			
SAMPLE SPLITTING	COD-END #2	Total volume	Aliquots vol.			
		<input type="checkbox"/> 1600 mL	<input type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S200 Cryo-5mL LN2 #1		<input type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL 100 mL <input checked="" type="checkbox"/> 15 mn		<input type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL 100 mL <input checked="" type="checkbox"/> 15 mn
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		<input type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL 100 mL <input checked="" type="checkbox"/> 15 mn			



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1	Filtered only 100 mL because there was already a lot of material.	
S200-L Falcon-5mL FRZ -20°C	↑	



LOG-SAMPLES_ _STATION- _S-LAB-NET-680

OPERATOR(S)

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume [●] 1600 mL			Total volume [●] 1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		[] 50 % [●] 100 %	[●] 250 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	[] 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					[] 50 % [] 100 %	[] 200 mL [] 400 mL [] 600 mL [] 800 mL 52 mL [] 15 mn

