



YYYY MM DD

LOG\_SAMPLES\_

2023 07 19

\_STATION-

# # #  
0 5A

\_W-LAB-142-1

OPERATOR(S)

Eric P.

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			[ ] 20L [ ] 50L 4 L	<input checked="" type="checkbox"/> 15' [ ] 60' min.		[ ] 10L [ ] 20L 4 L
Z00 R02 m			[ ] 20L [ ] 50L 4 L	<input checked="" type="checkbox"/> 15' [ ] 60' min.		[ ] 10L [ ] 20L 4 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.	###-Z02 S<02	[ ] 10L [ ] 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.	###-Z02 S<02-2	[ ] 10L [ ] 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			[ ] 20L [ ] 50L 5 L	[ ] 15' <input checked="" type="checkbox"/> 60' min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			[ ] 20L [ ] 50L 5 L	[ ] 15' <input checked="" type="checkbox"/> 60 min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	[ ] 20L [ ] 50L L	[ ] 15' [ ] 60 min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	
Z00 R02 m	
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	
Z02 m	
Depth	COMMENTS S###L
Z00 m	
Z02 m	



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_DECK-BGC

OPERATOR(S) T.S.

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m						###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 DICTA	###-Z02 SAL
		<b>+ 150 µl HCl</b>			<b>+ 300 µl HgCl<sub>2</sub></b>	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m						
Z00 R02 m						
Z00 R03 m						
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3			
		<b>+ 150 µl HCl</b>				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00				
	m			
Z02				
	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



LOG\_SAMPLES\_    \_STATION-    \_TARDIS-SCP

OPERATOR(S)

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.
Z00 R02 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.
Z00 R03 m		<input type="checkbox"/> 1L <input type="checkbox"/> 2L 7,500 L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.
Z00 R04 m		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.		<input type="checkbox"/> 1L <input checked="" type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' 780 min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-1	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-3	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Z02 R04 m	###-Z02 PPL-MQW- pH2	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.	###-Z02 HLB-MQW	<input type="checkbox"/> 1L <input type="checkbox"/> 2L L	<input type="checkbox"/> 60' <input type="checkbox"/> 120' min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m		<input type="checkbox"/> 16L 20 L	<input type="checkbox"/> 30 min.		<input type="checkbox"/> 16L 20 L	<input type="checkbox"/> 30 min.
Z02 m	###-Z02 MB320	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	- for PPL-3, ca. 500 ml remaining after 3h, therefore stopped
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



LOG\_SAMPLES\_ 2023 07 19 \_STATION- 051 \_S-LAB-OTHER

OPERATOR(S) HB

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m						
Z00 R02 m						
Z00 R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00 R04 m			Glycerol prealiquot - RT			
Z00 R05 m				DGAS* 12 mL exetainer +4°C	DGAS* 12 mL exetainer +4°C	DGAS* 12 mL exetainer +4°C
Z00 R06 m						
Z00 R07 m						
Z00 R08 m						
<b>Prealiquot</b>	No prealiquot	Glycerol prealiquot - RT		* + 100 µL ZnCl <sup>2</sup>	* + 100 µL ZnCl <sup>2</sup>	* + 100 µL ZnCl <sup>2</sup>
<b>Depth Replicate</b>	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m		[ ] 30L 11 L	43 min.	=> Collect filtrate for SS protocol onland : V<0.45		
Z02 m	<del>###-Z02 eDNA</del>	[ ] 30L	[ ] 30 min.			



120

120

Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-DECKNET-5

OPERATOR(S) KB

Depth	DECKNET Volume (Litres)	Time start FILLING ###:##	Time end NET OUT ###:##	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00 m	[ ] 100 L 70 L	07 : 00	07 : 28		
Z02 m	[ ] 100 L	:	:	<del>### Z02 SG5-1</del>	<del>### Z02 SG5-2</del>
				* Glycine-betaine pre-aliquot at 4°C	
Depth	FM5-1* Falcon-50mL FRG +4°C	FM5-2* Falcon-50mL FRG +4°C			
Z00 m					
Z02 m	### Z02 FM5-1	### Z02 FM5-2			
*pre-aliquoted 5 mL PFA/GLUT stored at -20°C					



Depth		COMMENTS SG5
Z00	R01 m	8.0 40 40 40 67
Z00	R02 m	

Depth		COMMENTS FM5
Z00	R01 m	
Z00	R02 m	



LOG\_SAMPLES\_ **2023** **07** **19** \_STATION- **0** **5** **1** \_S-LAB-25-1

OPERATOR(S) **Clara**

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 m	1. 1.91 2. 2.08 3. 1.80			<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input checked="" type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 246 Weight: 36,423	
Z02 m	1. 2. 3.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max 16 min
Z00 m		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input checked="" type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	Z00 R02 m	###-Z00 HP-2	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min
Z02 m	###-Z02 PA	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	Z00 R03 m	###-Z00 HP-3	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	<input type="checkbox"/> 30' <input type="checkbox"/> 40' max min
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 186 Weight: 38,295		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input checked="" type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 45 Weight: 37,174
Z00 R02 m		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 265 Weight: 36,909		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input checked="" type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 179 Weight: 37,500
Z00 R03 m		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 294 Weight: 37,000		<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input checked="" type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: TR 300 B Weight: 37,633
Z02 R01 m	###-Z02 PM-1	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-1	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 R02 m	###-Z02 PM-2	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-2	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:
Z02 R03 m	###-Z02 PM-3	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:	###-Z02 FOI-3	<input type="checkbox"/> 65 <input type="checkbox"/> 135 <input type="checkbox"/> 270 <input type="checkbox"/> 635 <input type="checkbox"/> 1080 <input type="checkbox"/> 2270	N°: Weight:



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		



YYYY MM DD # # #  
 LOG-SAMPLES\_ **2023** **07** **19** \_STATION- **0** **5** **1** \_S-LAB-NET-20  
 OPERATOR(S) **Clara**

		Net 20 µm		<input type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends [ ] 1 [ ] 2	Total volume <del>1600</del> mL	Aliquots vol. [ ] 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL <b>75 mL</b> <input type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL <b>120 mL</b> <input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	[ ] 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input type="checkbox"/> 200 mL <input type="checkbox"/> 15 mn <b>110 mL</b>			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C	sample was very 'sticky' hard to get of the mesh	
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES\_ YYYY MM DD # # #  
 LOG-SAMPLES\_ 2022 07 19 \_STATION- 0 5 1 \_S-LAB-NET-200  
 OPERATOR(S) Clara

Horizontal  
WPII-200

SAMPLE  
SPLITTING

COD-END #1

PROTOCOLS

Barcode

Aliquot  
Volume (mL)

F200  
Bottle-250mL  
+  
borax/formol  
RT >10°C



112558355

250 mL

SAMPLE  
SPLITTING

COD-END #2

Total volume  
[ ] 1600 mL

Aliquots vol.  
[ ] 200 mL

PROTOCOLS

Barcode

Fraction of  
total volume

Aliquot  
Volume (mL)

Barcode

Fraction of  
total volume

Aliquot  
Volume (mL)

S200  
Cryo-5mL  
LN2 #1



112497739

1/8

[ ] 200 mL  
**175 mL**  
 15 mL



112497740

1/8

200 mL  
[ ] 15 mL

S200-L  
Falcon-5mL  
FRZ -20°C  
+ 5mL Nucleo



112558358

1/8

200 mL  
[ ] 15 mL



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		








LOG-SAMPLES\_    \_STATION-    \_S-LAB-NET-680

OPERATOR(S)

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume [ ] 1600 mL		Bottle volume (mL)	Total volume [ ] 1600 mL		
PROTOCOLS	Barcode		Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol			[ ] 250 mL			
F2000 Bottle-250mL RT >10°C + borax/formol		hand-picked #ind= 10	[ ] <del>250 mL</del> 500 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect						[ ] 200 mL [ ] 400 mL [ ] 600 mL [ ] 800 mL  [ ] 15 mn

Code ends broken because of jellyfish → no Regent  
we took a F2000 for jellyfish identification.

