



LOG_SAMPLES_ **2023** **08** **31** _STATION- **072** _W-LAB-142-1

OPERATOR(S) **OB**

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			<input type="checkbox"/> 20L <input type="checkbox"/> 50L 14 L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' 13 min.		<input type="checkbox"/> 10L <input type="checkbox"/> 20L 14 L
Z00 R02 m			<input type="checkbox"/> 20L <input type="checkbox"/> 50L 14 L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' 13 min.		<input type="checkbox"/> 10L <input type="checkbox"/> 20L 13 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L <input type="checkbox"/> 50L L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' min.	###-Z02 S<02	<input type="checkbox"/> 10L <input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L <input type="checkbox"/> 50L L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' min.	###-Z02 S<02-2	<input type="checkbox"/> 10L <input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			<input type="checkbox"/> 20L <input type="checkbox"/> 50L 40 L	<input type="checkbox"/> 15' <input checked="" type="checkbox"/> 60' 60 min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 20L <input type="checkbox"/> 50L L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			<input type="checkbox"/> 20L <input type="checkbox"/> 50L 21 } 48 } 27 } 27 L	<input type="checkbox"/> 15' <input type="checkbox"/> 60' 25+5 } 30 min.	} 60 min	
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 20L <input type="checkbox"/> 50L L	<input type="checkbox"/> 15' <input type="checkbox"/> 60 min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	13 min filtration + 3/4 min purge
Z00 R02 m	"
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	no volume meter. I just look at marks on the carboy
Z02 m	
Depth	COMMENTS S###L
Z00 m	25 min first filtration + 5 to collect and change filters
Z02 m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _DECK-BGC

OPERATOR(S) JuF

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m						
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl				+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m						
Z00 R02 m						
Z00 R03 m						
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3			
	+ 150 µl HCl					



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			
Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			



LOG_SAMPLES_ 2023 08 31 _STATION- 072 _TARDIS-SCP

OPERATOR(S) J4F

YYYY MM DD # # #

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		[] 1L X 2L L	[] 60' X 120' min.		[] 1L X 2L L	[] 60' X 120' min.
Z00 R02 m		[] 1L X 2L L	[] 60' X 120' min.		[] 1L X 2L L	[] 60' X 120' min.
Z00 R03 m		[] 1L X 2L L	[] 60' X 120' min.		[] 1L X 2L L	[] 60' X 120' min.
Z00 R04 m		[] 1L X 2L L	[] 60' X 120' min.		[] 1L X 2L L	[] 60' X 120' min.
Z02 R01 m	###-Z02 PPL-1	[] 1L [] 2L L	[] 60' [] 120' min.	###-Z02 HLB-1	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R02 m	###-Z02 PPL-2	[] 1L [] 2L L	[] 60' [] 120' min.	###-Z02 HLB-2	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R03 m	###-Z02 PPL-3	[] 1L [] 2L L	[] 60' [] 120' min.	###-Z02 HLB-3	[] 1L [] 2L L	[] 60' [] 120' min.
Z02 R04 m	###-Z02 PPL-4	[] 1L [] 2L L	[] 60' [] 120' min.	###-Z02 HLB-4	[] 1L [] 2L L	[] 60' [] 120' min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m		X 16L L	X 30 min.		X 16L L	X 30 min.
Z02 m	###-Z02 MB320	[] 16L L	[] 30 min.	###-Z02 MB033	[] 16L L	[] 30 min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



YYYY MM DD # # #
 LOG_SAMPLES_ 2023 08 31 _STATION- 0 7 2 _S-LAB-OTHER
 OPERATOR(S) E. Nois

Depth Replicates		HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00	R01 m						
Z00	R02 m						
Z00	R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00	R04 m			Glycerol prealiquot - RT			
Z00	R05 m						
Z00	R06 m						
Z00	R07 m						
Z00	R08 m						
Prealiquot		No prealiquot	Glycerol prealiquot - RT				
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm		
Z00 m		<input checked="" type="checkbox"/> 30L	<input type="checkbox"/> 30 min. 29 min.		=> Collect filtrate for SS protocol onland : V<0.45		
Z02 m	###-Z02 eDNA	<input type="checkbox"/> 30L	<input type="checkbox"/> 30 min.				



Depth Replicate	COMMENTS
Z00 R01 m	
Z00 R02 m	
Z00 R03 m	
Z00 R04 m	
Z00 R05 m	
Z00 R06 m	
Z00 R07 m	
Z00 R08 m	



YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

2023

08

29

07

43

_STATION-

071

_SML

EB

Water Collection

Number of dips: 12

Volume Collected (L)

0.77

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112496122	# 112496123		Calme
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112496116 CP-1	# 112496117	# 112496118	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	### SML 112496110	# 112496111	# 112496112	~180 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	### SML 112496113	# 112496114	# 112496115	~180 ml

YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

2023

08

31

08

05

_STATION-

072

_SML

E. Boss

Water Collection

Number of dips: 12

Volume Collected (L)

0.85

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	# 112496124	# 112496125		
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	# 112496119	# 112496120	# 112496121	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	# 112495680	# 112496105	# 112496106	~190 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	### SML 112496107	# 112496108	# 112496109	~190 ml





LOG_SAMPLES_ **2023** **08** **31** _STATION- **0** **7** **2** _S-LAB-25-1

OPERATOR(S) **Z.M.**

YYYY MM DD # # #

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 m	1. 0.55 2. 0.47 3. 0.35		###-Z00 PM-CTRL	mL	N°: Weight:	
Z02 m	1. 2. 3.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #2	Filtration Volume (mL)	Filtration Duration (minutes)
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m		1080 mL	[] 30' [] 40' 8' max min
Z00 m		1080 mL	Z00 R02 m	###-Z00 HP-2	mL	[] 30' [] 40' max min
Z02 m	###-Z02 PA	mL	Z00 R03 m	###-Z00 HP-3	mL	[] 30' [] 40' max min
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m		1080 mL	N°: TR237 Weight: 37,813		1080 mL	N°: TR131 Weight: 37,343
Z00 R02 m		1080 mL	N°: TR166 Weight: 38,315		1080 mL	N°: TR191 Weight: 37,379
Z00 R03 m		1080 mL	N°: TR281 Weight: 37,432		1080 mL	N°: TR128 Weight: 38,137
Z02 R01 m	###-Z02 PM-1	mL	N°: Weight:	###-Z02 FOI-1	mL	N°: Weight:
Z02 R02 m	###-Z02 PM-2	mL	N°: Weight:	###-Z02 FOI-2	mL	N°: Weight:
Z02 R03 m	###-Z02 PM-3	mL	N°: Weight:	###-Z02 FOI-3	mL	N°: Weight:



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Z02	R01 m		
Z02	R02 m		
Z02	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-20
 OPERATOR(S)

2023 08 31 072
 Z.H.

		Net 20 µm		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	Total volume <input checked="" type="checkbox"/> 1600 mL	Aliquots vol. <input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<input checked="" type="radio"/> S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL <input type="checkbox"/> 15 mn			
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 1/8	<input checked="" type="checkbox"/> 200 mL			
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

OPERATOR(S) Z.M.

Horizontal
WP11-200

SAMPLE
SPLITTING

COD-END #1

PROTOCOLS

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

F200
Bottle-250mL
+
borax/formol
RT >10°C



1 (100%)

250 mL

SAMPLE
SPLITTING

COD-END #2

Total volume
 1600 mL

Aliquots vol.
 200 mL

PROTOCOLS

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

S200
Cryo-5mL
LN2 #1



1/8

200 mL
60 mL
 15 mn



1/8

200 mL
60 mL
 15 mn

S200-L
Falcon-5mL
FRZ -20°C
+ 5mL Nucleo



1/8

200 mL
60 mL
 15 mn



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-680

2023 08 31 0 7 2

OPERATOR(S) Z.M.

Régent 680

SAMPLE SPLITTING	NET TOW #1			NET TOW #2		
	Total volume [] 1600 mL			Total volume [] 1600 mL		
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		[] 50 % [x] 100 %	[x] 250 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked #ind=	[] 250 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					[] 50 % [x] 100 %	[] 20 mL [] 15 mn

