



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_MERCURY  
 OPERATOR(S) MG

| Depth    | p.MeHg<br>Glass fiber<br>filter<br>FRZ -20°C | Filter code      | Filtration<br>Volume<br>(mL) | Filtration<br>time (min) | f.MeHg<br>125-mL PETG<br>bottle<br>FRG +4°C |
|----------|--|------------------|------------------------------|--------------------------|---|
| Z00<br>m | <del>###-Z00<br/>p.MeHg</del>                |                  |                              |                          |   |
| Z02<br>m | <del>###-Z02<br/>p.MeHg</del>                |                  |                              |                          | ###-Z02<br>f.MeHg                           |
| Depth    | p.THg<br>Glass fiber<br>filter<br>FRZ -20°C  | Filter code      | Filtration<br>Volume (mL)    | Filtration<br>time (min) | f.THg<br>40-mL glass<br>bottle<br>FRG +4°C  |
| Z00<br>m |  | # 16<br>125,2 mg | 3580                         |                          | <del>###-Z00<br/>f.THg</del>                |
| Z02<br>m | ###-Z02<br>p.THg                             |                  |                              |                          | <del>###-Z02<br/>f.THg</del>                |
| Depth    | uf.THg<br>40-mL glass<br>bottle<br>RT        |                  |                              |                          |   |
| Z00<br>m | <del>###-Z00<br/>uf.THg</del>                |                  |                              |                          |   |
| Z02<br>m | <del>###-Z02<br/>uf.THg</del>                |                  |                              |                          |   |





YYYY MM DD # # #  
 LOG\_SAMPLES\_ 2024 03 15 \_STATION- 1 1 2 \_W-LAB-142-1  
 OPERATOR(S) OB

| Depth Replicate | S320 Cryo-5mL LN2 #1                           | S023 Cryo-5mL LN2 #1                           | Filtration Volume (Litres)   | Filtration Duration (minutes)    | S<02 Cryo-5mL FRG +4°C  | Filtration Volume (Litres)   |
|-----------------|--|--|------------------------------|----------------------------------|---|------------------------------|
| Z00 R01         | 112545271                                      | 112545272                                      | <input type="checkbox"/> 20L | <input type="checkbox"/> 15 min. | 112545273   | <input type="checkbox"/> 20L |
| m               |  |  | 15 L                         | 14 min.                          |   | 15 L                         |
| Z00 R02         | 112545274                                      | 112545275                                      | <input type="checkbox"/> 20L | <input type="checkbox"/> 15 min. | 112545276   | <input type="checkbox"/> 20L |
| m               |  |  | 15 L                         | 14 min.                          |   | 15 L                         |
| Z02 R01         | ###-Z02 S320-1                                 | ###-Z02 S023                                   | <input type="checkbox"/> 20L | <input type="checkbox"/> 15 min. | ###-Z02 S<02  | <input type="checkbox"/> 20L |
| m               |  |  | L                            | min.                             |   | L                            |
| Z02 R02         | ###-Z02 S320-2                                 | ###-Z02 S023-2                                 | <input type="checkbox"/> 20L | <input type="checkbox"/> 15 min. | ###-Z02 S<02-2  | <input type="checkbox"/> 20L |
| m               |  |  | L                            | min.                             |   | L                            |
| Depth Replicate | P320 Cryo-5mL LN2 #1                           | P023 Cryo-5mL LN2 #1                           | Filtration Volume (Litres)   | Filtration Duration (minutes)    | < 0.2 µm  |                              |
| Z00             | 112545277                                      | 112545278                                      | <input type="checkbox"/> 50L | <input type="checkbox"/> 60 min. | => Collect filtrate for SS protocols onland :<br>VV<0.2, qPCR<0.2 |                              |
| m               |  |  | 40 L                         | 35 min.                          |   |                              |
| Z02             | ###-Z02 P320                                   | ###-Z02 P023                                   | <input type="checkbox"/> 50L | <input type="checkbox"/> 60 min. |   |                              |
| m               |  |  | L                            | min.                             |   |                              |
| Depth Replicate | S320-L 15mL falcon -20°C + 10 mL Nucleoprotect | S023-L 15mL falcon -20°C + 10 mL Nucleoprotect | Filtration Volume (Litres)   | Filtration Duration (minutes)    |   |                              |
| Z00             | 112554126                                      | 112554127                                      | <input type="checkbox"/> 50L | <input type="checkbox"/> 60 min. |   |                              |
| m               |  |  | 40 L                         | 40 min.                          |   |                              |
| Z02             | ###-Z02 S320-L                                 | ###-Z02 S023-L                                 | <input type="checkbox"/> 50L | <input type="checkbox"/> 60 min. |   |                              |
| m               |  |  | L                            | min.                             |   |                              |



| Depth Replicate |          | COMMENTS S###           |
|-----------------|----------|-------------------------|
| Z00             | R01<br>m |                         |
| Z00             | R02<br>m |                         |
| Z02             | R01<br>m |                         |
| Z02             | R02<br>m |                         |
| Depth           |          | COMMENTS P###           |
| Z00             | m        | <i>filter saturated</i> |
| Z02             | m        |                         |
| Depth           |          | COMMENTS S###L          |
| Z00             | m        | <i>filter saturated</i> |
| Z02             | m        |                         |



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_DECK-BGC

OPERATOR(S) J4F

| Depth        | TOC Vial-40mL FRG +4°C         | TOC Vial-40mL FRG +4°C | TOC Vial-40mL FRG +4°C    | DICTA Bottle-500mL RT >10°C | SAL Bottle-125mL RT >10°C |
|--------------|--------------------------------|------------------------|---------------------------|-----------------------------|---------------------------|
| Z00<br>m     |                                |                        |                           |                             |                           |
| Z02<br>m     | ###-Z02<br>TOC-1               | ###-Z02<br>TOC-2       | ###-Z02<br>TOC-3          | ###-Z02<br>DICTA            | ###-Z02<br>SAL            |
|              | + 150 µl HCl                   |                        |                           | + 300 µl HgCl <sub>2</sub>  |                           |
| Depth        | CDOM/FDOM Bottle-60mL FRG +4°C | DOC Vial-40mL FRG +4°C | NUT Bottle-60mL FRZ -20°C |                             |                           |
| Z00 R01<br>m |                                |                        |                           |                             |                           |
| Z00 R02<br>m |                                |                        |                           |                             |                           |
| Z00 R03<br>m |                                |                        |                           |                             |                           |
| Z02 R01<br>m | ###-Z02<br>DOM-1               | ###-Z02<br>DOC-1       | ###-Z02<br>NUT-1          |                             |                           |
| Z02 R02<br>m | ##-Z02<br>DOM-2                | ###-Z02<br>DOC-2       | ###-Z02<br>NUT-2          |                             |                           |
| Z02 R03<br>m | ##-Z02<br>DOM-3                | ###-Z02<br>DOC-3       | ###-Z02<br>NUT-3          |                             |                           |
|              | + 150 µl HCl                   |                        |                           |                             |                           |



| Depth           | COMMENTS TOC       | COMMENTS DICTA | COMMENTS SAL |
|-----------------|--------------------|----------------|--------------|
| Z00             |                    |                |              |
| m               |                    |                |              |
| Z02             |                    |                |              |
| m               |                    |                |              |
| Depth Replicate | COMMENTS CDOM/FDOM | COMMENTS DOC   | COMMENTS NUT |
| Z00 R01         |                    |                |              |
| m               |                    |                |              |
| Z00 R02         |                    |                |              |
| m               |                    |                |              |
| Z00 R03         |                    |                |              |
| m               |                    |                |              |
| Z02 R01         |                    |                |              |
| m               |                    |                |              |
| Z02 R02         |                    |                |              |
| m               |                    |                |              |
| Z02 R03         |                    |                |              |
| m               |                    |                |              |



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_TARDIS-SCP

OPERATOR(S) JUF

| Depth              | PPL<br>Falcon-50mL<br>FRZ -20°C   | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          | HLB<br>Falcon-50mL<br>FRZ -20°C   | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          |
|--------------------|-----------------------------------|---|--|-----------------------------------|---|--|
| Z00 R01            |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z00 R02            |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z00 R03            |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z00 R04            |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z02 R01            | ###-Z02<br>PPL-1                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-1                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z02 R02            | ###-Z02<br>PPL-2                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-2                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z02 R03            | ###-Z02<br>PPL-3                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-3                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z02 R04            | ###-Z02<br>PPL-4                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-4                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Depth<br>Replicate | MB320<br>50mL-Falcon<br>FRZ -20°C | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          | MB033<br>50mL-Falcon<br>FRZ -20°C | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          |
| Z00                |                                   | <input checked="" type="checkbox"/> 16L | <input checked="" type="checkbox"/> 30 min.  |                                   | <input checked="" type="checkbox"/> 16L | <input checked="" type="checkbox"/> 30 min.  |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | ###-Z02<br>MB320                  | <input type="checkbox"/> 16L            | <input type="checkbox"/> 30 min.             | ###-Z02<br>MB033                  | <input type="checkbox"/> 16L            | <input type="checkbox"/> 30 min.             |
| m                  |                                   | L                                       | min.   |                                   | L                                       | min.   |



| Depth |          | COMMENTS  |
|-------|----------|---|
| Z00   | R01<br>m | We ran out of barcodes with 3 replicate labels. The cartridges themselves are not labeled, only the centrifuge vials in which they are stored |
| Z00   | R02<br>m |   |
| Z00   | R03<br>m |   |
| Z00   | R04<br>m |   |
| Z02   | R01<br>m |   |
| Z02   | R02<br>m |   |
| Z02   | R03<br>m |   |
| Z02   | R04<br>m |   |
|       |          |   |
|       |          |   |
|       |          |   |





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-OTHER

OPERATOR(S) **MARTA FURIA**

| Depth<br>Replicates        | HC<br>Cryo-5mL<br>LN2 #1                  | HC-G<br>Cryo-5mL<br>LN2 #1                | CP-G<br>Cryo-5mL<br>LN2 #1                          | SG<br>Cryo-5mL<br>LN2 #1                | FC-P<br>Cryo-2mL<br>LN2 #3     | FC-G<br>Cryo-2mL<br>LN2 #3                |
|----------------------------|---|---|---|---|--------------------------------|---|
| Z00 R01<br>m               |   |   |   |   |                                |   |
| Z00 R02<br>m               |   |   |   |   |                                |   |
| Z00 R03<br>m               |   |   |   | Glycine-betaine<br>prealiquot at<br>4°C | PFA prealiquot<br>at -20°C     | Glutaraldehyde<br>prealiquot at -<br>20°C |
| Z00 R04<br>m               |   |   | Glycerol<br>prealiquot - RT                         |   |                                |   |
| Z00 R05<br>m               |   |   |   | DGAS<br>12 mL extainer<br>+4°C          | DGAS<br>12 mL extainer<br>+4°C | DGAS<br>12 mL extainer<br>+4°C            |
| Z00 R06<br>m               |   |   |   |   |                                |   |
| Z00 R07<br>m               |   |   |   |   |                                |   |
| Z00 R08<br>m               |   |   |   |   |                                |   |
| <b>Prealiquot</b>          | No prealiquot                             | Glycerol<br>prealiquot - RT               |   | + 100 µL ZnCl <sup>2</sup>              | + 100 µL ZnCl <sup>2</sup>     | + 100 µL ZnCl <sup>2</sup>                |
| <b>Depth<br/>Replicate</b> | <b>eDNA<br/>Waters<br/>capsule<br/>RT</b> | <b>Filtration<br/>Volume<br/>(Litres)</b> | <b>Filtration<br/>Duration<br/>(minutes)</b>        | <b>+ 50 mL of<br/>buffer</b>            | <b>&lt; 0.45 µm</b>            |   |
| Z00<br>m                   |   | <input type="checkbox"/> 30L<br>~ 40 L    | <input checked="" type="checkbox"/> 30 min.<br>min. |   |                                |   |



| Depth Replicates |          | ○ CP-G<br>Cryo-5mL<br>LN2 #1   | ● SG<br>Cryo-5mL<br>LN2 #1                  | ● FC-P<br>Cryo-2mL<br>LN2 #3 | ● FC-G<br>Cryo-2mL<br>LN2 #3              |                                 |                                 |
|------------------|----------|--------------------------------|---|------------------------------|---|---------------------------------|---------------------------------|
| Z02              | R01<br>m | ###-Z02<br>CP-G-1              | ###-Z02<br>SG-1                             | ###-Z02<br>FC-P-1            | ###-Z02<br>FC-G-1                         |                                 |                                 |
| Z02              | R02<br>m | ###-Z02<br>CP-G-2              | ###-Z02<br>SG-2                             | ###-Z02<br>FC-P-2            | ###-Z02<br>FC-G-2                         |                                 |                                 |
| Z02              | R03<br>m | ###-Z02<br>CP-G-3              | Glycine-<br>betaine<br>prealiquot at<br>4°C | PFA prealiquot<br>at -20°C   | Glutaraldehyde<br>prealiquot at -<br>20°C |                                 |                                 |
| Prealiquot       |          | Glycerol<br>prealiquot -<br>RT |   |                              |   |                                 |                                 |
|                  |          |                                |   |                              | DGAS<br>12 mL exetainer<br>+4°C           | DGAS<br>12 mL exetainer<br>+4°C | DGAS<br>12 mL exetainer<br>+4°C |
|                  |          |                                |   |                              | ###-Z02<br>DGAS-1                         | ###-Z02<br>DGAS-2               | ###-Z02<br>DGAS-3               |
|                  |          |                                |   |                              |   |                                 |                                 |
|                  |          |                                |   |                              | + 100 µL ZnCl <sup>2</sup>                | + 100 µL ZnCl <sup>2</sup>      | + 100 µL ZnCl <sup>2</sup>      |

COMMENTS



LOG\_SAMPLES\_ YYYY MM DD  
2024 03 15

\_STATION- # # # \_S-LAB-DECKNET-5  
1 1 2

OPERATOR(S) TARTA  
EUROPA

| Depth | Volume filtered (Litres)      |  |  |  |  |
|-------|-------------------------------|--|--|--|--|
| Z00   | <input type="checkbox"/> 10 L |  |  |  |  |
| m     | ~ 95 L                        |  |  |  |  |
| Z02   | <input type="checkbox"/> 10 L |  |  |  |  |
| m     | L                             |  |  |  |  |

| Depth | FM5-1*<br>Falcon-15mL<br>FRG +4°C | FM5-2*<br>Falcon-15mL<br>FRG +4°C | SG5-1*<br>Cryo-5mL<br>LN2 | SG5-2*<br>Cryo-5mL<br>LN2 |
|-------|-----------------------------------|-----------------------------------|---------------------------|---------------------------|
| Z00   | 112554255                         | 112554256                         | 112545417                 | 112545418                 |
| m     |                                   |                                   |                           |                           |
| Z02   | ### Z02<br>FM5-1                  | ### Z02<br>FM5-2                  | ### Z02<br>SG5-1          | ### Z02<br>SG5-2          |
| m     |                                   |                                   |                           |                           |

\*pre-aliquoted 5 mL PFA/GLUT  
store at -20°C

\* pre-aliquoted Glycine betaine  
store at 4°C





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_PPN2-PPN2exe

OPERATOR(S) MARTA FURIA

| Depth    | Spikes | 13C-DIC time (UTC) in -20°C | 15N-DIC time (UTC) in gaz |
|----------|--------|-----------------------------|---------------------------|
| Z00<br>m | 1      | 08 : 40                     | 08 : 45                   |
| Z00<br>m | 2      | 08 : 40                     | 08 : 45                   |
| Z00<br>m | 3      | 08 : 40                     | 08 : 45                   |

| Depth    | Natural abundance – TO | NAT Filter in alu -20°C | Filtered volume (mL) | Filtration time – start | Filtration time – end |
|----------|------------------------|-------------------------|----------------------|-------------------------|-----------------------|
| Z00<br>m | NAT-1                  |                         | 2300 mL              | 08 : 15                 | 08 : 30               |
| Z00<br>m | NAT-2                  |                         | 2300 mL              | 08 : 15                 | 08 : 31               |
| Z00<br>m | NAT-3                  |                         | 2300 mL              | 08 : 15                 | 08 : 29               |

24h (+/- 30min) later

Filtration < 40min

| Depth    | Incubated bottle | PPN2 Filter in alu -20°C | PPN2exe* Exetainer-12mL +4°C | Filtration volume (mL) | Filtration time – start | Filtration time – end |
|----------|------------------|--------------------------|------------------------------|------------------------|-------------------------|-----------------------|
| Z00<br>m | PPN2-1           |                          |                              | 2300 mL                | 09 : 15                 | 9 : 28                |
| Z00<br>m | PPN2-2           |                          |                              | 2300 mL                | 09 : 15                 | 9 : 30                |
| Z00<br>m | PPN2-3           |                          |                              | 2300 mL                | 09 : 15                 | 9 : 30                |

|  |       |  |                |  |  |  |
|--|-------|--|----------------|--|--|--|
|  | BLANK |  | * +100 µL ZnCl |  |  |  |
|--|-------|--|----------------|--|--|--|





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-25-1

OPERATOR(S) E. UEGEAY

| Depth        | Turbidimeter (FNU)            | PM control (EVERY TWO STATIONS)        | Filtration Volume (mL)     | N° filtres + weight (mg)                                |                        |                            |
|--------------|-------------------------------|--|----------------------------|---|------------------------|----------------------------|
| Z00<br>m     | 1. 0.66<br>2. 0.80<br>3. 0.63 | ###-Z00<br>PM-CTRL<br>?                | mL                         | N°<br>Weight  |                        |                            |
| Z02<br>m     | 1.<br>2.<br>3.                | TRIPPLICATES<br>ONCE A MONTH<br>FOR HP | HP<br>Cryo-2mL<br>LN2 #3   | Filtration Volume (mL)<br>Filtration Duration (minutes) |                        |                            |
| Depth        | PA<br>Petridish<br>FRZ -20°C  | Filtration Volume (mL)                 | Z00 R01<br>m               | <input type="checkbox"/> 30 min.<br>18 min.             |                        |                            |
| Z00<br>m     |                               | 2000 mL                                | Z00 R02<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
|              |                               |  | Z00 R03<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
|              |                               |  | Z02 R01<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
| Depth        | PM<br>Petridish<br>FRZ -20°C  | Filtration Volume (mL)                 | N° filtre + weight (mg)    | FOI<br>Petridish<br>FRZ -20°C                           | Filtration Volume (mL) | N° filtre + weight (mg)    |
| Z00 R01<br>m |                               | 2000 mL                                | N° TE 150<br>Weight 37.664 |   | 2000 mL                | N° TE 207<br>Weight 37.444 |
| Z00 R02<br>m |                               | 2000 mL                                | N° TE 258<br>Weight 37.946 |   | 2000 mL                | N° TE 287<br>Weight 36.833 |
| Z00 R03<br>m |                               | 2000 mL                                | N° TE 136<br>Weight 37.783 |   | 2000 mL                | N° TE 313<br>Weight 37.185 |



| Depth<br>Replicate |     | COMMENTS<br>PM | COMMENTS<br>FOI |
|--------------------|-----|----------------|-----------------|
| Z00                | R01 |                |                 |
|                    | m   |                |                 |
| Z00                | R02 |                |                 |
|                    | m   |                |                 |
| Z00                | R03 |                |                 |
|                    | m   |                |                 |
|                    |     |                |                 |
|                    |     |                |                 |
|                    |     |                |                 |
|                    |     |                |                 |

| Depth<br>Replicate |   | COMMENTS<br>PA - HP |
|--------------------|---|---------------------|
| Z00                |   |                     |
|                    | m |                     |
| Z02                |   |                     |
|                    | m |                     |
|                    |   |                     |
|                    |   |                     |
|                    |   |                     |
|                    |   |                     |





LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-NET-20

OPERATOR(S) E. LEGEAY

Net 20  $\mu$ m

Decknet  
 Deployed at sea

SAMPLE SPLITTING

# of cod-ends  1  2  
Total volume  1600 mL  200 mL  
Aliquots vol.  200 mL

PROTOCOLS

|   | Barcode | Aliquot volume (mL)                                    | Filtration time                           | Barcode | Aliquot volume (mL)                                    | Filtration time                           |
|---|---------|--|---|---------|--|---|
| <b>S20</b><br>Cryo-5mL<br>LN2 #1  |         | <input checked="" type="checkbox"/> 200 mL (1/8)<br>mL | <input checked="" type="checkbox"/> 15 mn |         | <input checked="" type="checkbox"/> 200 mL (1/8)<br>mL | <input checked="" type="checkbox"/> 15 mn |
| <b>FCAM20</b><br>Bottle-250mL<br>LIVE   |         | <input type="checkbox"/> 200 mL (1/8)                  |   |         |  |   |
| <b>E20</b><br>Falcon-15mL<br>+ 15mL ETOH<br>FRZ -20°C                                 |         | <input checked="" type="checkbox"/> 200 mL (1/8)       |   |         |  |   |
| <b>S20-L</b><br>Falcon-5mL<br>FRZ -20°C<br>+ 5 mL<br>NucleoProtect                    |         | <input type="checkbox"/> 200 mL (1/8)<br><b>400</b> mL |   |         |  |   |
| <b>MB20</b><br>Vial-4mL<br>FRZ -20°C  |         | <input checked="" type="checkbox"/> 200 mL (1/8)       |   |         |  |   |
| <b>FM20</b><br>Falcon-50mL<br>FRG +4°C<br>Prealiquoted<br>PFA+GLUTA<br>store at -20°C |         | <input checked="" type="checkbox"/> 45 mL              |   |         | <input checked="" type="checkbox"/> 45 mL              |   |
| <b>HG-20</b><br>Falcon-15mL<br>FRZ -20°C  |         | <b>200</b>   |   |         |  |   |



|                                  | COMMENTS | COMMENTS |
|----------------------------------|----------|----------|
| SAMPLE SPLITTING                 |          |          |
| PROTOCOLS                        |          |          |
| S20<br>Cryo-5mL<br>LN2 #1        |          |          |
| FCAM20<br>Bottle-250mL<br>LIVE   |          |          |
| E20<br>Falcon-15mL<br>FRZ -20°C  |          |          |
| S20-L<br>Falcon-5mL<br>FRZ -20°C |          |          |
| MB20<br>Vial-4mL<br>FRZ -20°C    |          |          |
| FM20<br>Falcon-50mL<br>FRG +4°C  |          |          |
|                                  |          |          |
|                                  |          |          |
|                                  |          |          |
|                                  |          |          |



LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- \_S-LAB-NET-200

OPERATOR(S) E. UEGEAY

Horizontal  
WP11-200

SAMPLE SPLITTING

COD-END #1

PROTOCOLS

Barcode

Fraction of total volume

Aliquot Volume (mL)

F200  
Bottle-250mL  
+  
borax/formol  
RT >10°C



100%

250 mL

%

500 mL

SAMPLE SPLITTING

COD-END #2

Total volume

1600 mL

PROTOCOLS

Barcode

Filtered volume (mL)

Filtration time

Barcode

Filtered volume (mL)

Filtration time

S200  
Cryo-5mL  
LN2 #1



150

15 min



150

15 min

S200-L  
Falcon-5mL  
FRZ -20°C  
+ 5mL Nucleo



150

HG-200  
Falcon-15mL  
FRZ -20°C



1100



|                                   | COMMENTS | COMMENTS |
|-----------------------------------|----------|----------|
| SAMPLE SPLITTING                  |          |          |
| PROTOCOLS                         |          |          |
| F200<br>Bottle-250mL<br>RT >10°C  |          |          |
| SAMPLE SPLITTING                  |          |          |
| PROTOCOLS                         |          |          |
| S200<br>Cryo-5mL<br>LN2 #1        |          |          |
| S200-L<br>Falcon-5mL<br>FRZ -20°C |          |          |
|                                   |          |          |
|                                   |          |          |
|                                   |          |          |
|                                   |          |          |



LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-NET-680

OPERATOR(S) E. UEGEAY

Régent 680

| SAMPLE SPLITTING  | NET TOW n° <span>2</span>    |   | NET TOW n° <span>1</span>                   |                    |   |                     |
|---|------------------------------|---|---|--------------------|---|---------------------|
|   | FLOWMETER <span>30367</span> | <span>32916</span>                        | FLOWMETER <span>26990</span>                | <span>30367</span> |   |                     |
|   |                              |   | <input checked="" type="checkbox"/> 1600 mL |                    |   |                     |
| PROTOCOLS   | Barcode                      | Fraction of total volume                  | Bottle volume (mL)                          | Barcode            | Fraction of total volume                  | Aliquot Volume (mL) |
| F680<br>Bottle-250mL<br>RT >10°C<br>+<br>Borax/Formol       |                              | <input checked="" type="checkbox"/> 100 % | <input checked="" type="checkbox"/> 250 mL  |                    |   |                     |
|   |                              | %   | <input type="checkbox"/> 500 mL             |                    |   |                     |
| F2000<br>Bottle-250mL<br>RT >10°C<br>+<br>borax/formol      | ### EPI<br>F2000             | hand-picked                               | <input type="checkbox"/> 250 mL             |                    |   |                     |
|   |                              | #ind=                                     | <input type="checkbox"/> 500 mL             |                    |   |                     |
| S680-L<br>Falcon-5mL<br>FRZ -20°C<br>+ 5mL<br>Nucleoprotect |                              |   |   |                    | <input checked="" type="checkbox"/> 100 % | 200 mL              |
|   |                              |   |   |                    | %   |                     |
| HG-680<br>Falcon-15mL<br>FRZ -20°C                          |                              |   |   |                    |   | 1400                |

