



YYYY MM DD

LOG_SAMPLES_

2024 03 21

_STATION-

1 1 5

_MERCURY

OPERATOR(S)

MG

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		#8 138.4 mg	3610		###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



Depth	COMMENTS
Z00 m	



YYYY MM DD # # #
 LOG_SAMPLES_ 2024 03 21 _STATION- 1 1 5 _W-LAB-142-1
 OPERATOR(S) Eric

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m	112545594	112545595	<input type="checkbox"/> 20L <u>18</u> L	<input checked="" type="checkbox"/> 15 min. min.	112545596	<input type="checkbox"/> 20L <u>18</u> L
Z00 R02 m	112545597	112545598	<input type="checkbox"/> 20L <u>14</u> L	<input checked="" type="checkbox"/> 15 min. min.	112545599	<input type="checkbox"/> 20L <u>14</u> L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m	112545600	112545601	<input type="checkbox"/> 50L <u>40</u> L	<input checked="" type="checkbox"/> 60 min. min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m	112545602	112545603	<input type="checkbox"/> 50L <u>40</u> L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		



v

Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	
Z02		
	m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _DECK-BGC

OPERATOR(S) JUF

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	+ 150 µl HCl				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00				
	m			
Z02				
	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



YYYY MM DD # # #
 LOG_SAMPLES_ **2024 03 21** _STATION- **1 1 5** _TARDIS-SCP-SS
 OPERATOR(S) **JUF**

LCMS

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min
Z00 R02 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min
Z00 R03 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min
Z00 R04 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min		1.5 <input checked="" type="checkbox"/> 1.5 L	<input type="checkbox"/> 180 min
Z00 R05 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min			
Z00 m		1.5 <input checked="" type="checkbox"/> 1.5 L	<input type="checkbox"/> 100 min			



LCMS

Depth		COMMENTS
Z00	R01 m	1.5 L LCMS water for PPL & HLB cartridges
Z00	R02 m	(for PPL @ pH 2)
Z00	R03 m	
Z00	R04 m	
Z00	R05 m	
Z00	m	



YYYY MM DD # # #
 LOG_SAMPLES_ **2024** **03** **21** _STATION- **1 15** _W-LAB-142-SS-2
 OPERATOR(S) **JUF**

Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
Z00 R02 m		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
Z00 m		4 <input type="checkbox"/> 16L	<input type="checkbox"/> 30 min		4 <input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
Z02 R01 m	###-Z02 MB320-SS-1	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-SS-1	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min
Z02 R02 m	###-Z02 MB320-SS-2	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-SS-2	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min
Z02 m	###-Z02 MB320-H2O	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-H2O	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min

COMMENTS



Depth Replicate	COMMENTS MB320-SS	COMMENTS MB033-SS
Z00 R01 m	4 L MQW for MB320 + MB033 Blank	
Z00 R02 m		
Z00 R03 m		
Z02 R01 m		
Z02 R02 m		
Z02 R03 m		
Depth	COMMENTS LCMS	
Z00 m		
Z02 m		



LOG_SAMPLES_ 2024 03 21 _STATION- 1 1 5 _S-LAB-OTHER

OPERATOR(S) ANNA

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m	112545961	112545969	112545977	112545926	112545980	112545982
Z00 R02 m	112545962	112545970	112545978	112545927	112545981	112545983
Z00 R03 m	112545963	112545971	112545979	Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00 R04 m	112545964	112545972	Glycerol prealiquot - RT			
Z00 R05 m	112545965	112545973		DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
Z00 R06 m	112545966	112545974		112546004	112546007	112546010
Z00 R07 m	112545967	112545975		112546005	112546008	112546011
Z00 R08 m	112545968	112545976		112546006	112546009	112546012
Prealiquot	No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m	112580500	30L L	30 min. min.			



Depth	Replicates	○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3			
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1			
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2			
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C			
Prealiquot		Glycerol prealiquot - RT						
						DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
						###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3
						+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²

COMMENTS

eDNA recovered after 17' because of boat repositioning
Then reup in water



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-DECKNET-5
2024 03 21 1 1 5
 OPERATOR(S) ANNA

Depth	Volume filtered (Litres)				
Z00	<input type="checkbox"/> 10 L				
m	3.4 L				
Z02	<input type="checkbox"/> 10 L				
m	L				

Depth	FM5-1* Falcon-15mL FRG +4°C	FM5-2* Falcon-15mL FRG +4°C	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2
Z00				
m				
Z02	### Z02 FM5-1	### Z02 FM5-2	### Z02 SG5-1	### Z02 SG5-2
m				

*pre-aliquoted 5 mL PFA/GLUT
store at -20°C

* pre-aliquoted Glycine betaine
store at 4°C



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _PPN2-PPN2exe

OPERATOR(S) ANNA

2024 03 21 1 1 5

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz
Z00 m	1	11 : 20	11 : 27
Z00 m	2	11 : 21	11 : 28
Z00 m	3	11 : 22	11 : 29




Depth	Natural abundance – TO	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time – start	Filtration time – end
Z00 m	NAT-1		2270	12 : 15	13 : 15
Z00 m	NAT-2		2170	12 : 16	13 : 30
Z00 m	NAT-3		2270 mL	12 : 17	13 : 00

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time – start	Filtration time – end
Z00 m	PPN2-1			2270	11 : 50 11 : 50	12 : 55
Z00 m	PPN2-2			2270	11 : 50 11 : 50	12 : 55
Z00 m	PPN2-3			2270	11 : 50 11 : 50	12 : 50
	BLANK		* +100 µL ZnCl			



Depth	COMMENTS
	PPN2EXE-1 replicate 2 
	PPN2EXE-2 replicate 2 
	PPN2EXE-3 replicate 2 



YYYY MM DD HH MM # # #
 2024 03 21 13 00 _STATION- [] _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection Number of dips: **8** Volume Collected (L) **0.5L**

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				~ 150ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				~ 150ml

YYYY MM DD HH MM # # #
 2024 03 21 17 00 _STATION- [] _SML

OPERATOR(S) INITIALS

JOB / FW

Water Collection Number of dips: [] Volume Collected (L) []

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				



~ 120 m

~ 120 m

8

0.25



YYYY: 2024 MM: 03 DD: 21 HH: 05 MM: 00 # # # OPERATOR(S) INITIALS: JOB / FW
 _STATION- [] _SML

Water Collection Number of dips: **9** Volume Collected (L): **0.55L**

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)		2		✓ 150 mL
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)		<i>dropped</i>	3	✓ 150 mL

YYYY: 2024 MM: 03 DD: 21 HH: 09 MM: 30 # # # OPERATOR(S) INITIALS: JOB / FW
 _STATION- **115** _SML

Water Collection Number of dips: **9** Volume Collected (L): **0.55L**

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				✓ 150 mL
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				✓ 150 mL



~ 120 m

112

112

0.225

~ 120 m

~ 120 m

0

0.225



YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

2024

03

21

21

00

_STATION-

_SML

JOB / FW

Water Collection

Number of dips: **9**

Volume Collected (L)

0.55

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				~ 150 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				~ 150 ml

YYYY

MM

DD

HH

MM

#

OPERATOR(S) INITIALS

2024

03

22

01

00

_STATION-

_SML

JOB / FW

Water Collection

Number of dips: **8**

Volume Collected (L)

0.475

Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)				
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				~ 150 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				~ 150 ml



~ 120 m

8

0.452

~ 120 m

~ 120 m

d

0.22



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-25-1

OPERATOR(S) **EMMANUELLE MARTINS**

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtrés + weight (mg)		
Z00 m	1. 0.42 2. 0.28 3. 0.45		160 mL	N° TE 168 Weight 37.676		
Z02 m	1. 2. 3.	TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL) Filtration Duration (minutes)		
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m	30 min. 14 min.		
Z00 m		1080 mL	Z00 R02 m	30 min. min.		
			Z00 R03 m	30 min. min.		
			Z02 R01 m	30 min. min.		
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m		1080 mL	N° TE 156 Weight 37.771		1080 mL	N° TE 388 Weight 37.073
Z00 R02 m		1080 mL	N° TE 342 Weight 37.481		1080 mL	N° TE 196 Weight 37.764
Z00 R03 m		1080 mL	N° TE 314 Weight 37.711		1080 mL	N° TE 146 Weight 37.358



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Depth Replicate	COMMENTS PA - HP	
Z00 m		
Z02 m		



YYYY MM DD

LOG-SAMPLES_ 2024 03 21

#

_STATION- 1 1 5 _S-LAB-NET-20

OPERATOR(S) Emmanuelle Martins

Decknet

Deployed at sea

Net 20 µm

SAMPLE SPLITTING # of cod-ends 1 2 Total volume 1600 mL Aliquots vol. 200 mL

PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
S20 Cryo-5mL LN2 #1		<input type="checkbox"/> 200 mL (1/8) 20 mL	<input checked="" type="checkbox"/> 15 mn		<input type="checkbox"/> 200 mL (1/8) 20 mL	<input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input type="checkbox"/> 200 mL (1/8)				
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input type="checkbox"/> 200 mL (1/8)				
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input type="checkbox"/> 200 mL (1/8) 20 mL				
MB20 Vial-4mL FRZ -20°C		<input type="checkbox"/> 200 mL (1/8)				
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	
HG-20 Falcon-15mL FRZ -20°C						



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200
 2024 03 21 1 1 5
 OPERATOR(S) Emmanuelle Martins

Horizontal
WPII-200

SAMPLE
SPLITTING

COD-END #1

PROTOCOLS

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

F200
Bottle-250mL
+
borax/formol
RT >10°C



100%

250 mL

% 500 mL

SAMPLE
SPLITTING

COD-END #2

Total volume

1600 mL

PROTOCOLS

Barcode

Filtered
volume (mL)

Filtration time

Barcode

Filtered
volume (mL)

Filtration time

● S200
Cryo-5mL
LN2 #1



20 mL

15 min
13 min



20

15 min
13 min

S200-L
Falcon-5mL
FRZ -20°C
+ 5mL Nucleo



20 mL

HG-200
Falcon-15mL
FRZ -20°C



750mL



COMMENTS

COMMENTS

SAMPLE
 SPLITTING

PROTOCOLS

F200
 Bottle-250mL
 RT >10°C

SAMPLE
 SPLITTING

PROTOCOLS

S200
 Cryo-5mL
 LN2 #1

S200-L
 Falcon-5mL
 FRZ -20°C



LOG-SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-NET-680

2024 03 21 1 1 5

OPERATOR(S) *Emmanuelle Martins*

Régent 680

SAMPLE SPLITTING	NET TOW n°		FLOWMETER		NET TOW n°	
	47 332	2	44 862	47 332	1	47 332
	FLOWMETER		<input checked="" type="checkbox"/> 1600 mL			
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol		<input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 250 mL			
		%	<input type="checkbox"/> 500 mL			
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked	<input type="checkbox"/> 250 mL			
		#ind=	<input type="checkbox"/> 500 mL			
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect		<input checked="" type="checkbox"/> 100 %				30 mL
		%				
HG-680 Falcon-15mL FRZ -20°C						1250mL



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F680 Bottle-250mL RT >10°C		
F2000 Bottle-250mL RT >10°C		
S680-L Falcon-5mL FRZ -20°C		