



LOG_SAMPLES_ YYYY MM DD # # # _STATION- _MERCURY

OPERATOR(S)

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		# 11 139,9 mg	3390		###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



Depth	COMMENTS
Z00 m	



LOG_SAMPLES_ **2024 02 22** _STATION- **1 1 6** _W-LAB-142-1

OPERATOR(S) **ERIC**

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			<input type="checkbox"/> 20L 17 L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L 17 L
Z00 R02 m			<input type="checkbox"/> 20L 17 L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L 17 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			<input type="checkbox"/> 50L 25 L	<input checked="" type="checkbox"/> 60 min. min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L 25 L	<input checked="" type="checkbox"/> 60 min. min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			<input type="checkbox"/> 50L 25 L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L 25 L	<input checked="" type="checkbox"/> 60 min. min.		



Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	
Z02		
	m	



LOG_SAMPLES_

YYYY	MM	DD
2025	03	22

 _STATION-

#	#	#
1	1	6

 _W-LAB-142-SS-1

OPERATOR(S)

ERIC

Depth Replicate	S02-2K Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	
Z00 R01 m		<input type="checkbox"/> 15L 12 L	<input checked="" type="checkbox"/> 15' min.	80 L : Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2
Z00 R02 m		<input type="checkbox"/> 15L 12 L	<input checked="" type="checkbox"/> 15' min.	
Depth Replicate	< 3 μm			
Z00 m	For onland protocols			50 L : Collect filtrate for SS protocols onland : V<3, RBM<3, VV<3, VV<3bis



Depth Replicate	COMMENTS S02-2K
Z00 R01 m	
Z00 R02 m	
Depth Replicate	COMMENTS < 3 µm
Z00 m	



LOG_SAMPLES_ 2024 03 22 YYYY MM DD
 _STATION- 1 1 6 # # # _DECK-BGC
 OPERATOR(S) JUF

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	+ 150 µl HCl				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00	m			
Z02	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



YYYY MM DD # # #
 LOG_SAMPLES_ **2024 03 22** _STATION- **1 1 6** _TARDIS-SCP-SS
 OPERATOR(S) **JUF**

LCMS

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB<0.3 Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min
Z00 R02 m		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min
Z00 R03 m		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min
Z00 R04 m		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min
Z00 R05 m		<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min min			
Z00 m		<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min min			



LCMS

Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z00	R05 m	
Z00	m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _W-LAB-142-SS-2

OPERATOR(S) JUF

Depth	Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00	R01		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
	m		L	min		L	min
Z00	R02		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
	m		L	min		L	min
Z00			<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min
	m		L	min		L	min
Z02	R01	###-Z02 MB320-SS-1	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-SS-1	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min
	m		L	min		L	min
Z02	R02	###-Z02 MB320-SS-2	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-SS-2	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min
	m		L	min		L	min
Z02		###-Z02 MB320-H2O	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min	###-Z02 MB033-H2O	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min
	m		L	min		L	min

COMMENTS



Depth Replicate		COMMENTS MB320-SS	COMMENTS MB033-SS
Z00	R01		
	m		
Z00	R02		
	m		
Z00	R03		
	m		
Z02	R01		
	m		
Z02	R02		
	m		
Z02	R03		
	m		
Depth	COMMENTS LCMS		
Z00			
	m		
Z02			
	m		



LOG_SAMPLES_ **2021** **03** **22** _STATION- **1** **1** **6** _S-LAB-OTHER

OPERATOR(S) **ANNA**

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m						
Z00 R02 m						
Z00 R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C
Z00 R04 m			Glycerol prealiquot - RT			
Z00 R05 m				DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
Z00 R06 m						
Z00 R07 m						
Z00 R08 m						
Prealiquot	No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m		<input checked="" type="checkbox"/> 30L L	<input checked="" type="checkbox"/> 30 min. min.			



Depth	Replicates	○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3			
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1			
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2			
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C			
Prealiquot		Glycerol prealiquot - RT						
					DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	
					###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3	
					+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	

COMMENTS

FC-P 1 and FC-P 2 put into N₂ without label
 => re-made with water from The same Niskin @ 1 pm UTC



YYYY MM DD # # #
 LOG_SAMPLES_ 2024 03 22 _STATION- 1 1 6 _S-LAB-DECKNET-5
 OPERATOR(S) ANNA

Depth	Volume filtered (Litres)				
Z00	<input type="checkbox"/> 10 L				
m	11.5 L				
Z02	<input type="checkbox"/> 10 L				
m	L				

Depth	FM5-1* Falcon-15mL FRG +4°C	FM5-2* Falcon-15mL FRG +4°C	● SG5-1* Cryo-5mL LN2	● SG5-2* Cryo-5mL LN2
Z00				
m				
Z02	### Z02 FM5-1	### Z02 FM5-2	### Z02 SG5-1	### Z02 SG5-2
m				

*pre-aliquoted 5 mL PFA/GLUT
store at -20°C

* pre-aliquoted Glycine betaine
store at 4°C



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _PPN2-PPN2exe

OPERATOR(S) ANNA

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz
Z00 m	1	10 : 10	10 : 15
Z00 m	2	10 : 10	10 : 15
Z00 m	3	10 : 10	10 : 15




Depth	Natural abundance - T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time - start	Filtration time - end
Z00 m	NAT-1		1000	10 : 40	11 : 25
Z00 m	NAT-2		1050	10 : 40	11 : 25
Z00 m	NAT-3		1150	10 : 40	11 : 25

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time - start	Filtration time - end
Z00 m	PPN2-1			1850	10 : 40	11 : 40
Z00 m	PPN2-2			1900	10 : 40	11 : 40
Z00 m	PPN2-3			1800	10 : 40	11 : 40
	BLANK		* +100 µL ZnCl			



Depth	COMMENTS
	PPN2EXE - 1 replicate - 2  112500050
	PPN2EXE - 2 replicate - 2  112500051
	PPN2EXE - 3 replicate - 2  112500052



YYYY: 2024 MM: 03 DD: 22 HH: 05 MM: 00 # # # OPERATOR(S) INITIALS: JOB / FW
 _STATION- _SML

Water Collection		Number of dips: 8		Volume Collected (L) 0.52		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				3	~ 150ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				3	~ 150ml

YYYY: 2024 MM: 03 DD: 22 HH: 09 MM: 00 # # # OPERATOR(S) INITIALS: JOB / FW
 _STATION- 116 _SML

Water Collection		Number of dips: 8		Volume Collected (L) 0.475		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				3	~ 150ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				3	~ 150ml



120 m
~ 120 m

8

118


0.18

~ 120 m

~ 120 m

8

0.25


YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
2024 03 22 13 00 _STATION- _SML JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.500		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)				3	
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				3	~ 150 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				3	~ 150 ml

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
2024 03 22 17 00 _STATION- _SML JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.500		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)					
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)					
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)				2	~ 150 ml
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)				2	~ 150 ml



~ 120 m

8

0200

~ 120 m

~ 120 m

8

0200



YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2024 03 22 21 00 _STATION- [] _SML [] JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.5L		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112494472	112494473			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112494474	112494475	112494476		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112494486	112494487	112494488	~ 150ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112494489	112494490	112494491	~ 150ml	

YYYY MM DD HH MM # # # OPERATOR(S) INITIALS
 2024 03 23 01 09 _STATION- [] _SML [] JOB / FW

Water Collection		Number of dips: 8		Volume Collected (L) 0.5L		
Protocol	Quantity, Container Storage	Replicate 1	Replicate 2	Replicate 3	Comments	
SML-FC	Cryotube (2ml) 1.5ml sample + 30 µl Glute 25% LN2 (-80°C)	112545640	112545641			
SML-CP	Cryotube (5ml) 3ml sample + 750 µl Glycerol RT (-80°C)	112494492	112494493	112494494		
SML-320	Cryotube (2ml) Filter 3µm PC LN2 (-80°C)	112545610	112545611	112545612	~ 150ml	
SML-023	Cryotube (2ml) Filter 0.22µm PC LN2 (-80°C)	112545879	112545880	112545881	~ 150ml	



~ 120 mT

8

0.25

~ 120 mT

~ 120 mT

8

0.25



LOG_SAMPLES_ **2024 03 22** YYYY MM DD

_STATION- **1 1 6** # # #

OPERATOR(S) **Emmawelle Martins**

_S-LAB-25-1

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)		
Z00	1. 0.73 2. 0.59 3. 0.47	###-Z00 PM-CTRL	mL	N° Weight		
Z02	1. 2. 3.	TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL) Filtration Duration (minutes)		
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m	112546054 1080 <input type="checkbox"/> 30 min. 21 min.		
Z00	112580524	1080 mL	Z00 R02 m	###-Z00 HP-2 <input type="checkbox"/> 30 min. min.		
			Z00 R03 m	###-Z02 HP-3 <input type="checkbox"/> 30 min. min.		
			Z02 R01 m	###-Z02 HP <input type="checkbox"/> 30 min. min.		
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01	112580518	1080 mL	N° TE 044 Weight 37.104	112580521	1080 mL	N° TE 369 Weight 36.985
Z00 R02	112580519	1080 mL	N° TE 370 Weight 37.142	112580522	1080 mL	N° TE 065 Weight 38.299
Z00 R03	112580520	1080 mL	N° TE 245 Weight 37.620	112580523	1080 mL	N° TE 198 Weight 37.658



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		



YYYY MM DD # # #

LOG-SAMPLES_ **2024 03 22** _STATION- **1 1 6** _S-LAB-NET-20

OPERATOR(S) **Emmanuelle Martins**

Decknet
 Deployed at sea

Net 20 μ m

SAMPLE SPLITTING # of cod-ends Total volume Aliquots vol.

1 2 1600 mL 200 mL

PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
S20 Cryo-5mL LN2 #1		<input type="checkbox"/> 200 mL (1/8) 75 mL	<input checked="" type="checkbox"/> 15 mn		<input type="checkbox"/> 200 mL (1/8) 75 mL	<input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input type="checkbox"/> 200 mL (1/8)				
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input type="checkbox"/> 200 mL (1/8) 75 mL				
MB20 Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input checked="" type="checkbox"/> 45 mL			<input checked="" type="checkbox"/> 45 mL	
HG-20 Falcon-15mL FRZ -20°C		950 mL				



COMMENTS

COMMENTS

SAMPLE
SPLITTING

PROTOCOLS

S20
Cryo-5mL
LN2 #1

FCAM20
Bottle-250mL
LIVE

E20
Falcon-15mL
FRZ -20°C

S20-L
Falcon-5mL
FRZ -20°C

MB20
Vial-4mL
FRZ -20°C

FM20
Falcon-50mL
FRG +4°C



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

OPERATOR(S) Emmanuelle Maetins

Horizontal
WPII-200

SAMPLE
SPLITTING

COD-END #1

PROTOCOLS

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

F200
Bottle-250mL
+
borax/formol
RT >10°C



100%

250 mL

% 500 mL

SAMPLE
SPLITTING

COD-END #2

Total volume

1600 mL

PROTOCOLS

Barcode

Filtered
volume (mL)

Filtration time

Barcode

Filtered
volume (mL)

Filtration time

● S200
Cryo-5mL
LN2 #1



5 mL

15 min



5 mL

15 min

S200-L
Falcon-5mL
FRZ -20°C
+ 5mL Nucleo



5 mL

HG-200
Falcon-15mL
FRZ -20°C



300mL



COMMENTS

COMMENTS

SAMPLE
SPLITTING

PROTOCOLS

F200
Bottle-250mL
RT >10°C

SAMPLE
SPLITTING

PROTOCOLS

S200
Cryo-5mL
LN2 #1

Algae soup . Clogged filter

S200-L
Falcon-5mL
FRZ -20°C

Algae soup . Clogged filter



LOG-SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-NET-680

OPERATOR(S) *Emmanuelle Martins*

2024 03 22 1 1 6

Régent 680

SAMPLE SPLITTING

NET TOW n° 2

FLOWMETER 50 293 51 592

NET TOW n° 1

FLOWMETER Total volume 48982 50293

1600 mL

PROTOCOLS

Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
F680 Bottle-250mL RT >10°C + Borax/Formol	<input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 250 mL		%	<input type="checkbox"/> 500 mL
	hand-picked	<input type="checkbox"/> 250 mL		#ind=	<input type="checkbox"/> 500 mL
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect				<input checked="" type="checkbox"/> 100 %	15 mL
HG-680 Falcon-15mL FRZ -20°C				%	1400mL



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F680 Bottle-250mL RT >10°C		
F2000 Bottle-250mL RT >10°C		
S680-L Falcon-5mL FRZ -20°C		