



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_MERCURY

OPERATOR(S) DC

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		73 135,68µg	3400	30	###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



Depth	COMMENTS
Z00  m	
	27 132,08m



YYYY MM DD # # #  
 LOG\_SAMPLES\_ **2024 04 16** \_STATION- **1 28** \_W-LAB-142-1  
 OPERATOR(S) **Céline Dimier**

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m	112548070	112548071	<input type="checkbox"/> 20L <b>18</b> L	<input checked="" type="checkbox"/> 15 min. min.	112548076	<input type="checkbox"/> 20L <b>18</b> L
Z00 R02 m	112548072	112548073	<input type="checkbox"/> 20L <b>10</b> L	<input checked="" type="checkbox"/> 15 min. min.	112548077	<input type="checkbox"/> 20L <b>10</b> L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m	112548074	112548075	<input type="checkbox"/> 50L <b>43</b> L	<input checked="" type="checkbox"/> 60 min. min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m	112548078	112548079	<input type="checkbox"/> 50L <b>35</b> L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		



Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	
Z02		
	m	



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_DECK-BGC

OPERATOR(S) Vanessa Pahl

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl <sub>2</sub>	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	+ 150 µl HCl				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00				
	m			
Z02				
	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_TARDIS-SCP

OPERATOR(S) Vanessa Pahl

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R02		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R03		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R04		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R01	###-Z02 PPL-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R02	###-Z02 PPL-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R03	###-Z02 PPL-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R04	###-Z02 PPL-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.
m		L	min.		L	min.
Z02	###-Z02 MB320	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.
m		L	min.		L	min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-OTHER

OPERATOR(S) Iele Bi yua

Depth Replicates		HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00	R01 m						
Z00	R02 m						
Z00	R03 m				Glycine-betaine prealiquot at +4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00	R04 m			Glycerol prealiquot - RT			
Z00	R05 m				DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
Z00	R06 m						
Z00	R07 m						
Z00	R08 m						
Prealiquot		No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>
Depth Replicate		eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00	m		<input type="checkbox"/> 30L 50 L	<input type="checkbox"/> 30 min. 25 min.			



Depth	Replicates	○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3			
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1			
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2			
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C			
	Prealiquot	Glycerol prealiquot - RT						
					DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	
					###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3	
					+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>	

COMMENTS



LOG\_SAMPLES\_ 

YYYY	MM	DD
2024	04	16

 \_STATION- 

#	#	#
1	2	8

 \_S-LAB-DECKNET-5

OPERATOR(S) 

Jole Pi' Ayua
---------------

Depth	Volume filtered (Litres)					
Z00	<input type="checkbox"/> 10 L					
m	8 L					
Z02	<input type="checkbox"/> 10 L					
m	L					

Depth	FM5-1* Falcon-15mL FRG +4°C	FM5-2* Falcon-15mL FRG +4°C	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2	SGS-1	SGS-2
Z00			EMPTY 	EMPTY 	FULL 	FULL 
Z02	### Z02 FM5-1	### Z02 FM5-2	[No sample inside!] ### Z02 SG5-1      SG5-2			

\*pre-aliquoted 5 mL PFA/GLUT  
store at -20°C

\* pre-aliquoted Glycine betaine  
store at 4°C





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_PPN2-PPN2exe

OPERATOR(S) *Joh Pi Agne*

2024 04 16 1 2 8

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz
Z00 m	1	11 : 03	11 : 01
Z00 m	2	11 : 03	11 : 01
Z00 m	3	11 : 03	11 : 01

Depth	Natural abundance – T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time – start	Filtration time – end
Z00 m	NAT-1		1 L	10 : 00	10 : 49
Z00 m	NAT-2		1 L	10 : 00	10 : 49
Z00 m	NAT-3		1 L	10 : 00	10 : 49

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time – start	Filtration time – end
Z00 m	PPN2-1			1.2 L	9 : 50	10 : 20
Z00 m	PPN2-2			1.2 L	9 : 50	10 : 25
Z00 m	PPN2-3			1.2 L	9 : 50	10 : 25
	BLANK		* +100 µL ZnCl			





LOG\_SAMPLES\_ **2021** **04** **16** \_STATION- **1** **2** **8** \_S-LAB-25-1

OPERATOR(S) **Thomas Beavis**

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)		
Z00	1. 0.56 2. 0.59 3. 0.40		150 mL	N° TE 211 Weight 37.162		
Z02	1. 2. 3.	TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL) Filtration Duration (minutes)		
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m	2160 <input type="checkbox"/> 30 min. 32 min.		
Z00		1080 mL	Z00 R02 m	###-Z00 HP-2 <input type="checkbox"/> 30 min.		
			Z00 R03 m	###-Z02 HP-3 <input type="checkbox"/> 30 min.		
			Z02 R01 m	###-Z02 HP <input type="checkbox"/> 30 min.		
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01		1080 mL	N° TE 190 Weight 37.751		1080 mL	N° TE 359 Weight 37.203
Z00 R02		1080 mL	N° TE 117 Weight 35.906		1080 mL	N° TE 059 Weight 37.281
Z00 R03		1080 mL	N° TE <del>051</del> 051 Weight <del>37.245</del> 37.046		1080 mL	N° TE 305 Weight 37.173



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		

Depth Replicate	COMMENTS PA - HP
Z00 m	
Z02 m	



YYYY MM DD # # #  
 LOG-SAMPLES\_ **202A** **0A** **16** \_STATION- **1** **2** **8** \_S-LAB-NET-20  
 OPERATOR(S) **Thomas Beavis**

Net 20  $\mu$ m

Decknet  
 Deployed at sea

SAMPLE SPLITTING # of cod-ends  1  2 Total volume  1600 mL Aliquots vol.  200 mL

PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
<b>S20</b> Cryo-5mL LN2 #1		<input type="checkbox"/> 200 mL (1/8) <b>80</b> mL	<input checked="" type="checkbox"/> 15 mn		<input type="checkbox"/> 200 mL (1/8) <b>100</b> mL	<input checked="" type="checkbox"/> 15 mn
<b>FCAM20</b> Bottle-250mL LIVE		<input checked="" type="checkbox"/> 200 mL (1/8)				
<b>E20</b> Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
<b>S20-L</b> Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input type="checkbox"/> 200 mL (1/8) <b>80</b> mL				
<b>MB20</b> Vial-4mL FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
<b>FM20</b> Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> 15mL			<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> 15mL	
<b>HG-20</b> Falcon-15mL FRZ -20°C		<b>200mL</b>				



COMMENTS

COMMENTS

SAMPLE  
SPLITTING

PROTOCOLS

S20  
Cryo-5mL  
LN2 #1

FCAM20  
Bottle-250mL  
LIVE

E20  
Falcon-15mL  
FRZ -20°C

S20-L  
Falcon-5mL  
FRZ -20°C

MB20  
Vial-4mL  
FRZ -20°C

FM20  
Falcon-50mL  
FRG +4°C