



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _MERCURY

OPERATOR(S) DC

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		#66 132,87	5370	45	###-Z00 f.THg
Z02 m	###-Z02 p.THg		↑ 5370mL		###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



200 20 200
200

Depth	COMMENTS	
Z00 m		
	200 20 200	200 20 200
	200	



LOG_SAMPLES_ 2024 04 29 _STATION- 1 3 3 _W-LAB-142-1

OPERATOR(S) Celine DIMIER

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m	112526365	112526366	<input type="checkbox"/> 20L <u>16</u> L	<input checked="" type="checkbox"/> 15 min. min.	112526367	<input type="checkbox"/> 20L <u>16</u> L
Z00 R02 m	112526368	112526369	<input type="checkbox"/> 20L <u>14</u> L	<input checked="" type="checkbox"/> 15 min. min.	112526370	<input type="checkbox"/> 20L <u>14</u> L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m	112526371	112526372	<input type="checkbox"/> 50L <u>45</u> L	<input checked="" type="checkbox"/> 60 min. min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m	112526373	112526374	<input type="checkbox"/> 50L <u>40</u> L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		



Depth Replicate		COMMENTS S###
Z00	R01	
	m	
Z00	R02	
	m	
Z02	R01	
	m	
Z02	R02	
	m	
Depth		COMMENTS P###
Z00		
	m	
Z02		
	m	
Depth		COMMENTS S###L
Z00		
	m	
Z02		
	m	



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _DECK-BGC

OPERATOR(S) Vanessa Pahl

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
		+ 150 µl HCl			



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			

Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			



LOG_SAMPLES_ _STATION- _TARDIS-SCP

OPERATOR(S)

Depth		PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00	R01		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z00	R02		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z00	R03		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z00	R04		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z02	R01	###-Z02 PPL-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z02	R02	###-Z02 PPL-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z02	R03	###-Z02 PPL-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
	m		L	min.		L	min.
Z02	R04	###-Z02 PPL-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
	m		L	min.		L	min.
Depth Replicate		MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00			<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.
	m		L	min.		L	min.
Z02		###-Z02 MB320	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.
	m		L	min.		L	min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	
MB033		unfortunately filter broke



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-OTHER

OPERATOR(S) Joel Di Capua

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m						
Z00 R02 m						
Z00 R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00 R04 m			Glycerol prealiquot - RT			
Z00 R05 m				DGAS 12 mL extainer +4°C	DGAS 12 mL extainer +4°C	DGAS 12 mL extainer +4°C
Z00 R06 m						
Z00 R07 m						
Z00 R08 m						
Prealiquot	No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m		<input type="checkbox"/> 30L 70 L	<input checked="" type="checkbox"/> 30 min. min.			



Depth Replicates		○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3		
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1		
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2		
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C		
Prealiquot		Glycerol prealiquot - RT					
					DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
					###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3
					+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²

COMMENTS



Depth		COMMENTS SG5
-------	--	-----------------

Z00 R01
m

Z00 R02
m

Depth		COMMENTS FM5
-------	--	-----------------

Z00 R01
m

Z00 R02
m



LOG_SAMPLES_ 2024 04 22 _STATION- 1 3 3 _PPN2-PPN2exe

OPERATOR(S) Jole Di Curo

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz
Z00 m	1	9 : 08	9 : 12
Z00 m	2	9 : 08	9 : 12
Z00 m	3	9 : 08	9 : 12

Depth	Natural abundance - T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time - start	Filtration time - end
Z00 m	NAT-1		1.4L	9 : 00	9 : 40
Z00 m	NAT-2		1.4L	9 : 00	9 : 40
Z00 m	NAT-3		1.4L	9 : 00	9 : 40

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time - start	Filtration time - end
Z00 m	PPN2-1			1.4L	13 : 00	13 : 35
Z00 m	PPN2-2			1.4L	13 : 00	13 : 35
Z00 m	PPN2-3			1.4L	13 : 00	13 : 35

	BLANK		* +100 µL ZnCl			
--	-------	--	----------------	--	--	--



LOG_SAMPLES_

YYYY	MM	DD
202A	0A	22









 _STATION-

#	#	#
1	3	3

 _S-LAB-25-1

OPERATOR(S)

Thomas Benvis

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00	1. 0.35		###-Z00 PM-CTRL	mL	N°	
m	2. 0.33				Weight	
	3. 0.41					
Z02	1.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL)	Filtration Duration (minutes)
m	2.					
	3.					
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01	 112526604	2270	<input type="checkbox"/> 30 min. 35 min.
Z00	 112526605	2270 mL	Z00 R02	###-Z00 HP-2		<input type="checkbox"/> 30 min. min.
m			Z00 R03	###-Z02 HP-3		<input type="checkbox"/> 30 min. min.
			Z02 R01	###-Z02 HP		<input type="checkbox"/> 30 min. min.
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00	 112526606	2270 mL	N° TE212	 112526609	2270	N° TE228
m			Weight 37.152			Weight 37.618
Z00	 112526607	2270 mL	N° TE092	 112526610	2270	N° TE127
m			Weight 38.372			Weight 37.012
Z00	 112526608	2270 mL	N° TE345	 112526611	2270	N° TE302
m			Weight 37.588			Weight 37.328



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Depth Replicate	COMMENTS PA - HP	
Z00 m		
Z02 m		



LOG-SAMPLES_ _STATION- _S-LAB-NET-20

OPERATOR(S)

Net 20 μ m

Decknet

Deployed at sea

SAMPLE SPLITTING

of cod-ends 1 2

Total volume 1600 mL

Aliquots vol. 200 mL

PROTOCOLS

Barcode

Aliquot volume (mL)

Filtration time

Barcode

Aliquot volume (mL)

Filtration time

S20
Cryo-5mL
LN2 #1



200 mL (1/8)
110 mL

15 mn



200 mL (1/8)
110 mL

15 mn

FCAM20
Bottle-250mL
LIVE



200 mL (1/8)

E20
Falcon-15mL
+ 15mL ETOH
FRZ -20°C



200 mL (1/8)

S20-L
Falcon-5mL
FRZ -20°C
+ 5 mL
NucleoProtect



200 mL (1/8)
110 mL

MB20
Vial-4mL
FRZ -20°C



200 mL (1/8)
440

FM20
Falcon-50mL
FRG +4°C
Prealiquoted
PFA+GLUTA
store at -20°C



45 mL
 15mL



45 mL
 15mL

HG-20
Falcon-15mL
FRZ -20°C



570



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		