



LOG_SAMPLES_-

YYYY MM DD

#

2024 09 24

_STATION-

1 3 4

_MERCURY

OPERATOR(S)

DC

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				 112581124
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		 112581123	\$65 132,11 mg	4460 35	###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				





LOG_SAMPLES_	YYYY	MM	DD	#	#	#
LOG_SAMPLES_	2024	04	24	_STATION-	1 3 4	_DECK-BGC
OPERATOR(S)	Vanessa Pohl					

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C		DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m	 112581092	 112581093	 112581094		 112581122	###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3		###-Z02 DICTA	###-Z02 SAL
+ 150 µl HCl						+ 300 µl HgCl ₂
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C			
Z00 R01 m	 112526726	 112581095	 112526729			
Z00 R02 m	 112526727	 112581096	 112526730			
Z00 R03 m	 112526728	 112581097	 112526731			
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1			
Z02 R02 m	##-Z02 DOM-2	##-Z02 DOC-2	##-Z02 NUT-2			
Z02 R03 m	##-Z02 DOM-3	##-Z02 DOC-3	##-Z02 NUT-3			
	+ 150 µl HCl					



Depth	COMMENTS TOC		COMMENTS DICTA	COMMENTS SAL
Depth Replicate	Comments CDOM/FDOM	Comments DOC	Comments NUT	
Z00				
	m			
Z02				
	m			
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



YYYY MM DD # # #
 LOG_SAMPLES_ 2024 04 24 _STATION_ 1 3 4 _TARDIS-SCP
 OPERATOR(S) Vanessa Pahl

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m	112581098	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.	112581102	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.
Z00 R02 m	112581099	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.	112581103	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.
Z00 R03 m	112581100	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.	112581104	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.
Z00 R04 m	112581101	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.	112581105	<input checked="" type="checkbox"/> 2L L	<input checked="" type="checkbox"/> 120 min. min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.	###-Z02 HLB-1	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.	###-Z02 HLB-2	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.	###-Z02 HLB-3	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.
Z02 R04 m	###-Z02 PPL-4	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.	###-Z02 HLB-4	<input type="checkbox"/> 2L L	<input type="checkbox"/> 120 min. min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m	112581106	<input checked="" type="checkbox"/> 16L L	<input checked="" type="checkbox"/> 30 min. min.	112581107	<input checked="" type="checkbox"/> 16L L	<input checked="" type="checkbox"/> 30 min. min.
Z02 m	###-Z02 MB320	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min. min.	###-Z02 MB033	<input type="checkbox"/> 16L L	<input type="checkbox"/> 30 min. min.



Depth

COMMENTS

Z00 R01

m

Z00 R02

m

Z00 R03

m

Z00 R04

m

Z02 R01

m

Z02 R02

m

Z02 R03

m

Z02 R04

m



YYYY MM DD # # #
 LOG_SAMPLES_ 2024 04 24 _STATION_ 1 3 4 _S-LAB-OTHER
 OPERATOR(S) *Tola bi Capua*

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m	 112526855	 112526847	 112526863	 112526866	 112526868	 112526870
Z00 R02 m	 112526856	 112526848	 112526864	 112526867	 112526869	 112526871
Z00 R03 m	 112526857	 112526849	 112526865	Glycine-betaine pre aliquot at 4°C	PFA pre aliquot at -20°C	Glutaraldehyde pre aliquot at - 20°C
Z00 R04 m	 112526858	 112526850	Glycerol pre aliquot - RT			
Z00 R05 m	 112526859	 112526851		DGAS 12 mL extainer +4°C	DGAS 12 mL extainer +4°C	DGAS 12 mL extainer +4°C
Z00 R06 m	 112526860	 112526852		 112526835	 112526838	 112526841
Z00 R07 m	 112526861	 112526853		 112526836	 112526839	 112526842
Z00 R08 m	 112526862	 112526854		 112526837	 112526840	 112526843
Pre aliquot	No pre aliquot	Glycerol pre aliquot - RT		+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m	 112581125	<input type="checkbox"/> 30L	<input checked="" type="checkbox"/> 30 min.			
		30 L	min.			



YYYY	MM	DD	#	#	#
LOG_SAMPLES_	024	04	24	_STATION-	1 3 4
OPERATOR(S)	Iole Di Agno				
_S-LAB-DECKNET-5					

Depth	Volume filtered (Litres)				
Z00	<input checked="" type="checkbox"/> 10 L				
m		L			
Z02	<input type="checkbox"/> 10 L				
m		L			
Depth	FM5-1* Falcon-15mL FRG +4°C	FM5-2* Falcon-15mL FRG +4°C	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2	
Z00					
m	112526872	112526873	112526874	112526875	
Z02	### Z02 FM5-1	### Z02 FM5-2	### Z02 SG5-1	### Z02 SG5-2	
m					

*pre-aliquoted 5 mL PFA/GLUT
store at -20°C

* pre-aliquoted Glycine betaine
store at 4°C



Depth	COMMENTS	
	SG5	
Z00	R01	m
Z00	R02	m
Depth	COMMENTS	
	FM5	
Z00	R01	m
Z00	R02	m



LOG_SAMPLES_	YYYY	MM	DD	#	#	#
	2024	04	24	_STATION-		1 3 4
OPERATOR(S)	Joe bi' gno					
_PPN2-PPN2exe						

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz			
z00 m	1	12 : 07	12 : 11			
z00 m	2	12 : 07	12 : 11			
z00 m	3	12 : 07	12 : 11			
Depth	Natural abundance - T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time - start	Filtration time - end	
z00 m	NAT-1	112526876	1 L	12 : 38	12 : 00	
z00 m	NAT-2	112526877	1 L	12 : 38	12 : 00	
z00 m	NAT-3	112526878	2 L	12 : 38	12 : 00	
24h (+/- 30min) later				Filtration < 40min		
Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time - start	Filtration time - end
z00 m	PPN2-1	112526879	112526844	1 L	12 : 05	12 : 23
z00 m	PPN2-2	112526880	112526845	1 L	12 : 05	12 : 23
z00 m	PPN2-3	112526881	112526846	1 L	12 : 05	12 : 23
	BLANK	112526882	* +100 µL ZnCl			



Depth

COMMENTS



YYYY	MM	DD	#	#	#
LOG_SAMPLES_	2024	04	24	_STATION-	1 3 4 _S-LAB-25-1
OPERATOR(S)	Thomas Beavis				

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00 m	1. 0.75	 112526894	150 mL	N° TE088 Weight 36.018	
	2. 0.84				
	3. 0.66				
Z02 m	1.	TRIPLECTES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL)	Filtration Duration (minutes)
	2.				
	3.				
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m	 112526902	2520
Z00 m	 112526895	2520 mL	Z00 R02 m	###-Z00 HP-2	<input type="checkbox"/> 30 min. 39 min.
			Z00 R03 m	###-Z02 HP-3	<input type="checkbox"/> 30 min. min.
			Z02 R01 m	###-Z02 HP	<input type="checkbox"/> 30 min. min.
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)
Z00 m	 112526896	2270 mL	N° TE1A3 Weight 37.921	 112526899	2270 mL
Z00 m	 112526897	2270 mL	N° TE048 Weight 36.718	 112526900	2270 mL
Z00 m	 112526898	2520 mL	N° TE2A6 Weight 37.334	 112526901	2270 mL



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		

Depth Replicate	COMMENTS PA - HP
Z00 m	
Z02 m	



LOG-SAMPLES_ 2021 04 24 _STATION- 1 3 A _S-LAB-NET-20

OPERATOR(S)

Thomas Beavis

Net 20 μm

- | | |
|-------------------------------------|-----------------|
| <input checked="" type="checkbox"/> | Decknet |
| <input type="checkbox"/> | Deployed at sea |

SAMPLE SPLITTING # of cod-ends 1 2 Total volume 1600 mL Aliquots vol. 200 mL

PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
S20 Cryo-5mL LN2 #1		<input type="checkbox"/> 200 mL (1/8) 150 mL	<input checked="" type="checkbox"/> 15 mn		<input type="checkbox"/> 200 mL (1/8) 150 mL	<input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 200 mL (1/8)				
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input type="checkbox"/> 200 mL (1/8) 110 mL				
MB20 Vial-4mL FRZ -20°C		<input type="checkbox"/> 200 mL (1/8) 470				
FM20 Falcon-50mL FRG +4°C Pre aliquoted PFA+GLUTA store at -20°C		<input type="checkbox"/> 45 mL 15 mL			<input type="checkbox"/> 45 mL 15mL	
HG-20 Falcon-15mL FRZ -20°C		400				



SAMPLE SPLITTING	COMMENTS	COMMENTS
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES	YYYY 2021	MM 04	DD 21	# 1	# 3	# 4	_STATION- _S-LAB-NET-200
OPERATOR(S)	Thomas Beavis						

Horizontal
WPII-200

SAMPLE
SPLITTING

COD-END #1

PROTOCOLS

F200
Bottle-250mL
+
borax/formol
RT >10°C

Barcode



112581127

Fraction of
total volume



100%

Aliquot
Volume (mL)



250 mL



%



500 mL

SAMPLE
SPLITTING

COD-END #2

Total volume



1600 mL

S200
Cryo-5mL
LN2 #1

Barcode



112526928

Filtered
volume (mL)

150

Filtration time



15 min

Barcode



112526929

Filtered
volume (mL)

150

Filtration time



15 min

S200-L
Falcon-5mL
FRZ -20°C
+ 5mL Nucleo



112526930

130

HG-200
Falcon-15mL
FRZ -20°C



112526931

1230



SAMPLE SPLITTING	COMMENTS	COMMENTS
PROTOCOLS	F200 Bottle-250mL RT >10°C	
SAMPLE SPLITTING		
PROTOCOLS	S200 Cryo-5mL LN2 #1	
	S200-L Falcon-5mL FRZ -20°C	



LOG-SAMPLES	YYYY 202A	MM 0A	DD 2A	# 1	# 3	# 4	_STATION- _S-LAB-NET-680
OPERATOR(S)	Thomas Beavis						

Régent 680

SAMPLE
SPLITTING

NET TOW n°

1

FLOWMETER

09945

12012

NET TOW n°

1

FLOWMETER
Total volume

05886

09945

1600 mL

PROTOCOLS

F680
Bottle-250mL
RT >10°C

+
Borax/Formol

F2000
Bottle-250mL
RT >10°C

+
borax/formol

S680-L
Falcon-5mL
FRZ -20°C
+ 5mL
Nucleoprotect

HG-680
Falcon-15mL
FRZ -20°C



112581128

EPI
F2000

Barcode
Fraction of
total volume

Bottle volume
(mL)

Barcode

Fraction of
total volume

Aliquot
Volume (mL)

100 % 250 mL

25 % 500 mL

250 mL

500 mL



112526938

100 %

200 mL

%



112526939

1350



SAMPLE SPLITTING	COMMENTS	COMMENTS
PROTOCOLS		
F680 Bottle-250mL RT >10°C		
F2000 Bottle-250mL RT >10°C		
S680-L Falcon-5mL FRZ -20°C		



LOG_SAMPLES_ 2024 04 24 _STATION- 134 _W-LAB-142-1
 OPERATOR(S) Celine Dimier

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m	 112526795	 112526796	<input checked="" type="checkbox"/> 20L <input type="checkbox"/> L	<input checked="" type="checkbox"/> 15 min. <input type="checkbox"/> min.	112526797	<input checked="" type="checkbox"/> 20L <input type="checkbox"/> L
Z00 R02 m	112526798	112526799	<input type="checkbox"/> 20L 15 <input type="checkbox"/> L	<input checked="" type="checkbox"/> 15 min. <input type="checkbox"/> min.	112526800	<input type="checkbox"/> 20L 15 <input type="checkbox"/> L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L <input type="checkbox"/> L	<input type="checkbox"/> 15 min. <input type="checkbox"/> min.	###-Z02 S<02	<input type="checkbox"/> 20L <input type="checkbox"/> L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L <input type="checkbox"/> L	<input type="checkbox"/> 15 min. <input type="checkbox"/> min.	###-Z02 S<02-2	<input type="checkbox"/> 20L <input type="checkbox"/> L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m	 112526801	 112526802	<input checked="" type="checkbox"/> 50L <input type="checkbox"/> L	<input type="checkbox"/> 60 min. 45 <input type="checkbox"/> min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L <input type="checkbox"/> L	<input type="checkbox"/> 60 min. <input type="checkbox"/> min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m	112526803	112526804	<input checked="" type="checkbox"/> 50L <input type="checkbox"/> L	<input checked="" type="checkbox"/> 60 min. <input type="checkbox"/> min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L <input type="checkbox"/> L	<input type="checkbox"/> 60 min. <input type="checkbox"/> min.		



Depth
Replicate

COMMENTS
 S###

Z00 R01

m

Z00 R02

m

Z02 R01

m

Z02 R02

m

Depth

COMMENTS
 P###

Z00

m

Z02

m

Depth

COMMENTS
 S###L

Z00

m

Z02

m