



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_MERCURY

OPERATOR(S) DC

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m		#21 122,00	4540	36	###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT				
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



Depth	COMMENTS	
Z00  m		



YYYY MM DD # # #  
 LOG\_SAMPLES\_ **2024 05 18** \_STATION- **1 4 8** \_W-LAB-142-1  
 OPERATOR(S) **JEANTHON C.**

Depth Replicate	<b>S320</b> Cryo-5mL LN2 #1	<b>S023</b> Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			<input type="checkbox"/> 20L <b>19</b> L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L L
Z00 R02 m			<input type="checkbox"/> 20L <b>19</b> L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	<b>P320</b> Cryo-5mL LN2 #1	<b>P023</b> Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			<input type="checkbox"/> 50L <b>35</b> L	<input type="checkbox"/> 60 min. <b>50</b> min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		
Depth Replicate	<b>S320-L</b> 15mL falcon -20°C <b>+ 10 mL</b> <b>Nucleoprotect</b>	<b>S023-L</b> 15mL falcon -20°C <b>+ 10 mL</b> <b>Nucleoprotect</b>	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			<input type="checkbox"/> 50L <b>40</b> L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		



Depth Replicate	COMMENTS S###
Z00 R01 m	
Z00 R02 m	
Z02 R01 m	
Z02 R02 m	
Depth	COMMENTS P###
Z00 m	
Z02 m	
Depth	COMMENTS S###L
Z00 m	
Z02 m	



YYYY MM DD # # #  
 LOG\_SAMPLES\_ **2026 05 18** \_STATION- **1 4 8** \_DECK-BGC  
 OPERATOR(S) **Florian Trigodet**

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	<b>+ 150 µl HCl</b>			<b>+ 300 µl HgCl<sub>2</sub></b>	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	<b>+ 150 µl HCl</b>				



Depth	COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00 m			
Z02 m			
Depth Replicate	COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00 R01 m			
Z00 R02 m			
Z00 R03 m			
Z02 R01 m			
Z02 R02 m			
Z02 R03 m			



LOG\_SAMPLES\_ YYYY MM DD # # #  
 LOG\_SAMPLES\_ 2024 05 18 \_STATION- 1 4 8 \_TARDIS-SCP  
 OPERATOR(S) Florian Trigodet

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R02		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R03		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z00 R04		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R01	###-Z02 PPL-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R02	###-Z02 PPL-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R03	###-Z02 PPL-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Z02 R04	###-Z02 PPL-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
m		L	min.		L	min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.
m		L	min.		L	min.
Z02	###-Z02 MB320	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.
m		L	min.		L	min.



Depth		COMMENTS
Z00	R01 m	73033 : filter was cracked.
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	





LOG\_SAMPLES\_ 2024 05 18 \_STATION- 1 4 8 \_S-LAB-OTHER

OPERATOR(S) GULLO LABS

Depth Replicates		● HC Cryo-5mL LN2 #1	● HC-G Cryo-5mL LN2 #1	○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3
Z00	R01 m						
Z00	R02 m						
Z00	R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C
Z00	R04 m			Glycerol prealiquot - RT			
Z00	R05 m				DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
Z00	R06 m						
Z00	R07 m						
Z00	R08 m						
Prealiquot		No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>
Depth Replicate		eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00	m		<input type="checkbox"/> 30L <u>53</u> L	<input type="checkbox"/> 30 min. <u>34</u> min.			



Depth Replicates		○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3		
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1		
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2		
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C		
Prealiquot		Glycerol prealiquot - RT					
					DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
					###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3
					+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>	+ 100 µL ZnCl <sup>2</sup>
<b>COMMENTS</b>							







YYYY MM DD # # #  
 LOG\_SAMPLES\_ 2024 05 18 \_STATION- 148 \_PPN2-PPN2exe  
 OPERATOR(S) GUILLOU LAURE

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz			
Z00	1	7:00	7:15			(scotch)
Z00	2	7:00	7:15			
Z00	3	7:00	7:15			

Depth	Natural abundance – T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time – start	Filtration time – end	
Z00	NAT-1		2227	6:40	7:20	UTC
Z00	NAT-2		2227	6:40	7:20	
Z00	NAT-3		1750	6:40	7:20	

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time – start	Filtration time – end
Z00	PPN2-1			2227	7:30	8:10
Z00	PPN2-2			2227	7:30	8:04
Z00	PPN2-3			2227	7:30	8:00

BLANK



\* +100 µL ZnCl





LOG\_SAMPLES\_ **2024** **05** **18** \_STATION- **1** **4** **8** \_S-LAB-25-1

OPERATOR(S) **RANINI Romain**

Depth	Turbidimeter (FNU)		PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)	
Z00	1. 0.50 2. 0.53 3. 0.46		###-Z00 PM-CTRL	mL	N° Weight	
Z02	1. 2. 3.		TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL) Filtration Duration (minutes)	
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m		2160 <input type="checkbox"/> 30 min. 42 min.	
Z00		mL	Z00 R02 m	###-Z00 HP-2	<input type="checkbox"/> 30 min. min.	
			Z00 R03 m	###-Z02 HP-3	<input type="checkbox"/> 30 min. min.	
			Z02 R01 m	###-Z02 HP	<input type="checkbox"/> 30 min. min.	
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)
Z00 R01 m		2160 mL	N° TE280 Weight 37.457		2160 mL	N° TE275 Weight 37.137
Z00 R02 m		2160 mL	N° TE179 Weight 37.519		2160 mL	N° TE.307 Weight 37.085
Z00 R03 m		2160 mL	N° TE293 Weight 37.230		2160 mL	N° TE327 Weight 37.382



Depth Replicate		COMMENTS PM	COMMENTS FOI
Z00	R01 m		
Z00	R02 m		
Z00	R03 m		
Depth Replicate		COMMENTS PA - HP	
Z00	m		
Z02	m		





YYYY MM DD # # #  
 LOG-SAMPLES\_ 2024 05 18 \_STATION- 1 4 8 \_S-LAB-NET-20  
 OPERATOR(S) RANINI Romain

		Net 20 µm		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends	Total volume	Aliquots vol.			
	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	<input checked="" type="checkbox"/> 1600 mL	<input checked="" type="checkbox"/> 200 mL			
PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 200 mL (1/8) mL	<input checked="" type="checkbox"/> 15 mn		<input checked="" type="checkbox"/> 200 mL (1/8) mL	<input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 200 mL (1/8)				
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 200 mL (1/8) mL				
MB20 Vial-4mL FRZ -20°C		<input type="checkbox"/> 200 mL (1/8) <u>370 mL</u>				
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> <u>15 mL</u>			<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> <u>15 mL</u>	
HG-20 Falcon-15mL FRZ -20°C		<u>200 mL</u>				



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-NET-200

OPERATOR(S) RANINI Romain

Horizontal WPII-200						
SAMPLE SPLITTING	COD-END #1					
PROTOCOLS	Barcode	Fraction of total volume	Aliquot Volume (mL)			
F200 Bottle-250mL + borax/formol RT >10°C		<input checked="" type="checkbox"/> 100%	<input checked="" type="checkbox"/> 250 mL			
		%	<input type="checkbox"/> 500 mL			
SAMPLE SPLITTING	COD-END #2	Total volume				
		<input checked="" type="checkbox"/> 1600 mL				
PROTOCOLS	Barcode	Filtered volume (mL)	Filtration time	Barcode	Filtered volume (mL)	Filtration time
S200 Cryo-5mL LN2 #1		120	<input checked="" type="checkbox"/> 15 min		120	<input checked="" type="checkbox"/> 15 min
S200-L Falcon-5mL FRZ -20°C + 5mL Nucleo		120				
HG-200-1 Falcon-15mL FRZ -20°C		} 1140				
HG-200-2 Falcon-15mL FRZ -20°C						



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		
HG200 Falcon-15mL FRZ -20°C	too much matter for a single falcon → 2 have been used labelled HG200-1 and HG200-2	



LOG-SAMPLES\_ YYYY MM DD # # #  
 2024 05 18 \_STATION- 1 4 8 \_S-LAB-NET-680  
 OPERATOR(S) **RAFINI Romain**

Régent 680

SAMPLE SPLITTING	NET TOW n° 1		NET TOW n° 2			
	FLOWMETER	12948	17332	17333		
				1600 mL		
				1650 mL		
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)
<b>F680</b> Bottle-250mL RT >10°C + Borax/Formol		<input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 250 mL			
		%	<input type="checkbox"/> 500 mL			
<b>F2000</b> Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked	<input type="checkbox"/> 250 mL			
		#ind=	<input type="checkbox"/> 500 mL			
<b>S680-L</b> Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					<input type="checkbox"/> 100 %	200 mL
					%	
<b>HG-680</b> Falcon-15mL FRZ -20°C						1400

