



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_MERCURY

OPERATOR(S)

2024 05 26 1 5 2 DC

| Depth    | p.MeHg<br>Glass fiber<br>filter<br>FRZ -20°C | Filter code  | Filtration<br>Volume<br>(mL) | Filtration<br>time (min) | f.MeHg<br>125-mL PETG<br>bottle<br>FRG +4°C |
|----------|--|--------------|------------------------------|--------------------------|---|
| Z00<br>m | ###-Z00<br>p.MeHg                            |              |                              |                          |   |
| Z02<br>m | ###-Z02<br>p.MeHg                            |              |                              |                          | ###-Z02<br>f.MeHg                           |
| Depth    | p.THg<br>Glass fiber<br>filter<br>FRZ -20°C  | Filter code  | Filtration<br>Volume (mL)    | Filtration<br>time (min) | f.THg<br>40-mL glass<br>bottle<br>FRG +4°C  |
| Z00<br>m |  | #33<br>123,4 | 3145                         | 26                       | ###-Z00<br>f.THg                            |
| Z02<br>m | ###-Z02<br>p.THg                             |              |                              |                          | ###-Z02<br>f.THg                            |
| Depth    | uf.THg<br>40-mL glass<br>bottle<br>RT        |              | 2270<br>875                  |                          |   |
| Z00<br>m | ###-Z00<br>uf.THg                            |              |                              |                          |   |
| Z02<br>m | ###-Z02<br>uf.THg                            |              |                              |                          |   |
|          |  |              |                              |                          |   |
|          |  |              |                              |                          |   |



| Depth    | COMMENTS |  |
|----------|----------|--|
| 200<br>m |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |
|          |          |  |



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_W-LAB-142-1

OPERATOR(S) JEANTHON C

| Depth Replicate | S320 Cryo-5mL LN2 #1                           | S023 Cryo-5mL LN2 #1                           | Filtration Volume (Litres)           | Filtration Duration (minutes)               | S<02 Cryo-5mL FRG +4°C   | Filtration Volume (Litres)          |
|-----------------|--|--|--------------------------------------|---|--|-------------------------------------|
| Z00 R01<br>m    |  |  | <input type="checkbox"/> 20L<br>13 L | <input checked="" type="checkbox"/> 15 min. |  | <input type="checkbox"/> 20L<br>9 L |
| Z00 R02<br>m    |  |  | <input type="checkbox"/> 20L<br>13 L | <input checked="" type="checkbox"/> 15 min. |  | <input type="checkbox"/> 20L<br>9 L |
| Z02 R01<br>m    | ###-Z02 S320-1                                 | ###-Z02 S023                                   | <input type="checkbox"/> 20L<br>L    | <input type="checkbox"/> 15 min.<br>min.    | ###-Z02 S<02   | <input type="checkbox"/> 20L<br>L   |
| Z02 R02<br>m    | ###-Z02 S320-2                                 | ###-Z02 S023-2                                 | <input type="checkbox"/> 20L<br>L    | <input type="checkbox"/> 15 min.<br>min.    | ###-Z02 S<02-2   | <input type="checkbox"/> 20L<br>L   |
| Depth Replicate | P320 Cryo-5mL LN2 #1                           | P023 Cryo-5mL LN2 #1                           | Filtration Volume (Litres)           | Filtration Duration (minutes)               | < 0.2 µm   |                                     |
| Z00 m           |  |  | <input type="checkbox"/> 50L<br>40 L | <input checked="" type="checkbox"/> 60 min. | => Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2 |                                     |
| Z02 m           | ###-Z02 P320                                   | ###-Z02 P023                                   | <input type="checkbox"/> 50L<br>L    | <input type="checkbox"/> 60 min.<br>min.    |  |                                     |
| Depth Replicate | S320-L 15mL falcon -20°C + 10 mL Nucleoprotect | S023-L 15mL falcon -20°C + 10 mL Nucleoprotect | Filtration Volume (Litres)           | Filtration Duration (minutes)               |  |                                     |
| Z00 m           |  |  | <input type="checkbox"/> 50L<br>40 L | <input checked="" type="checkbox"/> 60 min. |  |                                     |
| Z02 m           | ###-Z02 S320-L                                 | ###-Z02 S023-L                                 | <input type="checkbox"/> 50L<br>L    | <input type="checkbox"/> 60 min.<br>min.    |  |                                     |



| Depth<br>Replicate | COMMENTS<br>S###            |
|--------------------|-----------------------------|
| Z00 R01<br>m       |                             |
| Z00 R02<br>m       |                             |
| Z02 R01<br>m       |                             |
| Z02 R02<br>m       |                             |
| Depth              | COMMENTS<br>P###            |
| Z00<br>m           | 2 filters per size fraction |
| Z02<br>m           |                             |
| Depth              | COMMENTS<br>S###L           |
| Z00<br>m           | 2 filters per size fraction |
| Z02<br>m           |                             |



LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- \_DECK-BGC

2024 05 26 1 5 2

OPERATOR(S) Florian Trigodot

| Depth        | TOC Vial-40mL FRG +4°C         | TOC Vial-40mL FRG +4°C | TOC Vial-40mL FRG +4°C    | Dicta Bottle-500mL RT >10°C | SAL Bottle-125mL RT >10°C |
|--------------|--------------------------------|------------------------|---------------------------|-----------------------------|---------------------------|
| Z00<br>m     |                                |                        |                           |                             | ###-Z00<br>SAL            |
| Z02<br>m     | ###-Z02<br>TOC-1               | ###-Z02<br>TOC-2       | ###-Z02<br>TOC-3          | ###-Z02<br>Dicta            | ###-Z02<br>SAL            |
|              | + 150 µl HCl                   |                        |                           | + 300 µl HgCl <sub>2</sub>  |                           |
| Depth        | CDOM/FDOM Bottle-60mL FRG +4°C | DOC Vial-40mL FRG +4°C | NUT Bottle-60mL FRZ -20°C |                             |                           |
| Z00 R01<br>m |                                |                        |                           |                             |                           |
| Z00 R02<br>m |                                |                        |                           |                             |                           |
| Z00 R03<br>m |                                |                        |                           |                             |                           |
| Z02 R01<br>m | ###-Z02<br>DOM-1               | ###-Z02<br>DOC-1       | ###-Z02<br>NUT-1          |                             |                           |
| Z02 R02<br>m | ##-Z02<br>DOM-2                | ###-Z02<br>DOC-2       | ###-Z02<br>NUT-2          |                             |                           |
| Z02 R03<br>m | ##-Z02<br>DOM-3                | ###-Z02<br>DOC-3       | ###-Z02<br>NUT-3          |                             |                           |
|              | + 150 µl HCl                   |                        |                           |                             |                           |



| Depth           | COMMENTS TOC       | COMMENTS DICTA | COMMENTS SAL |
|-----------------|--------------------|----------------|--------------|
| Z00<br>m        |                    |                |              |
| Z02<br>m        |                    |                |              |
| Depth Replicate | COMMENTS CDOM/FDOM | COMMENTS DOC   | COMMENTS NUT |
| Z00 R01<br>m    |                    |                |              |
| Z00 R02<br>m    |                    |                |              |
| Z00 R03<br>m    |                    |                |              |
| Z02 R01<br>m    |                    |                |              |
| Z02 R02<br>m    |                    |                |              |
| Z02 R03<br>m    |                    |                |              |
|                 |                    |                |              |
|                 |                    |                |              |



LOG\_SAMPLES\_ 2024 05 26 \_STATION- 1 5 2 \_TARDIS-SCP

OPERATOR(S) Florian Trigodet

| Depth              | PPL<br>Falcon-50mL<br>FRZ -20°C   | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          | HLB<br>Falcon-50mL<br>FRZ -20°C   | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          |
|--------------------|-----------------------------------|---|--|-----------------------------------|---|--|
| Z00                | R01<br>                           | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z00                | R02<br>                           | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z00                | R03<br>                           | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z00                | R04<br>                           | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |                                   | <input checked="" type="checkbox"/> 2L  | <input checked="" type="checkbox"/> 120 min. |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | R01<br>###-Z02<br>PPL-1           | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-1                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | R02<br>###-Z02<br>PPL-2           | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-2                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | R03<br>###-Z02<br>PPL-3           | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-3                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | R04<br>###-Z02<br>PPL-4           | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            | ###-Z02<br>HLB-4                  | <input type="checkbox"/> 2L             | <input type="checkbox"/> 120 min.            |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Depth<br>Replicate | MB320<br>50mL-Falcon<br>FRZ -20°C | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          | MB033<br>50mL-Falcon<br>FRZ -20°C | Filtration<br>Volume<br>(Litres)        | Filtration<br>Duration<br>(minutes)          |
| Z00                |                                   | <input checked="" type="checkbox"/> 16L | <input checked="" type="checkbox"/> 30 min.  |                                   | <input checked="" type="checkbox"/> 16L | <input checked="" type="checkbox"/> 30 min.  |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |
| Z02                | ###-Z02<br>MB320                  | <input type="checkbox"/> 16L            | <input type="checkbox"/> 30 min.             | ###-Z02<br>MB033                  | <input type="checkbox"/> 16L            | <input type="checkbox"/> 30 min.             |
|                    | m                                 | L                                       | min.   |                                   | L                                       | min.   |



| Depth |     | COMMENTS  |
|-------|-----|---|
| Z00   | R01 | NB320 : filter cracked<br>NB033 : very slightly cracked |
|       | m   |   |
| Z00   | R02 |   |
|       | m   |   |
| Z00   | R03 |   |
|       | m   |   |
| Z00   | R04 |   |
|       | m   |   |
| Z02   | R01 |   |
|       | m   |   |
| Z02   | R02 |   |
|       | m   |   |
| Z02   | R03 |   |
|       | m   |   |
| Z02   | R04 |   |
|       | m   |   |
|       |     |   |
|       |     |   |
|       |     |   |





LOG\_SAMPLES\_ 2024 05      \_STATION- 1 5 2 \_S-LAB-OTHER

OPERATOR(S) Guillaume LARE

| Depth Replicates       | ● HC<br>Cryo-5mL<br>LN2 #1    | ● HC-G<br>Cryo-5mL<br>LN2 #1                | ○ CP-G<br>Cryo-5mL<br>LN2 #1                        | ● SG<br>Cryo-5mL<br>LN2 #1        | ● FC-P<br>Cryo-2mL<br>LN2 #3    | ● FC-G<br>Cryo-2mL<br>LN2 #3       |
|------------------------|-------------------------------|---|---|-----------------------------------|---------------------------------|------------------------------------|
| Z00 R01<br>m           |                               |   |   |                                   |                                 |                                    |
| Z00 R02<br>m           |                               |   |   |                                   |                                 |                                    |
| Z00 R03<br>m           |                               |   |   | Glycine-betaine prealiquot at 4°C | PFA prealiquot at -20°C         | Glutaraldehyde prealiquot at -20°C |
| Z00 R04<br>m           |                               |   | Glycerol prealiquot - RT                            |                                   |                                 |                                    |
| Z00 R05<br>m           |                               |   |   | DGAS<br>12 mL exetainer<br>+4°C   | DGAS<br>12 mL exetainer<br>+4°C | DGAS<br>12 mL exetainer<br>+4°C    |
| Z00 R06<br>m           |                               |   |   |                                   |                                 |                                    |
| Z00 R07<br>m           |                               |   |   |                                   |                                 |                                    |
| Z00 R08<br>m           |                               |   |   |                                   |                                 |                                    |
| <b>Prealiquot</b>      | No prealiquot                 | Glycerol prealiquot - RT                    |   | + 100 µL ZnCl <sup>2</sup>        | + 100 µL ZnCl <sup>2</sup>      | + 100 µL ZnCl <sup>2</sup>         |
| <b>Depth Replicate</b> | <b>eDNA Watera capsule RT</b> | <b>Filtration Volume (Litres)</b>           | <b>Filtration Duration (minutes)</b>                | <b>+ 50 mL of buffer</b>          | <b>&lt; 0.45 µm</b>             |                                    |
| Z00<br>m               |                               | <input type="checkbox"/> 30L<br><u>34</u> L | <input checked="" type="checkbox"/> 30 min.<br>min. |                                   |                                 |                                    |



| Depth Replicates |          | ○ CP-G<br>Cryo-5mL<br>LN2 #1   | ● SG<br>Cryo-5mL<br>LN2 #1                  | ● FC-P<br>Cryo-2mL<br>LN2 #3 | ● FC-G<br>Cryo-2mL<br>LN2 #3              |                                 |                                 |
|------------------|----------|--------------------------------|---|------------------------------|---|---------------------------------|---------------------------------|
| Z02              | R01<br>m | ###-Z02<br>CP-G-1              | ###-Z02<br>SG-1                             | ###-Z02<br>FC-P-1            | ###-Z02<br>FC-G-1                         |                                 |                                 |
| Z02              | R02<br>m | ###-Z02<br>CP-G-2              | ###-Z02<br>SG-2                             | ###-Z02<br>FC-P-2            | ###-Z02<br>FC-G-2                         |                                 |                                 |
| Z02              | R03<br>m | ###-Z02<br>CP-G-3              | Glycine-<br>betaine<br>prealiquot at<br>4°C | PFA prealiquot<br>at -20°C   | Glutaraldehyde<br>prealiquot at -<br>20°C |                                 |                                 |
| Prealiquot       |          | Glycerol<br>prealiquot -<br>RT |   |                              |   |                                 |                                 |
|                  |          |                                |   |                              | DGAS<br>12 mL exetainer<br>+4°C           | DGAS<br>12 mL exetainer<br>+4°C | DGAS<br>12 mL exetainer<br>+4°C |
|                  |          |                                |   |                              | ###-Z02<br>DGAS-1                         | ###-Z02<br>DGAS-2               | ###-Z02<br>DGAS-3               |
|                  |          |                                |   |                              |   |                                 |                                 |
|                  |          |                                |   |                              | + 100 µL ZnCl <sup>2</sup>                | + 100 µL ZnCl <sup>2</sup>      | + 100 µL ZnCl <sup>2</sup>      |
| COMMENTS         |          |                                |   |                              |   |                                 |                                 |







LOG\_SAMPLES\_ YYYY MM DD # # # #  
 LOG\_SAMPLES\_ 2024 05    \_STATION- 1 5 2 \_PPN2-PPN2exe  
 OPERATOR(S) GULLOU LARE

| Depth    | Spikes | 13C-DIC time (UTC) in -20°C | 15N-DIC time (UTC) in gaz |                                  |
|----------|--------|-----------------------------|---------------------------|----------------------------------|
| Z00<br>m | 1      | 7:00                        | /                         | no more Gaz                      |
| Z00<br>m | 2      | 7:00                        | /                         | with parafilm                    |
| Z00<br>m | 3      | 7:00                        | /                         | Bubbles with parafilm at the end |

| Depth    | Natural abundance - TO | NAT Filter in alu -20°C | Filtered volume (mL) | Filtration time - start | Filtration time - end |
|----------|------------------------|-------------------------|----------------------|-------------------------|-----------------------|
| Z00<br>m | NAT-1                  |                         | 1120                 | 6:51                    | 7:30<br>UTC           |
| Z00<br>m | NAT-2                  |                         | 1150                 | 6:51                    | 7:30                  |
| Z00<br>m | NAT-3                  |                         | 1080                 | 6:51                    | 7:30                  |

24h (+/- 30min) later

Filtration < 40min

| Depth    | Incubated bottle | PPN2 Filter in alu -20°C | PPN2exe* Exetainer-12mL +4°C | Filtration volume (mL) | Filtration time - start | Filtration time - end |
|----------|------------------|--------------------------|------------------------------|------------------------|-------------------------|-----------------------|
| Z00<br>m | PPN2-1           |                          |                              | 1150                   | 7:50                    | 8:30                  |
| Z00<br>m | PPN2-2           |                          |                              | 1230                   | 7:50                    | 8:25                  |
| Z00<br>m | PPN2-3           |                          |                              | 1260                   | 7:50                    | 8:30                  |
|          | BLANK            |                          | * +100 µL ZnCl               |                        |                         |                       |





LOG\_SAMPLES\_ YYYY MM DD # # # \_STATION- \_S-LAB-25-1

OPERATOR(S) RANINI Romain

2024 05 26 1 5 2

| Depth   | Turbidimeter (FNU)            | PM control (EVERY TWO STATIONS)        | Filtration Volume (mL)     | N° filtres + weight (mg)                                |                        |                            |
|---------|-------------------------------|--|----------------------------|---|------------------------|----------------------------|
| Z00     | 1. 0.30<br>2. 0.34<br>3. 0.36 | ###-Z00<br>PM-CTRL                     | mL                         | N°<br>Weight  |                        |                            |
| Z02     | 1.<br>2.<br>3.                | TRIPPLICATES<br>ONCE A MONTH<br>FOR HP | HP<br>Cryo-2mL<br>LN2 #3   | Filtration Volume (mL)<br>Filtration Duration (minutes) |                        |                            |
| Depth   | PA<br>Petridish<br>FRZ -20°C  | Filtration Volume (mL)                 | Z00 R01<br>m               | <input type="checkbox"/> 30 min.<br>44 min.             |                        |                            |
| Z00     |                               | 1080 mL                                | Z00 R02<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
|         |                               |  | Z00 R03<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
|         |                               |  | Z02 R01<br>m               | <input type="checkbox"/> 30 min.<br>min.                |                        |                            |
| Depth   | PM<br>Petridish<br>FRZ -20°C  | Filtration Volume (mL)                 | N° filtre + weight (mg)    | FOI<br>Petridish<br>FRZ -20°C                           | Filtration Volume (mL) | N° filtre + weight (mg)    |
| Z00 R01 |                               | 1080 mL                                | N° T23-67<br>Weight 36.073 |   | 1080 mL                | N° T23-62<br>Weight 36.276 |
| Z00 R02 |                               | 1080 mL                                | N° T23-58<br>Weight 36.392 |   | 1080 mL                | N° T23-40<br>Weight 35.277 |
| Z00 R03 |                               | 1080 mL                                | N° T23-93<br>Weight 34.334 |   | 1080 mL                | N° T23-71<br>Weight 36.144 |



| Depth Replicate |          | COMMENTS PM      | COMMENTS FOI |
|-----------------|----------|------------------|--------------|
| Z00             | R01<br>m |                  |              |
| Z00             | R02<br>m |                  |              |
| Z00             | R03<br>m |                  |              |
|                 |          |                  |              |
|                 |          |                  |              |
|                 |          |                  |              |
|                 |          |                  |              |
| Depth Replicate |          | COMMENTS PA - HP |              |
| Z00             | m        |                  |              |
| Z02             | m        |                  |              |
|                 |          |                  |              |
|                 |          |                  |              |
|                 |          |                  |              |





YYYY MM DD # # #  
 LOG-SAMPLES\_ 2024 05 26 \_STATION- 1 5 2 \_S-LAB-NET-20  
 OPERATOR(S) RANINI Romain

|  |  | Net 20 µm  |  | <input checked="" type="checkbox"/> Decknet<br><input type="checkbox"/> Deployed at sea |  |   |
|--|--|--|--|---|--|---|
| SAMPLE SPLITTING   | # of cod-ends  | Total volume   | Aliquots vol.                              |   |  |   |
|  | <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 | <input checked="" type="checkbox"/> 1600 mL  | <input checked="" type="checkbox"/> 200 mL |   |  |   |
| PROTOCOLS  | Barcode  | Aliquot volume (mL)  | Filtration time                            | Barcode   | Aliquot volume (mL)  | Filtration time                           |
| ● S20<br>Cryo-5mL<br>LN2 #1  |  | <input type="checkbox"/> 200 mL (1/8)<br><u>145</u> mL                             | <input checked="" type="checkbox"/> 15 mn  |   | <input type="checkbox"/> 200 mL (1/8)<br><u>160</u> mL                             | <input checked="" type="checkbox"/> 15 mn |
| FCAM20<br>Bottle-250mL<br>LIVE   |  | <input checked="" type="checkbox"/> 200 mL (1/8)                                   |  |   |  |   |
| E20<br>Falcon-15mL<br>+ 15mL ETOH<br>FRZ -20°C                                 |  | <input checked="" type="checkbox"/> 200 mL (1/8)                                   |  |   |  |   |
| S20-L<br>Falcon-5mL<br>FRZ -20°C<br>+ 5 mL<br>NucleoProtect                    |  | <input checked="" type="checkbox"/> 200 mL (1/8)<br>mL                             |  |   |  |   |
| MB20<br>Vial-4mL<br>FRZ -20°C  |  | <input type="checkbox"/> 200 mL (1/8)<br><u>370 mL</u>                             |  |   |  |   |
| FM20<br>Falcon-50mL<br>FRG +4°C<br>Prealiquoted<br>PFA+GLUTA<br>store at -20°C |  | <input type="checkbox"/> 45 mL<br><input checked="" type="checkbox"/> <u>15 mL</u> |  |   | <input type="checkbox"/> 45 mL<br><input checked="" type="checkbox"/> <u>15 mL</u> |   |
| HG-20<br>Falcon-15mL<br>FRZ -20°C  |  | <u>200 mL</u>  |  |   |  |   |



|                                  | COMMENTS | COMMENTS |
|----------------------------------|----------|----------|
| SAMPLE SPLITTING                 |          |          |
| PROTOCOLS                        |          |          |
| S20<br>Cryo-5mL<br>LN2 #1        |          |          |
| FCAM20<br>Bottle-250mL<br>LIVE   |          |          |
| E20<br>Falcon-15mL<br>FRZ -20°C  |          |          |
| S20-L<br>Falcon-5mL<br>FRZ -20°C |          |          |
| MB20<br>Vial-4mL<br>FRZ -20°C    |          |          |
| FM20<br>Falcon-50mL<br>FRG +4°C  |          |          |
|                                  |          |          |
|                                  |          |          |
|                                  |          |          |



LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- # # # \_S-LAB-NET-200

OPERATOR(S) RANINI Romain

|   |            | Horizontal<br>WPII-200                      |  |         |                      |  |
|---|------------|---|--|---------|----------------------|--|
| SAMPLE SPLITTING                                      | COD-END #1 |   |  |         |                      |  |
| PROTOCOLS   | Barcode    | Fraction of total volume                    | Aliquot Volume (mL)                        |         |                      |  |
| F200<br>Bottle-250mL<br>+<br>borax/formol<br>RT >10°C |            | <input checked="" type="checkbox"/> 100%    | <input checked="" type="checkbox"/> 250 mL |         |                      |  |
|   |            | %   | <input type="checkbox"/> 500 mL            |         |                      |  |
| SAMPLE SPLITTING                                      | COD-END #2 | Total volume                                |  |         |                      |  |
|   |            | <input checked="" type="checkbox"/> 1600 mL |  |         |                      |  |
| PROTOCOLS   | Barcode    | Filtered volume (mL)                        | Filtration time                            | Barcode | Filtered volume (mL) | Filtration time                            |
| S200<br>Cryo-5mL<br>LN2 #1                            |            | 25 mL                                       | <input checked="" type="checkbox"/> 15 min |         | 23 mL                | <input checked="" type="checkbox"/> 15 min |
| S200-L<br>Falcon-5mL<br>FRZ -20°C<br>+ 5mL Nucleo     |            | 25 mL                                       |  |         |                      |  |
| HG-200<br>Falcon-15mL<br>FRZ -20°C                    |            | 1490 mL                                     |  |         |                      |  |



|                                   | COMMENTS | COMMENTS |
|-----------------------------------|----------|----------|
| SAMPLE SPLITTING                  |          |          |
| PROTOCOLS                         |          |          |
| F200<br>Bottle-250mL<br>RT >10°C  |          |          |
| SAMPLE SPLITTING                  |          |          |
| PROTOCOLS                         |          |          |
| S200<br>Cryo-5mL<br>LN2 #1        |          |          |
| S200-L<br>Falcon-5mL<br>FRZ -20°C |          |          |
|                                   |          |          |
|                                   |          |          |
|                                   |          |          |



LOG-SAMPLES\_ YYYY MM DD # # # \_STATION- \_S-LAB-NET-680

OPERATOR(S) RANvN1 Romain

Régent 680

| SAMPLE SPLITTING  | NET TOW n° <span>1</span>    |   | NET TOW n° <span>2</span>                  |                              |                                |                        |
|---|------------------------------|---|--|------------------------------|--------------------------------|------------------------|
|   | FLOWMETER <span>45166</span> | FLOWMETER <span>48925</span>              | FLOWMETER <span>48925</span>               | FLOWMETER <span>52216</span> |                                |                        |
| Total volume <input type="checkbox"/> 1600 mL                                     |                              |   |  |                              |                                |                        |
| PROTOCOLS   | Barcode                      | Fraction of total volume                  | Bottle volume (mL)                         | Barcode                      | Fraction of total volume       | Aliquot Volume (mL)    |
| <b>F680</b><br>Bottle-250mL<br>RT >10°C<br>+<br>Borax/Formol                      |                              | <input checked="" type="checkbox"/> 100 % | <input checked="" type="checkbox"/> 250 mL |                              |                                |                        |
|   |                              | %   | <input type="checkbox"/> 500 mL            |                              |                                |                        |
| <b>F2000</b><br>Bottle-250mL<br>RT >10°C<br>+<br>borax/formol                     | ### EPI<br>F2000             | hand-picked                               | <input type="checkbox"/> 250 mL            |                              |                                |                        |
|   |                              | #ind=                                     | <input type="checkbox"/> 500 mL            |                              |                                |                        |
| <b>S680-L</b><br>Falcon-5mL<br>FRZ -20°C<br>+ 5mL<br>Nucleoprotect                |                              |   |  |                              | <input type="checkbox"/> 100 % | <span>80</span> mL     |
|   |                              |   |  |                              | %                              |                        |
| <b>HG-680-1</b><br>Falcon-15mL<br>FRZ -20°C<br>HG680-2<br>Falcon-15mL<br>FRZ-20°C |                              |   |  |                              |                                | } <span>1250 mL</span> |
|   |                              |   |  |                              |                                |                        |

