



YYYY MM DD # # #
 LOG_SAMPLES_ 2024 05 28 _STATION- 1 5 4 _MERCURY
 OPERATOR(S) DC

Depth	p.MeHg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.MeHg 125-mL PETG bottle FRG +4°C
Z00 m	###-Z00 p.MeHg				112585862
Z02 m	###-Z02 p.MeHg				###-Z02 f.MeHg
Depth	p.THg Glass fiber filter FRZ -20°C	Filter code	Filtration Volume (mL)	Filtration time (min)	f.THg 40-mL glass bottle FRG +4°C
Z00 m	112524329	#37 125,6	3380	30	###-Z00 f.THg
Z02 m	###-Z02 p.THg				###-Z02 f.THg
Depth	uf.THg 40-mL glass bottle RT		2270 1080 30		
Z00 m	###-Z00 uf.THg				
Z02 m	###-Z02 uf.THg				



Depth	COMMENTS	
200 m		



LOG_SAMPLES_ **2024 05 28** _STATION- **1 5 4** _W-LAB-142-1

OPERATOR(S) **JEANTHON C.**

Depth Replicate	S320 Cryo-5mL LN2 #1	S023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	S<02 Cryo-5mL FRG +4°C	Filtration Volume (Litres)
Z00 R01 m			<input type="checkbox"/> 20L 12 L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L 5 L
Z00 R02 m			<input type="checkbox"/> 20L 13 L	<input checked="" type="checkbox"/> 15 min. min.		<input type="checkbox"/> 20L 6 L
Z02 R01 m	###-Z02 S320-1	###-Z02 S023	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02	<input type="checkbox"/> 20L L
Z02 R02 m	###-Z02 S320-2	###-Z02 S023-2	<input type="checkbox"/> 20L L	<input type="checkbox"/> 15 min. min.	###-Z02 S<02-2	<input type="checkbox"/> 20L L
Depth Replicate	P320 Cryo-5mL LN2 #1	P023 Cryo-5mL LN2 #1	Filtration Volume (Litres)	Filtration Duration (minutes)	< 0.2 µm	
Z00 m			<input type="checkbox"/> 50L 35 L	<input checked="" type="checkbox"/> 60 min. min.	=> Collect filtrate for SS protocols onland : VV<0.2, qPCR<0.2	
Z02 m	###-Z02 P320	###-Z02 P023	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		
Depth Replicate	S320-L 15mL falcon -20°C + 10 mL Nucleoprotect	S023-L 15mL falcon -20°C + 10 mL Nucleoprotect	Filtration Volume (Litres)	Filtration Duration (minutes)		
Z00 m			<input type="checkbox"/> 50L 35 L	<input checked="" type="checkbox"/> 60 min. min.		
Z02 m	###-Z02 S320-L	###-Z02 S023-L	<input type="checkbox"/> 50L L	<input type="checkbox"/> 60 min. min.		

2 filters per size fraction in both replicates (S320 & S023)

2 filters per replicate ($S < 0.2$)

2 filters per size fraction

2 filters per size fraction



LOG_SAMPLES_ YYYY MM DD # # # #
 2024 05 28 _STATION- 1 5 4 _DECK-BGC
 OPERATOR(S) Florian Trigolet

Depth	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	TOC Vial-40mL FRG +4°C	DICTA Bottle-500mL RT >10°C	SAL Bottle-125mL RT >10°C
Z00 m					###-Z00 SAL
Z02 m	###-Z02 TOC-1	###-Z02 TOC-2	###-Z02 TOC-3	###-Z02 DICTA	###-Z02 SAL
	+ 150 µl HCl			+ 300 µl HgCl ₂	
Depth	CDOM/FDOM Bottle-60mL FRG +4°C	DOC Vial-40mL FRG +4°C	NUT Bottle-60mL FRZ -20°C		
Z00 R01 m					
Z00 R02 m					
Z00 R03 m					
Z02 R01 m	###-Z02 DOM-1	###-Z02 DOC-1	###-Z02 NUT-1		
Z02 R02 m	##-Z02 DOM-2	###-Z02 DOC-2	###-Z02 NUT-2		
Z02 R03 m	##-Z02 DOM-3	###-Z02 DOC-3	###-Z02 NUT-3		
	+ 150 µl HCl				



Depth		COMMENTS TOC	COMMENTS DICTA	COMMENTS SAL
Z00	m			
Z02	m			
Depth Replicate		COMMENTS CDOM/FDOM	COMMENTS DOC	COMMENTS NUT
Z00	R01			
	m			
Z00	R02			
	m			
Z00	R03			
	m			
Z02	R01			
	m			
Z02	R02			
	m			
Z02	R03			
	m			



LOG_SAMPLES_ **2024 05 28** _STATION- **1 5 4** _TARDIS-SCP

OPERATOR(S) **Florian Trigodet**

Depth	PPL Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	HLB Falcon-50mL FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 R01 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
Z00 R02 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
Z00 R03 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
Z00 R04 m		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.		<input checked="" type="checkbox"/> 2L	<input checked="" type="checkbox"/> 120 min.
Z02 R01 m	###-Z02 PPL-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-1	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
Z02 R02 m	###-Z02 PPL-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-2	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
Z02 R03 m	###-Z02 PPL-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-3	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
Z02 R04 m	###-Z02 PPL-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.	###-Z02 HLB-4	<input type="checkbox"/> 2L	<input type="checkbox"/> 120 min.
Depth Replicate	MB320 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)	MB033 50mL-Falcon FRZ -20°C	Filtration Volume (Litres)	Filtration Duration (minutes)
Z00 m		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.		<input checked="" type="checkbox"/> 16L	<input checked="" type="checkbox"/> 30 min.
Z02 m	###-Z02 MB320	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.	###-Z02 MB033	<input type="checkbox"/> 16L	<input type="checkbox"/> 30 min.



Depth		COMMENTS
Z00	R01 m	
Z00	R02 m	
Z00	R03 m	
Z00	R04 m	
Z02	R01 m	
Z02	R02 m	
Z02	R03 m	
Z02	R04 m	



LOG_SAMPLES_ 2024 05 28 _STATION- 1 5 4 _S-LAB-OTHER

OPERATOR(S) Giulia IARL

Depth Replicates	HC Cryo-5mL LN2 #1	HC-G Cryo-5mL LN2 #1	CP-G Cryo-5mL LN2 #1	SG Cryo-5mL LN2 #1	FC-P Cryo-2mL LN2 #3	FC-G Cryo-2mL LN2 #3
Z00 R01 m						
Z00 R02 m						
Z00 R03 m				Glycine-betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at -20°C
Z00 R04 m			Glycerol prealiquot - RT			
Z00 R05 m				DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
Z00 R06 m						
Z00 R07 m						
Z00 R08 m						
Prealiquot	No prealiquot	Glycerol prealiquot - RT		+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
Depth Replicate	eDNA Watera capsule RT	Filtration Volume (Litres)	Filtration Duration (minutes)	+ 50 mL of buffer	< 0.45 µm	
Z00 m		<input type="checkbox"/> 30L 37 L	<input checked="" type="checkbox"/> 30 min. min.			



Depth Replicates		○ CP-G Cryo-5mL LN2 #1	● SG Cryo-5mL LN2 #1	● FC-P Cryo-2mL LN2 #3	● FC-G Cryo-2mL LN2 #3		
Z02	R01 m	###-Z02 CP-G-1	###-Z02 SG-1	###-Z02 FC-P-1	###-Z02 FC-G-1		
Z02	R02 m	###-Z02 CP-G-2	###-Z02 SG-2	###-Z02 FC-P-2	###-Z02 FC-G-2		
Z02	R03 m	###-Z02 CP-G-3	Glycine- betaine prealiquot at 4°C	PFA prealiquot at -20°C	Glutaraldehyde prealiquot at - 20°C		
Prealiquot		Glycerol prealiquot - RT					
					DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C	DGAS 12 mL exetainer +4°C
					###-Z02 DGAS-1	###-Z02 DGAS-2	###-Z02 DGAS-3
					+ 100 µL ZnCl ²	+ 100 µL ZnCl ²	+ 100 µL ZnCl ²
COMMENTS							



LOG_SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-DECKNET-5

OPERATOR(S) Guillem LAURE

Depth	Volume filtered (Litres)				
Z00	<input type="checkbox"/> 10 L				
m	9 L				
Z02	<input type="checkbox"/> 10 L				
m	L				
Depth	FM5-1* Falcon-15mL FRG +4°C	FM5-2* Falcon-15mL FRG +4°C	SG5-1* Cryo-5mL LN2	SG5-2* Cryo-5mL LN2	
Z00	112524474	112524475	112524476	112524477	
m					
Z02	### Z02 FM5-1	### Z02 FM5-2	### Z02 SG5-1	### Z02 SG5-2	
m					

*pre-aliquoted 5 mL PFA/GLUT
store at -20°C

* pre-aliquoted Glycine betaine
store at 4°C



LOG_SAMPLES_ 2024 05 28 _STATION- 1 5 4 _PPN2-PPN2exe

OPERATOR(S) GUILLON LAURE

Depth	Spikes	13C-DIC time (UTC) in -20°C	15N-DIC time (UTC) in gaz		
Z00 m	1	5:23	/	No more Gaz	
Z00 m	2	5:23	/		
Z00 m	3	5:23	/		

Depth	Natural abundance - T0	NAT Filter in alu -20°C	Filtered volume (mL)	Filtration time - start (UTC)	Filtration time - end
Z00 m	NAT-1		1050	5:13	5:50
Z00 m	NAT-2		950	5:13	5:50
Z00 m	NAT-3		1000	5:13	5:50

24h (+/- 30min) later

Filtration < 40min

Depth	Incubated bottle	PPN2 Filter in alu -20°C	PPN2exe* Exetainer-12mL +4°C	Filtration volume (mL)	Filtration time - start	Filtration time - end
Z00 m	PPN2-1			1040	14:03	14:40
Z00 m	PPN2-2			920	14:03	14:40
Z00 m	PPN2-3			1040	14:03	14:42

BLANK



* +100 µL ZnCl



LOG_SAMPLES_ **2024** **05** **28** _STATION- **1** **5** **4** _S-LAB-25-1

OPERATOR(S) **RANINI Romain**

Depth	Turbidimeter (FNU)	PM control (EVERY TWO STATIONS)	Filtration Volume (mL)	N° filtres + weight (mg)
Z00	1. 0.60 2. 0.64 3. 0.56	###-Z00 PM-CTRL	mL	N° Weight
Z02	1. 2. 3.	TRIPPLICATES ONCE A MONTH FOR HP	HP Cryo-2mL LN2 #3	Filtration Volume (mL) Filtration Duration (minutes)
Depth	PA Petridish FRZ -20°C	Filtration Volume (mL)	Z00 R01 m	112524263 1080 <input type="checkbox"/> 30 min. 38 min.
Z00	112524266	1080 mL	Z00 R02 m	112524264 1080 <input type="checkbox"/> 30 min. 36 min.
			Z00 R03 m	112524265 1080 <input type="checkbox"/> 30 min. 38 min.
			Z02 R01 m	###-Z02 HP <input type="checkbox"/> 30 min. 38 min.
Depth	PM Petridish FRZ -20°C	Filtration Volume (mL)	N° filtre + weight (mg)	FOI Petridish FRZ -20°C Filtration Volume (mL) N° filtre + weight (mg)
Z00	112524267	1080 mL	N° T23-70 Weight 36.448	112524270 1080 mL N° T23-36 Weight 35.557
Z00	112524268	1080 mL	N° T23-63 Weight 35.178	112524271 1080 mL N° T23-9 Weight 35.761
Z00	112524269	1080 mL	N° T23-69 Weight 35.182	112524272 1080 mL N° T23-6 Weight 35.139



Depth Replicate	COMMENTS PM	COMMENTS FOI
Z00 R01 m		
Z00 R02 m		
Z00 R03 m		
Depth Replicate	COMMENTS PA - HP	
Z00 m		
Z02 m		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-NET-20

OPERATOR(S) RANINI Romain

		Net 20 μ m		<input checked="" type="checkbox"/> Decknet <input type="checkbox"/> Deployed at sea		
SAMPLE SPLITTING	# of cod-ends	Total volume	Aliquots vol.			
PROTOCOLS	Barcode	Aliquot volume (mL)	Filtration time	Barcode	Aliquot volume (mL)	Filtration time
● S20 Cryo-5mL LN2 #1		<input checked="" type="checkbox"/> 1600 mL 150 mL	<input checked="" type="checkbox"/> 200 mL		<input type="checkbox"/> 200 mL (1/8) 150 mL	<input checked="" type="checkbox"/> 15 mn
FCAM20 Bottle-250mL LIVE		<input checked="" type="checkbox"/> 200 mL (1/8)				
E20 Falcon-15mL + 15mL ETOH FRZ -20°C		<input checked="" type="checkbox"/> 200 mL (1/8)				
S20-L Falcon-5mL FRZ -20°C + 5 mL NucleoProtect		<input checked="" type="checkbox"/> 200 mL (1/8)				
MB20 Vial-4mL FRZ -20°C		<input type="checkbox"/> 200 mL (1/8) 370 mL				
FM20 Falcon-50mL FRG +4°C Prealiquoted PFA+GLUTA store at -20°C		<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> 15 mL			<input type="checkbox"/> 45 mL <input checked="" type="checkbox"/> 15 mL	
HG-20 Falcon-15mL FRZ -20°C		200 mL				



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
S20 Cryo-5mL LN2 #1		
FCAM20 Bottle-250mL LIVE		
E20 Falcon-15mL FRZ -20°C		
S20-L Falcon-5mL FRZ -20°C		
MB20 Vial-4mL FRZ -20°C		
FM20 Falcon-50mL FRG +4°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- # # # _S-LAB-NET-200

OPERATOR(S) RANINI Romain

Horizontal
WP11-200

SAMPLE SPLITTING

COD-END #1

PROTOCOLS

Barcode

Fraction of total volume

Aliquot Volume (mL)

F200
Bottle-250mL
+
borax/formol
RT >10°C



100%



250 mL

%



500 mL

SAMPLE SPLITTING

COD-END #2

Total volume



1600 mL

PROTOCOLS

Barcode

Filtered volume (mL)

Filtration time

Barcode

Filtered volume (mL)

Filtration time

S200
Cryo-5mL
LN2 #1



20 mL



15 min



20 mL



15 min

S200-L
Falcon-5mL
FRZ -20°C
+ 5mL Nucleo



20 mL

HG-200
Falcon-15mL
FRZ -20°C



1150 mL



	COMMENTS	COMMENTS
SAMPLE SPLITTING		
PROTOCOLS		
F200 Bottle-250mL RT >10°C		
SAMPLE SPLITTING		
PROTOCOLS		
S200 Cryo-5mL LN2 #1		
S200-L Falcon-5mL FRZ -20°C		



LOG-SAMPLES_ YYYY MM DD # # # _STATION- _S-LAB-NET-680

OPERATOR(S) RANINI Romain

2026 05 28 1 5 4

Régent 680

SAMPLE SPLITTING	NET TOW n°		NET TOW n°		FLOWMETER		Total volume	
	56797	1	66466	2	66466	75674		
	<input checked="" type="checkbox"/> 1600 mL							
PROTOCOLS	Barcode	Fraction of total volume	Bottle volume (mL)	Barcode	Fraction of total volume	Aliquot Volume (mL)		
F680 Bottle-250mL RT >10°C + Borax/Formol		<input checked="" type="checkbox"/> 100 %	<input checked="" type="checkbox"/> 250 mL					
		%	<input type="checkbox"/> 500 mL					
F2000 Bottle-250mL RT >10°C + borax/formol	### EPI F2000	hand-picked	<input type="checkbox"/> 250 mL					
		#ind=	<input type="checkbox"/> 500 mL					
S680-L Falcon-5mL FRZ -20°C + 5mL Nucleoprotect					<input type="checkbox"/> 100 %	75 mL		
					%			
HG-680 Falcon-15mL FRZ -20°C						1425 mL		

